

Back to: Call Flow Details for CUBE and CVP

Back to: Call Flow Details for Cisco MediaSense

Back to: category:Cisco MediaSense

Syslog logging: enabled (0 messages dropped, 3 messages rate-limited, 0 flushes, 0 overruns, xml c

No Active Message Discriminator.

No Inactive Message Discriminator.

Console logging: disabled
Monitor logging: level debugging, 10451 messages logged, xml disabled,
filtering disabled
Logging to: vty644(9227)
Buffer logging: level debugging, 91802 messages logged, xml disabled,
filtering disabled
Exception Logging: size (8192 bytes)
Count and timestamp logging messages: disabled
Persistent logging: disabled

No active filter modules.

Trap logging: level informational, 109 message lines logged
Logging Source-Interface: VRF Name:

Log Buffer (2000000 bytes):

```
Aug 5 21:19:28.374: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:5200201003@10.194.122.73:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC
Remote-Party-ID: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;party=calling;screen=yes;privacy
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
User-Agent: Cisco-SIPGateway/IOS-12.x
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1312607968
Contact: <sip:8002@10.194.122.74:5060>
Call-Info: <sip:10.194.122.74:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
X-Cisco-CCBProbe: undefined
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 215
```

v=0

o=CiscoSystemsSIP-GW-UserAgent 0 4244 IN IP4 10.194.122.74

CUBE_Log_X1

s=SIP Call
c=IN IP4 10.194.122.74
t=0 0
m=audio 17818 RTP/AVP 0 19
c=IN IP4 10.194.122.74
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 5 21:19:28.378: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Timestamp: 1312607968
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 5 21:19:28.378: findDialPeer: user(5200201003)
Aug 5 21:19:28.378: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:5200201003@10.10.10.20:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D7231C
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
To: <sip:5200201003@10.10.10.20>
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Timestamp: 1312607968
Contact: <sip:8002@10.10.10.60:5060>
Expires: 180
Allow-Events: telephone-event
Max-Forwards: 69
P-Asserted-Identity: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 244

v=0
o=CiscoSystemsSIP-GW-UserAgent 5263 6170 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 24752 RTP/AVP 0 101
c=IN IP4 10.10.10.60
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20

Aug 5 21:19:28.386: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying

CUBE_Log_X1

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D7231C
To: <sip:5200201003@10.10.10.20>
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 101 INVITE
Content-Length: 0
Timestamp: 1312607968
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
Contact: <sip:10.10.10.20:5060;transport=udp>
Cisco-Gucid: 7D386E94BF2211E0810C30E4DB48DC00

Aug 5 21:19:28.426: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D7231C

To: <sip:5200201003@10.10.10.20>;tag=ds9cee72

From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 101 INVITE

Content-Length: 246

Cisco-Guid: 2100850324-3206681056-2165059812-3678985216

Contact: <sip:10.10.10.20:5060;transport=udp>

Date: Sat, 06 Aug 2011 05:11:46 GMT

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

Allow-Events: telephone-event

Supported: replaces

Supported: sdp-anat

Supported: timer

Server: Cisco-SIPGateway/IOS-12.x

Content-Disposition: session;handling=required

Content-Type: application/sdp

Cisco-Gucid: 7D386E94BF2211E0810C30E4DB48DC00

v=0

o=CiscoSystemsSIP-GW-UserAgent 3230 168 IN IP4 10.10.10.150

s=SIP Call

c=IN IP4 10.10.10.150

t=0 0

m=audio 19344 RTP/AVP 0 101

c=IN IP4 10.10.10.150

a=rtpmap:0 PCMU/8000

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

a=ptime:20

Aug 5 21:19:28.426: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:10.10.10.20:5060;transport=udp SIP/2.0

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D83A4

From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

To: <sip:5200201003@10.10.10.20>;tag=ds9cee72

Date: Sat, 06 Aug 2011 05:19:28 GMT

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

Max-Forwards: 70

CSeq: 101 ACK

Allow-Events: telephone-event

Content-Length: 0

Aug 5 21:19:28.426: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC

CUBE_Log_X1

From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Timestamp: 1312607968
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:5200201003@10.194.122.73>;party=called;screen=no;privacy=off
Contact: <sip:5200201003@10.194.122.73:5060>
Supported: replaces
Call-Info: <sip:10.194.122.73:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Supported: timer
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 218

v=0
o=CiscoSystemsSIP-GW-UserAgent 6642 6493 IN IP4 10.194.122.73
s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 28196 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 5 21:19:28.426: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:5200201003@10.194.122.73:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11D6F7
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 5 21:19:28.430: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:28282828@sjea080:5060 SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56D9E28
X-Cisco-Recording-Participant: sip:8002@10.194.122.74;media-index="0"
X-Cisco-Recording-Participant: sip:5200201003@10.10.10.20;media-index="1"
From: <sip:10.194.122.73>;tag=494ADAE8-FD4
To: <sip:28282828@sjea080>
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73
Supported: timer, resource-priority, replaces, sdp-anat
Min-SE: 1800
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1312607968
Contact: <sip:10.194.122.73:5060;transport=tcp>
Expires: 180

CUBE_Log_X1

Allow-Events: telephone-event
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 349

v=0
o=CiscoSystemsSIP-GW-UserAgent 7678 7112 IN IP4 10.194.122.73
s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 22488 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20
a=sendonly
m=audio 16756 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20
a=sendonly

Aug 5 21:19:28.454: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56D9E28
To: <sip:28282828@sjea080>;tag=dsfc80bb7b
From: <sip:10.194.122.73>;tag=494ADAE8-FD4
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73
CSeq: 101 INVITE
Content-Length: 0
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>
Allow: INVITE, BYE, CANCEL, ACK, NOTIFY, INFO, UPDATE
Server: Cisco-ORA/8.5

Aug 5 21:19:28.678: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 Ok
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56D9E28
To: <sip:28282828@sjea080>;tag=dsfc80bb7b
From: <sip:10.194.122.73>;tag=494ADAE8-FD4
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73
CSeq: 101 INVITE
Content-Length: 206
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>
Content-Type: application/sdp
Allow: INVITE, BYE, CANCEL, ACK, NOTIFY, INFO, UPDATE
Server: Cisco-ORA/8.5

v=0
o=CiscoORA 3489 1 IN IP4 10.194.122.80
s=SIP Call
c=IN IP4 10.194.122.80
t=0 0
m=audio 35108 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly
m=audio 56966 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly

Aug 5 21:19:28.678: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

CUBE_Log_X1

Sent:

ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56DAEF2
From: <sip:10.194.122.73>;tag=494ADAE8-FD4
To: <sip:28282828@sjea080>;tag=dsfc80bb7b
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 5 21:19:44.358: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

INVITE sip:8002@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323757
Max-Forwards: 70
To: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
From: <sip:5200201003@10.10.10.20>;tag=ds9cee72
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 1 INVITE
Content-Length: 247
Contact: <sip:10.10.10.20:5060;transport=udp>
Content-Type: application/sdp

v=0

o=CiscoSystemsSIP-GW-UserAgent 5124 7177 IN IP4 10.10.10.150
s=SIP Call
c=IN IP4 10.10.10.150
t=0 0
m=audio 16876 RTP/AVP 0 101
c=IN IP4 10.10.10.150
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20

Aug 5 21:19:44.358: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:8002@10.194.122.74:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1312607984
Contact: <sip:5200201003@10.194.122.73:5060>
Call-Info: <sip:10.194.122.73:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
Content-Type: application/sdp
Content-Length: 218

v=0

o=CiscoSystemsSIP-GW-UserAgent 6642 6493 IN IP4 10.194.122.73
s=SIP Call

CUBE_Log_X1

c=IN IP4 10.194.122.73
t=0 0
m=audio 28196 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 5 21:19:44.358: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323757
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 1 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 5 21:19:44.362: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

Aug 5 21:19:44.362: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;party=called;screen=yes;privacy=
Contact: <sip:8002@10.194.122.74:5060>
Supported: replaces
Call-Info: <sip:10.194.122.74:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x
Content-Type: application/sdp
Content-Length: 215

v=0
o=CiscoSystemsSIP-GW-UserAgent 0 4244 IN IP4 10.194.122.74
s=SIP Call
c=IN IP4 10.194.122.74
t=0 0
m=audio 17818 RTP/AVP 0 19
c=IN IP4 10.194.122.74
a=rtpmap:0 PCMU/8000

CUBE_Log_X1

a=rtpmap:19 CN/8000
a=ptime:20

Aug 5 21:19:44.362: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323757

From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Date: Sat, 06 Aug 2011 05:19:44 GMT

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 1 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

Allow-Events: telephone-event

Remote-Party-ID: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;party=called;screen=yes;privacy=of

Contact: <sip:8002@10.10.10.60:5060>

Supported: replaces

Supported: sdp-anat

Server: Cisco-SIPGateway/IOS-15.2(0.19)T,

Supported: timer

Content-Type: application/sdp

Content-Length: 244

v=0

o=CiscoSystemsSIP-GW-UserAgent 5263 6170 IN IP4 10.10.10.60

s=SIP Call

c=IN IP4 10.10.10.60

t=0 0

m=audio 24752 RTP/AVP 0 101

c=IN IP4 10.10.10.60

a=rtpmap:0 PCMU/8000

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

a=ptime:20

Aug 5 21:19:44.362: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:8002@10.194.122.74:5060 SIP/2.0

Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DC16F1

From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627

To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A

Date: Sat, 06 Aug 2011 05:19:44 GMT

Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74

Max-Forwards: 70

CSeq: 101 ACK

Allow-Events: telephone-event

Content-Length: 0

Aug 5 21:19:44.370: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

ACK sip:8002@10.10.10.60:5060 SIP/2.0

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323759

Max-Forwards: 70

To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 1 ACK

Content-Length: 0

Contact: <sip:10.10.10.20:5060;transport=udp>

Allow-Events: telephone-event

Aug 5 21:20:01.419: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

CUBE_Log_X1

Received:
REFER sip:8002@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323768
Max-Forwards: 70
To: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 2 REFER
Content-Length: 0
Contact: <sip:10.10.10.20:5060;transport=udp>
Refer-To: <sip:92929292@vxmlgw.cisco.com;transport=tcp>
Referred-By: <sip:CVP@10.10.10.20:5060>

Aug 5 21:20:01.419: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
NOTIFY sip:10.10.10.20:5060;transport=udp SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DD886
From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 102 NOTIFY
Max-Forwards: 70
Date: Sat, 06 Aug 2011 05:20:01 GMT
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Event: refer
Subscription-State: pending;expires=180
Contact: <sip:8002@10.10.10.60:5060>
P-Asserted-Identity: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>
Content-Type: message/sipfrag
Content-Length: 22

SIP/2.0 100 Trying

Aug 5 21:20:01.419: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 202 Accepted
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323768
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
Date: Sat, 06 Aug 2011 05:20:01 GMT
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 2 REFER
Content-Length: 0
Contact: <sip:8002@10.10.10.60:5060>

Aug 5 21:20:01.423: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
NOTIFY sip:10.10.10.20:5060;transport=udp SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DE2578
From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
CSeq: 103 NOTIFY
Max-Forwards: 70
Date: Sat, 06 Aug 2011 05:20:01 GMT
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Event: refer
Subscription-State: terminated;reason=noresource
Contact: <sip:8002@10.10.10.60:5060>
P-Asserted-Identity: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>
Content-Type: message/sipfrag

CUBE_Log_X1

Content-Length: 35

SIP/2.0 503 Service Unavailable

Aug 5 21:20:01.435: //0/000000000000/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DE2578

To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 103 NOTIFY

Content-Length: 0

Allow-Events: refer

Allow-Events: kpml

Allow-Events: cvp-transfer

Aug 5 21:20:01.439: //0/000000000000/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 500 Internal Server Error

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DD886

To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 102 NOTIFY

Content-Length: 0

Aug 5 21:20:01.439: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

BYE sip:8002@10.10.10.60:5060 SIP/2.0

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~1323769

Max-Forwards: 70

To: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 3 BYE

Content-Length: 0

Contact: <sip:10.10.10.20:5060;transport=udp>

Reason: SIP;cause=487

Aug 5 21:20:01.439: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

BYE sip:8002@10.194.122.74:5060 SIP/2.0

Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DF23CD

From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627

To: "--CVP_8_5_1_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A

Date: Sat, 06 Aug 2011 05:19:44 GMT

Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74

User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,

Max-Forwards: 70

Timestamp: 1312608001

CSeq: 102 BYE

Reason: Q.850;cause=16

P-RTP-Stat: PS=1538,OS=246080,PR=17,OR=2561,PL=0,JI=0,LA=0,DU=33

Content-Length: 0

Aug 5 21:20:01.439: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

CUBE_Log_X1

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323769
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC
Date: Sat, 06 Aug 2011 05:20:01 GMT
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
CSeq: 3 BYE
Reason: Q.850;cause=16
P-RTP-Stat: PS=17,OS=2561,PR=1538,OR=246080,PL=0,JI=0,LA=0,DU=33
Content-Length: 0

Aug 5 21:20:01.443: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56E0197B
From: <sip:10.194.122.73>;tag=494ADAE8-FD4
To: <sip:28282828@sjea080>;tag=dsfc80bb7b
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Max-Forwards: 70
Timestamp: 1312608001
CSeq: 102 BYE
Reason: Q.850;cause=16
P-RTP-Stat: PS=1534,OS=245281,PR=0,OR=0,PL=0,JI=0,LA=0,DU=32
Content-Length: 0

Aug 5 21:20:01.447: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DF23CD
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:20:01 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Server: Cisco-SIPGateway/IOS-12.x
Timestamp: 1312608001
CSeq: 102 BYE
Reason: Q.850;cause=16
Content-Length: 0

Aug 5 21:20:01.451: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 Ok
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56E0197B
To: <sip:28282828@sjea080>;tag=dsfc80bb7b
From: <sip:10.194.122.73>;tag=494ADAE8-FD4
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73
CSeq: 102 BYE
Content-Length: 0