

**Back to: Call Flow Details for CUBE and CVP**

**Back to: Call Flow Details for Cisco MediaSense**

**Back to: category: Cisco MediaSense**

---

Syslog logging: enabled (0 messages dropped, 3 messages rate-limited, 0 flushes, 0 overruns, xml c

No Active Message Discriminator.

No Inactive Message Discriminator.

Console logging: disabled  
Monitor logging: level debugging, 10451 messages logged, xml disabled,  
filtering disabled  
Logging to: vty644(9227)  
Buffer logging: level debugging, 91802 messages logged, xml disabled,  
filtering disabled  
Exception Logging: size (8192 bytes)  
Count and timestamp logging messages: disabled  
Persistent logging: disabled

No active filter modules.

Trap logging: level informational, 109 message lines logged  
Logging Source-Interface: VRF Name:

Log Buffer (2000000 bytes):

Aug 5 21:19:28.374: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
Received:  
INVITE sip:5200201003@10.194.122.73:5060 SIP/2.0  
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC  
Remote-Party-ID: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;party=calling;screen=yes;privacy  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
To: <sip:5200201003@10.194.122.73>  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
Supported: timer,resource-priority,replaces,sdp-anat  
Min-SE: 1800  
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216  
User-Agent: Cisco-SIPGateway/IOS-12.x  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
CSeq: 101 INVITE  
Max-Forwards: 70  
Timestamp: 1312607968  
Contact: <sip:8002@10.194.122.74:5060>  
Call-Info: <sip:10.194.122.74:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"  
Expires: 180  
Allow-Events: telephone-event  
X-Cisco-CCBProbe: undefined  
Content-Type: application/sdp  
Content-Disposition: session;handling=required  
Content-Length: 215

v=0

o=CiscoSystemsSIP-GW-UserAgent 0 4244 IN IP4 10.194.122.74

## CUBE\_Log\_X2

s=SIP Call  
c=IN IP4 10.194.122.74  
t=0 0  
m=audio 17818 RTP/AVP 0 19  
c=IN IP4 10.194.122.74  
a=rtpmap:0 PCMU/8000  
a=rtpmap:19 CN/8000  
a=ptime:20

Aug 5 21:19:28.378: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Sent:  
SIP/2.0 100 Trying  
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
To: <sip:5200201003@10.194.122.73>  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
Timestamp: 1312607968  
CSeq: 101 INVITE  
Allow-Events: telephone-event  
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Content-Length: 0

Aug 5 21:19:28.378: findDialPeer: user(5200201003)  
Aug 5 21:19:28.378: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Sent:  
INVITE sip:5200201003@10.10.10.20:5060 SIP/2.0  
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D7231C  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
To: <sip:5200201003@10.10.10.20>  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
Supported: timer,resource-priority,replaces,sdp-anat  
Min-SE: 1800  
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216  
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
CSeq: 101 INVITE  
Timestamp: 1312607968  
Contact: <sip:8002@10.10.10.60:5060>  
Expires: 180  
Allow-Events: telephone-event  
Max-Forwards: 69  
P-Asserted-Identity: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>  
Content-Type: application/sdp  
Content-Disposition: session;handling=required  
Content-Length: 244

v=0  
o=CiscoSystemsSIP-GW-UserAgent 5263 6170 IN IP4 10.10.10.60  
s=SIP Call  
c=IN IP4 10.10.10.60  
t=0 0  
m=audio 24752 RTP/AVP 0 101  
c=IN IP4 10.10.10.60  
a=rtpmap:0 PCMU/8000  
a=rtpmap:101 telephone-event/8000  
a=fmtp:101 0-16  
a=ptime:20

Aug 5 21:19:28.386: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 100 Trying

## CUBE\_Log\_X2

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D7231C  
To: <sip:5200201003@10.10.10.20>  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 101 INVITE  
Content-Length: 0  
Timestamp: 1312607968  
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216  
Contact: <sip:10.10.10.20:5060;transport=udp>  
Cisco-Gucid: 7D386E94BF2211E0810C30E4DB48DC00

Aug 5 21:19:28.426: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D7231C  
To: <sip:5200201003@10.10.10.20>;tag=ds9cee72  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 101 INVITE  
Content-Length: 246  
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216  
Contact: <sip:10.10.10.20:5060;transport=udp>  
Date: Sat, 06 Aug 2011 05:11:46 GMT  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
Allow-Events: telephone-event  
Supported: replaces  
Supported: sdp-anat  
Supported: timer  
Server: Cisco-SIPGateway/IOS-12.x  
Content-Disposition: session;handling=required  
Content-Type: application/sdp  
Cisco-Gucid: 7D386E94BF2211E0810C30E4DB48DC00

v=0

o=CiscoSystemsSIP-GW-UserAgent 3230 168 IN IP4 10.10.10.150

s=SIP Call

c=IN IP4 10.10.10.150

t=0 0

m=audio 19344 RTP/AVP 0 101

c=IN IP4 10.10.10.150

a=rtpmap:0 PCMU/8000

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

a=ptime:20

Aug 5 21:19:28.426: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:10.10.10.20:5060;transport=udp SIP/2.0  
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56D83A4  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
To: <sip:5200201003@10.10.10.20>;tag=ds9cee72  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
Max-Forwards: 70  
CSeq: 101 ACK  
Allow-Events: telephone-event  
Content-Length: 0

Aug 5 21:19:28.426: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC

## CUBE\_Log\_X2

From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
To: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
Timestamp: 1312607968  
CSeq: 101 INVITE  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
Allow-Events: telephone-event  
Remote-Party-ID: <sip:5200201003@10.194.122.73>;party=called;screen=no;privacy=off  
Contact: <sip:5200201003@10.194.122.73:5060>  
Supported: replaces  
Call-Info: <sip:10.194.122.73:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"  
Supported: sdp-anat  
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Supported: timer  
Content-Type: application/sdp  
Content-Disposition: session;handling=required  
Content-Length: 218

v=0  
o=CiscoSystemsSIP-GW-UserAgent 6642 6493 IN IP4 10.194.122.73  
s=SIP Call  
c=IN IP4 10.194.122.73  
t=0 0  
m=audio 28196 RTP/AVP 0 19  
c=IN IP4 10.194.122.73  
a=rtpmap:0 PCMU/8000  
a=rtpmap:19 CN/8000  
a=ptime:20

Aug 5 21:19:28.426: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
Received:  
ACK sip:5200201003@10.194.122.73:5060 SIP/2.0  
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11D6F7  
From: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
To: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
Max-Forwards: 70  
CSeq: 101 ACK  
Allow-Events: telephone-event  
Content-Length: 0

Aug 5 21:19:28.430: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Sent:  
INVITE sip:28282828@sjea080:5060 SIP/2.0  
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56D9E28  
X-Cisco-Recording-Participant: sip:8002@10.194.122.74;media-index="0"  
X-Cisco-Recording-Participant: sip:5200201003@10.10.10.20;media-index="1"  
From: <sip:10.194.122.73>;tag=494ADAE8-FD4  
To: <sip:28282828@sjea080>  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73  
Supported: timer, resource-priority, replaces, sdp-anat  
Min-SE: 1800  
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216  
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
CSeq: 101 INVITE  
Max-Forwards: 70  
Timestamp: 1312607968  
Contact: <sip:10.194.122.73:5060;transport=tcp>  
Expires: 180

## CUBE\_Log\_X2

Allow-Events: telephone-event  
Content-Type: application/sdp  
Content-Disposition: session;handling=required  
Content-Length: 349

v=0  
o=CiscoSystemsSIP-GW-UserAgent 7678 7112 IN IP4 10.194.122.73  
s=SIP Call  
c=IN IP4 10.194.122.73  
t=0 0  
m=audio 22488 RTP/AVP 0 19  
c=IN IP4 10.194.122.73  
a=rtpmap:0 PCMU/8000  
a=rtpmap:19 CN/8000  
a=ptime:20  
a=sendonly  
m=audio 16756 RTP/AVP 0 19  
c=IN IP4 10.194.122.73  
a=rtpmap:0 PCMU/8000  
a=rtpmap:19 CN/8000  
a=ptime:20  
a=sendonly

Aug 5 21:19:28.454: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 180 Ringing  
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56D9E28  
To: <sip:28282828@sjea080>;tag=dsfc80bb7b  
From: <sip:10.194.122.73>;tag=494ADAE8-FD4  
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73  
CSeq: 101 INVITE  
Content-Length: 0  
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>  
Allow: INVITE, BYE, CANCEL, ACK, NOTIFY, INFO, UPDATE  
Server: Cisco-ORA/8.5

Aug 5 21:19:28.678: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 200 Ok  
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56D9E28  
To: <sip:28282828@sjea080>;tag=dsfc80bb7b  
From: <sip:10.194.122.73>;tag=494ADAE8-FD4  
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73  
CSeq: 101 INVITE  
Content-Length: 206  
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>  
Content-Type: application/sdp  
Allow: INVITE, BYE, CANCEL, ACK, NOTIFY, INFO, UPDATE  
Server: Cisco-ORA/8.5

v=0  
o=CiscoORA 3489 1 IN IP4 10.194.122.80  
s=SIP Call  
c=IN IP4 10.194.122.80  
t=0 0  
m=audio 35108 RTP/AVP 0  
a=rtpmap:0 PCMU/8000  
a=recvonly  
m=audio 56966 RTP/AVP 0  
a=rtpmap:0 PCMU/8000  
a=recvonly

Aug 5 21:19:28.678: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

## CUBE\_Log\_X2

Sent:

ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56DAEF2  
From: <sip:10.194.122.73>;tag=494ADAE8-FD4  
To: <sip:28282828@sjea080>;tag=dsfc80bb7b  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73  
Max-Forwards: 70  
CSeq: 101 ACK  
Allow-Events: telephone-event  
Content-Length: 0

Aug 5 21:19:44.358: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

INVITE sip:8002@10.10.10.60:5060 SIP/2.0  
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323757  
Max-Forwards: 70  
To: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
From: <sip:5200201003@10.10.10.20>;tag=ds9cee72  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 1 INVITE  
Content-Length: 247  
Contact: <sip:10.10.10.20:5060;transport=udp>  
Content-Type: application/sdp

v=0

o=CiscoSystemsSIP-GW-UserAgent 5124 7177 IN IP4 10.10.10.150  
s=SIP Call  
c=IN IP4 10.10.10.150  
t=0 0  
m=audio 16876 RTP/AVP 0 101  
c=IN IP4 10.10.10.150  
a=rtpmap:0 PCMU/8000  
a=rtpmap:101 telephone-event/8000  
a=fmtp:101 0-16  
a=ptime:20

Aug 5 21:19:44.358: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:8002@10.194.122.74:5060 SIP/2.0  
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72  
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
Date: Sat, 06 Aug 2011 05:19:44 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
Supported: timer,resource-priority,replaces,sdp-anat  
Min-SE: 1800  
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216  
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
CSeq: 101 INVITE  
Max-Forwards: 70  
Timestamp: 1312607984  
Contact: <sip:5200201003@10.194.122.73:5060>  
Call-Info: <sip:10.194.122.73:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"  
Expires: 180  
Allow-Events: telephone-event  
Content-Type: application/sdp  
Content-Length: 218

v=0

o=CiscoSystemsSIP-GW-UserAgent 6642 6493 IN IP4 10.194.122.73  
s=SIP Call

## CUBE\_Log\_X2

c=IN IP4 10.194.122.73  
t=0 0  
m=audio 28196 RTP/AVP 0 19  
c=IN IP4 10.194.122.73  
a=rtpmap:0 PCMU/8000  
a=rtpmap:19 CN/8000  
a=ptime:20

Aug 5 21:19:44.358: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Sent:  
SIP/2.0 100 Trying  
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323757  
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
Date: Sat, 06 Aug 2011 05:19:44 GMT  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 1 INVITE  
Allow-Events: telephone-event  
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Content-Length: 0

Aug 5 21:19:44.362: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 100 Trying  
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72  
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
Date: Sat, 06 Aug 2011 05:19:44 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
CSeq: 101 INVITE  
Allow-Events: telephone-event  
Server: Cisco-SIPGateway/IOS-12.x  
Content-Length: 0

Aug 5 21:19:44.362: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 200 OK  
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72  
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
Date: Sat, 06 Aug 2011 05:19:44 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
CSeq: 101 INVITE  
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
Allow-Events: telephone-event  
Remote-Party-ID: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;party=called;screen=yes;privacy=  
Contact: <sip:8002@10.194.122.74:5060>  
Supported: replaces  
Call-Info: <sip:10.194.122.74:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"  
Supported: sdp-anat  
Server: Cisco-SIPGateway/IOS-12.x  
Content-Type: application/sdp  
Content-Length: 215

v=0  
o=CiscoSystemsSIP-GW-UserAgent 0 4244 IN IP4 10.194.122.74  
s=SIP Call  
c=IN IP4 10.194.122.74  
t=0 0  
m=audio 17818 RTP/AVP 0 19  
c=IN IP4 10.194.122.74  
a=rtpmap:0 PCMU/8000

## CUBE\_Log\_X2

a=rtpmap:19 CN/8000  
a=ptime:20

Aug 5 21:19:44.362: //21838/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323757

From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Date: Sat, 06 Aug 2011 05:19:44 GMT

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 1 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

Allow-Events: telephone-event

Remote-Party-ID: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;party=called;screen=yes;privacy=of

Contact: <sip:8002@10.10.10.60:5060>

Supported: replaces

Supported: sdp-anat

Server: Cisco-SIPGateway/IOS-15.2(0.19)T,

Supported: timer

Content-Type: application/sdp

Content-Length: 244

v=0

o=CiscoSystemsSIP-GW-UserAgent 5263 6170 IN IP4 10.10.10.60

s=SIP Call

c=IN IP4 10.10.10.60

t=0 0

m=audio 24752 RTP/AVP 0 101

c=IN IP4 10.10.10.60

a=rtpmap:0 PCMU/8000

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

a=ptime:20

Aug 5 21:19:44.362: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:8002@10.194.122.74:5060 SIP/2.0

Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DC16F1

From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627

To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A

Date: Sat, 06 Aug 2011 05:19:44 GMT

Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74

Max-Forwards: 70

CSeq: 101 ACK

Allow-Events: telephone-event

Content-Length: 0

Aug 5 21:19:44.370: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

ACK sip:8002@10.10.10.60:5060 SIP/2.0

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323759

Max-Forwards: 70

To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 1 ACK

Content-Length: 0

Contact: <sip:10.10.10.20:5060;transport=udp>

Allow-Events: telephone-event

Aug 5 21:20:01.419: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:



## CUBE\_Log\_X2

Received:  
REFER sip:8002@10.10.10.60:5060 SIP/2.0  
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323768  
Max-Forwards: 70  
To: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 2 REFER  
Content-Length: 0  
Contact: <sip:10.10.10.20:5060;transport=udp>  
Refer-To: <sip:92929292@vxmlgw.cisco.com;transport=tcp>  
Referred-By: <sip:CVP@10.10.10.20:5060>

Aug 5 21:20:01.419: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
Sent:  
NOTIFY sip:10.10.10.20:5060;transport=udp SIP/2.0  
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DD886  
From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 102 NOTIFY  
Max-Forwards: 70  
Date: Sat, 06 Aug 2011 05:20:01 GMT  
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Event: refer  
Subscription-State: pending;expires=180  
Contact: <sip:8002@10.10.10.60:5060>  
P-Asserted-Identity: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>  
Content-Type: message/sipfrag  
Content-Length: 22

SIP/2.0 100 Trying

Aug 5 21:20:01.419: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
Sent:  
SIP/2.0 202 Accepted  
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323768  
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
Date: Sat, 06 Aug 2011 05:20:01 GMT  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 2 REFER  
Content-Length: 0  
Contact: <sip:8002@10.10.10.60:5060>

Aug 5 21:20:01.423: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
Sent:  
NOTIFY sip:10.10.10.20:5060;transport=udp SIP/2.0  
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DE2578  
From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
CSeq: 103 NOTIFY  
Max-Forwards: 70  
Date: Sat, 06 Aug 2011 05:20:01 GMT  
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Event: refer  
Subscription-State: terminated;reason=noresource  
Contact: <sip:8002@10.10.10.60:5060>  
P-Asserted-Identity: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>  
Content-Type: message/sipfrag

## CUBE\_Log\_X2

Content-Length: 35

SIP/2.0 503 Service Unavailable

Aug 5 21:20:01.435: //0/000000000000/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DE2578

To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 103 NOTIFY

Content-Length: 0

Allow-Events: refer

Allow-Events: kpml

Allow-Events: cvp-transfer

Aug 5 21:20:01.439: //0/000000000000/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 500 Internal Server Error

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK56DD886

To: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

From: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 102 NOTIFY

Content-Length: 0

Aug 5 21:20:01.439: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

BYE sip:8002@10.10.10.60:5060 SIP/2.0

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~1323769

Max-Forwards: 70

To: <sip:8002@10.10.10.60>;tag=494ADAB4-9BC

From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72

Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60

CSeq: 3 BYE

Content-Length: 0

Contact: <sip:10.10.10.20:5060;transport=udp>

Reason: SIP;cause=487

Aug 5 21:20:01.439: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:

Sent:

BYE sip:8002@10.194.122.74:5060 SIP/2.0

Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DF23CD

From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627

To: "--CVP\_8\_5\_1\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A

Date: Sat, 06 Aug 2011 05:19:44 GMT

Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74

User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,

Max-Forwards: 70

Timestamp: 1312608001

CSeq: 102 BYE

Reason: Q.850;cause=16

P-RTP-Stat: PS=1538,OS=246080,PR=17,OR=2561,PL=0,JI=0,LA=0,DU=33

Content-Length: 0

Aug 5 21:20:01.439: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

## CUBE\_Log\_X2

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1323769  
From: <sip:5200201003@10.10.10.20>;tag=ds9ceebb72  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.10.10.60>;tag=494ADAB4-9BC  
Date: Sat, 06 Aug 2011 05:20:01 GMT  
Call-ID: 7DEFFCAF-BF2211E0-9715F73F-A9A46D42@10.10.10.60  
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,  
CSeq: 3 BYE  
Reason: Q.850;cause=16  
P-RTP-Stat: PS=17,OS=2561,PR=1538,OR=246080,PL=0,JI=0,LA=0,DU=33  
Content-Length: 0

Aug 5 21:20:01.443: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Sent:  
BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56E0197B  
From: <sip:10.194.122.73>;tag=494ADAE8-FD4  
To: <sip:28282828@sjea080>;tag=dsfc80bb7b  
Date: Sat, 06 Aug 2011 05:19:28 GMT  
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73  
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,  
Max-Forwards: 70  
Timestamp: 1312608001  
CSeq: 102 BYE  
Reason: Q.850;cause=16  
P-RTP-Stat: PS=1534,OS=245281,PR=0,OR=0,PL=0,JI=0,LA=0,DU=32  
Content-Length: 0

Aug 5 21:20:01.447: //21837/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 200 OK  
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DF23CD  
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627  
To: "--CVP\_8\_5\_1\_0\_0\_0\_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A  
Date: Sat, 06 Aug 2011 05:20:01 GMT  
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74  
Server: Cisco-SIPGateway/IOS-12.x  
Timestamp: 1312608001  
CSeq: 102 BYE  
Reason: Q.850;cause=16  
Content-Length: 0

Aug 5 21:20:01.451: //21840/7D386E94810C/SIP/Msg/ccsipDisplayMsg:  
Received:  
SIP/2.0 200 Ok  
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK56E0197B  
To: <sip:28282828@sjea080>;tag=dsfc80bb7b  
From: <sip:10.194.122.73>;tag=494ADAE8-FD4  
Call-ID: 7DF7EC80-BF2211E0-9719F73F-A9A46D42@10.194.122.73  
CSeq: 102 BYE  
Content-Length: 0