

Back to: Call Flow Details for CUBE and CVP

Back to: Call Flow Details for Cisco MediaSense

Back to: category: Cisco MediaSense

Syslog logging: enabled (0 messages dropped, 3 messages rate-limited, 0 flushes, 0 overruns, xml c

No Active Message Discriminator.

No Inactive Message Discriminator.

Console logging: disabled
Monitor logging: level debugging, 24240 messages logged, xml disabled,
filtering disabled
Buffer logging: level debugging, 130065 messages logged, xml disabled,
filtering disabled
Exception Logging: size (8192 bytes)
Count and timestamp logging messages: disabled
Persistent logging: disabled

No active filter modules.

Trap logging: level informational, 113 message lines logged
Logging Source-Interface: VRF Name:

Log Buffer (2000000 bytes):

Aug 11 11:12:06.029: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

INVITE sip:5200205000@10.10.10.60:5060 SIP/2.0

Via: SIP/2.0/UDP 10.10.10.61:5060;branch=z9hG4bK3C54E2

Remote-Party-ID: <sip:81019@10.10.10.61>;party=calling;screen=no;privacy=off

From: <sip:81019@10.10.10.61>;tag=32B46FE8-1345

To: <sip:5200205000@10.10.10.60>

Date: Thu, 11 Aug 2011 19:12:06 GMT

Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61

Supported: timer,resource-priority,replaces,sdp-anat

Min-SE: 1800

Cisco-Guid: 2713941281-3280212448-2253358592-1084025512

User-Agent: Cisco-SIPGateway/IOS-12.x

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

CSeq: 101 INVITE

Max-Forwards: 70

Timestamp: 1313089926

Contact: <sip:81019@10.10.10.61:5060>

Call-Info: <sip:10.10.10.61:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"

Expires: 180

Referred-By: <sip:4907@10.10.10.31>

Allow-Events: telephone-event

Content-Type: application/sdp

Content-Disposition: session;handling=required

Content-Length: 212

v=0

o=CiscoSystemsSIP-GW-UserAgent 2129 2872 IN IP4 10.10.10.61

s=SIP Call

CUBE_Log_X3

c=IN IP4 10.10.10.61
t=0 0
m=audio 17940 RTP/AVP 0 19
c=IN IP4 10.10.10.61
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 11 11:12:06.033: findDialPeer: user(5200205000)
Aug 11 11:12:06.033: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.10.10.61:5060;branch=z9hG4bK3C54E2
From: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
To: <sip:5200205000@10.10.10.60>
Date: Thu, 11 Aug 2011 19:12:06 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Timestamp: 1313089926
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 11 11:12:06.033: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:5200205000@10.10.10.20:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C21825
From: <sip:81019@10.10.10.60>;tag=6604E278-397
To: <sip:5200205000@10.10.10.20>
Date: Thu, 11 Aug 2011 19:12:06 GMT
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Timestamp: 1313089926
Contact: <sip:81019@10.10.10.60:5060>
Expires: 180
Allow-Events: telephone-event
Max-Forwards: 69
P-Asserted-Identity: <sip:81019@10.10.10.60>
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 244

v=0
o=CiscoSystemsSIP-GW-UserAgent 3422 5795 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 17976 RTP/AVP 0 101
c=IN IP4 10.10.10.60
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20

Aug 11 11:12:06.037: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C21825

CUBE_Log_X3

To: <sip:5200205000@10.10.10.20>
From: <sip:81019@10.10.10.60>;tag=6604E278-397
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 101 INVITE
Content-Length: 0
Timestamp: 1313089926
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
Contact: <sip:10.10.10.20:5060;transport=udp>
Cisco-Gucid: A1C37521C38411E0864F8600409CEAA8

Aug 11 11:12:06.081: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C21825

To: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c

From: <sip:81019@10.10.10.60>;tag=6604E278-397

Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60

CSeq: 101 INVITE

Content-Length: 247

Cisco-Guid: 2713941281-3280212448-2253358592-1084025512

Contact: <sip:10.10.10.20:5060;transport=udp>

Date: Thu, 11 Aug 2011 19:04:29 GMT

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

Allow-Events: telephone-event

Supported: replaces

Supported: sdp-anat

Supported: timer

Server: Cisco-SIPGateway/IOS-12.x

Content-Disposition: session;handling=required

Content-Type: application/sdp

Cisco-Gucid: A1C37521C38411E0864F8600409CEAA8

v=0

o=CiscoSystemsSIP-GW-UserAgent 7791 9742 IN IP4 10.10.10.150

s=SIP Call

c=IN IP4 10.10.10.150

t=0 0

m=audio 16954 RTP/AVP 0 101

c=IN IP4 10.10.10.150

a=rtpmap:0 PCMU/8000

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

a=ptime:20

Aug 11 11:12:06.085: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:10.10.10.20:5060;transport=udp SIP/2.0

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C31D63

From: <sip:81019@10.10.10.60>;tag=6604E278-397

To: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c

Date: Thu, 11 Aug 2011 19:12:06 GMT

Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60

Max-Forwards: 70

CSeq: 101 ACK

Allow-Events: telephone-event

Content-Length: 0

Aug 11 11:12:06.085: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/UDP 10.10.10.61:5060;branch=z9hG4bK3C54E2

From: <sip:81019@10.10.10.61>;tag=32B46FE8-1345

CUBE_Log_X3

To: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
Date: Thu, 11 Aug 2011 19:12:06 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Timestamp: 1313089926
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:5200205000@10.10.10.60>;party=called;screen=no;privacy=off
Contact: <sip:5200205000@10.10.10.60:5060>
Supported: replaces
Call-Info: <sip:10.10.10.60:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Supported: timer
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 212

v=0
o=CiscoSystemsSIP-GW-UserAgent 8242 5161 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 22286 RTP/AVP 0 19
c=IN IP4 10.10.10.60
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 11 11:12:06.085: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

ACK sip:5200205000@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.61:5060;branch=z9hG4bK3C6213C
From: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
To: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
Date: Thu, 11 Aug 2011 19:12:06 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 11 11:12:06.089: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:28282828@sjea080:5060 SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76C4C13
X-Cisco-Recording-Participant: sip:81019@10.10.10.61;media-index="0"
X-Cisco-Recording-Participant: sip:5200205000@10.10.10.20;media-index="1"
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>
Date: Thu, 11 Aug 2011 19:12:06 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
Supported: timer, resource-priority, replaces, sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1313089926
Contact: <sip:10.194.122.73:5060;transport=tcp>
Expires: 180
Allow-Events: telephone-event

CUBE_Log_X3

Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 349

v=0
o=CiscoSystemsSIP-GW-UserAgent 7953 7004 IN IP4 10.194.122.73
s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 16764 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
aptime:20
a=sendonly
m=audio 23932 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
aptime:20
a=sendonly

Aug 11 11:12:06.101: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76C4C13
To: <sip:28282828@sjea080>;tag=ds7f2cef48
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
CSeq: 101 INVITE
Content-Length: 0
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>
Allow: INVITE, BYE, CANCEL, ACK, NOTIFY, INFO, UPDATE
Server: Cisco-ORA/8.5

Aug 11 11:12:06.413: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 Ok
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76C4C13
To: <sip:28282828@sjea080>;tag=ds7f2cef48
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
CSeq: 101 INVITE
Content-Length: 206
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>
Content-Type: application/sdp
Allow: INVITE, BYE, CANCEL, ACK, NOTIFY, INFO, UPDATE
Server: Cisco-ORA/8.5

v=0
o=CiscoORA 1289 1 IN IP4 10.194.122.80
s=SIP Call
c=IN IP4 10.194.122.80
t=0 0
m=audio 55650 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly
m=audio 53528 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly

Aug 11 11:12:06.413: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:

CUBE_Log_X3

ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76C52275
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>;tag=ds7f2cef48
Date: Thu, 11 Aug 2011 19:12:06 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 11 11:12:22.017: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

INVITE sip:81019@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~1517038
Max-Forwards: 70
To: <sip:81019@10.10.10.60>;tag=6604E278-397
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 1 INVITE
Content-Length: 247
Contact: <sip:10.10.10.20:5060;transport=udp>
Content-Type: application/sdp

v=0

o=CiscoSystemsSIP-GW-UserAgent 6627 1272 IN IP4 10.10.10.150
s=SIP Call
c=IN IP4 10.10.10.150
t=0 0
m=audio 16780 RTP/AVP 0 101
c=IN IP4 10.10.10.150
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20

Aug 11 11:12:22.017: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:81019@10.10.10.61:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C6230
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:22 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1313089942
Contact: <sip:5200205000@10.10.10.60:5060>
Call-Info: <sip:10.10.10.60:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
Content-Type: application/sdp
Content-Length: 212

v=0

o=CiscoSystemsSIP-GW-UserAgent 8242 5161 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60

CUBE_Log_X3

t=0 0
m=audio 22286 RTP/AVP 0 19
c=IN IP4 10.10.10.60
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 11 11:12:22.021: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~1517038
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
To: <sip:81019@10.10.10.60>;tag=6604E278-397
Date: Thu, 11 Aug 2011 19:12:22 GMT
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 1 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 11 11:12:22.021: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C6230
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:22 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

Aug 11 11:12:22.021: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C6230
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:22 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:81019@10.10.10.61>;party=called;screen=no;privacy=off
Contact: <sip:81019@10.10.10.61:5060>
Supported: replaces
Call-Info: <sip:10.10.10.61:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x
Content-Type: application/sdp
Content-Length: 212

v=0
o=CiscoSystemsSIP-GW-UserAgent 2129 2872 IN IP4 10.10.10.61
s=SIP Call
c=IN IP4 10.10.10.61
t=0 0
m=audio 17940 RTP/AVP 0 19
c=IN IP4 10.10.10.61
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000

CUBE_Log_X3

a=ptime:20

Aug 11 11:12:22.021: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517038

From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c

To: <sip:81019@10.10.10.60>;tag=6604E278-397

Date: Thu, 11 Aug 2011 19:12:22 GMT

Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60

CSeq: 1 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

Allow-Events: telephone-event

Remote-Party-ID: <sip:81019@10.10.10.60>;party=called;screen=no;privacy=off

Contact: <sip:81019@10.10.10.60:5060>

Supported: replaces

Supported: sdp-anat

Server: Cisco-SIPGateway/IOS-15.2(0.19)T,

Supported: timer

Content-Type: application/sdp

Content-Length: 244

v=0

o=CiscoSystemsSIP-GW-UserAgent 3422 5795 IN IP4 10.10.10.60

s=SIP Call

c=IN IP4 10.10.10.60

t=0 0

m=audio 17976 RTP/AVP 0 101

c=IN IP4 10.10.10.60

a=rtpmap:0 PCMU/8000

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

a=ptime:20

Aug 11 11:12:22.021: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:81019@10.10.10.61:5060 SIP/2.0

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C71495

From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316

To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345

Date: Thu, 11 Aug 2011 19:12:22 GMT

Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61

Max-Forwards: 70

CSeq: 101 ACK

Allow-Events: telephone-event

Content-Length: 0

Aug 11 11:12:22.033: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

ACK sip:81019@10.10.10.60:5060 SIP/2.0

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517040

Max-Forwards: 70

To: <sip:81019@10.10.10.60>;tag=6604E278-397

From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c

Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60

CSeq: 1 ACK

Content-Length: 0

Contact: <sip:10.10.10.20:5060;transport=udp>

Allow-Events: telephone-event

Aug 11 11:12:25.457: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

CUBE_Log_X3

INVITE sip:81019@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517045
Max-Forwards: 70
To: <sip:81019@10.10.10.60>;tag=6604E278-397
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 2 INVITE
Content-Length: 309
Contact: <sip:10.10.10.20:5060;transport=udp>
Allow-Events: presence, kpml
Remote-Party-ID: <sip:1020@172.27.185.128>;party=called;screen=no;privacy=off
Content-Type: application/sdp

v=0
o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.27.185.128
s=SIP Call
c=IN IP4 10.194.15.221
t=0 0
m=audio 4000 RTP/AVP 0 8 18 101
a=rtpmap:0 PCMU/8000
a=ptime:20
a=rtpmap:8 PCMA/8000
a=ptime:20
a=rtpmap:18 G729/8000
a=ptime:20
a=sendonly
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=mid:1

Aug 11 11:12:25.461: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:

INVITE sip:81019@10.10.10.61:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C8A61
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 102 INVITE
Max-Forwards: 70
Timestamp: 1313089945
Contact: <sip:5200205000@10.10.10.60:5060>
Call-Info: <sip:10.10.10.60:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
Content-Type: application/sdp
Content-Length: 224

v=0
o=CiscoSystemsSIP-GW-UserAgent 8242 5162 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 22286 RTP/AVP 0 19
c=IN IP4 10.10.10.60
a=sendonly
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

CUBE_Log_X3

Aug 11 11:12:25.461: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disi07hFvQ~~1517045
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
To: <sip:81019@10.10.10.60>;tag=6604E278-397
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 2 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 11 11:12:25.461: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C8A61
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
CSeq: 102 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

Aug 11 11:12:25.461: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C8A61
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
CSeq: 102 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:81019@10.10.10.61>;party=called;screen=no;privacy=off
Contact: <sip:81019@10.10.10.61:5060>
Supported: replaces
Call-Info: <sip:10.10.10.61:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x
Content-Type: application/sdp
Content-Length: 224

v=0
o=CiscoSystemsSIP-GW-UserAgent 2129 2873 IN IP4 10.10.10.61
s=SIP Call
c=IN IP4 10.10.10.61
t=0 0
m=audio 17940 RTP/AVP 0 19
c=IN IP4 10.10.10.61
a=recvonly
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 11 11:12:25.465: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK

CUBE_Log_X3

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517045
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
To: <sip:81019@10.10.10.60>;tag=6604E278-397
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 2 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:81019@10.10.10.60>;party=called;screen=no;privacy=off
Contact: <sip:81019@10.10.10.60:5060>
Supported: replaces
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Supported: timer
Content-Type: application/sdp
Content-Length: 265

v=0
o=CiscoSystemsSIP-GW-UserAgent 3422 5796 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 17976 RTP/AVP 0 101
c=IN IP4 10.10.10.60
a=mid:1
a=recvonly
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20

Aug 11 11:12:25.465: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:81019@10.10.10.61:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76C966E
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Max-Forwards: 70
CSeq: 102 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 11 11:12:25.469: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:81019@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517047
Max-Forwards: 70
To: <sip:81019@10.10.10.60>;tag=6604E278-397
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 2 ACK
Content-Length: 0
Contact: <sip:10.10.10.20:5060;transport=udp>
Allow-Events: telephone-event

Aug 11 11:12:25.469: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76CAD4A
X-Cisco-Recording-Participant: sip:81019@10.10.10.61;media-index="0"

CUBE_Log_X3

X-Cisco-Recording-Participant: sip:1020@172.27.185.128;media-index="1"
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>;tag=ds7f2cef48
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 102 INVITE
Max-Forwards: 70
Timestamp: 1313089945
Contact: <sip:10.194.122.73:5060;transport=tcp>
Expires: 180
Allow-Events: telephone-event
Content-Type: application/sdp
Content-Length: 349

v=0
o=CiscoSystemsSIP-GW-UserAgent 7953 7005 IN IP4 10.194.122.73
s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 16764 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20
a=inactive
m=audio 23932 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20
a=sendonly

Aug 11 11:12:25.481: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 Ok
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76CAD4A
To: <sip:28282828@sjea080>;tag=ds7f2cef48
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
CSeq: 102 INVITE
Content-Length: 206
Content-Type: application/sdp
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>
Session-Expires: 1802;refresher=uac

v=0
o=CiscoORA 3976 1 IN IP4 10.194.122.80
s=SIP Call
c=IN IP4 10.194.122.80
t=0 0
m=audio 55650 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=inactive
m=audio 53528 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly

Aug 11 11:12:25.485: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:

CUBE_Log_X3

ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76CB19B1
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>;tag=ds7f2cef48
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
Max-Forwards: 70
CSeq: 102 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 11 11:12:25.537: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

INVITE sip:81019@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disio7hFvQ~~1517048
Max-Forwards: 69
To: <sip:81019@10.10.10.60>;tag=6604E278-397
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 3 INVITE
Content-Length: 215
Contact: <sip:10.10.10.20:5060;transport=udp>
Date: Thu, 11 Aug 2011 19:12:25 GMT
Supported: timer,resource-priority,replaces
Supported: X-cisco-srtp-fallback
Supported: Geolocation
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY
Allow-Events: presence, kpml
Session-Expires: 1800;refresher=uac
P-Preferred-Identity: <sip:1020@172.27.185.128>
Remote-Party-ID: <sip:1020@172.27.185.128>;party=calling;screen=no;privacy=off
Content-Type: application/sdp

v=0

o=CiscoSystemsCCM-SIP 2000 2 IN IP4 172.27.185.128
s=SIP Call
c=IN IP4 10.194.15.221
t=0 0
m=audio 31152 RTP/AVP 0 101
a=rtpmap:0 PCMU/8000
a=ptime:20
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15

Aug 11 11:12:25.537: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:81019@10.10.10.61:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76CCD96
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 103 INVITE
Max-Forwards: 70
Timestamp: 1313089945
Contact: <sip:5200205000@10.10.10.60:5060>

CUBE_Log_X3

Call-Info: <sip:10.10.10.60:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
Session-Expires: 1800;refresher=uac
Content-Type: application/sdp
Content-Length: 212

v=0
o=CiscoSystemsSIP-GW-UserAgent 8242 5163 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 22286 RTP/AVP 0 19
c=IN IP4 10.10.10.60
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 11 11:12:25.537: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517048
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
To: <sip:81019@10.10.10.60>;tag=6604E278-397
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 3 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 11 11:12:25.541: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76CCD96
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
CSeq: 103 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

Aug 11 11:12:25.541: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76CCD96
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
CSeq: 103 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:81019@10.10.10.61>;party=called;screen=no;privacy=off
Contact: <sip:81019@10.10.10.61:5060>
Supported: replaces
Call-Info: <sip:10.10.10.61:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x
Session-Expires: 1800;refresher=uac

CUBE_Log_X3

Require: timer
Content-Type: application/sdp
Content-Length: 212

v=0
o=CiscoSystemsSIP-GW-UserAgent 2129 2874 IN IP4 10.10.10.61
s=SIP Call
c=IN IP4 10.10.10.61
t=0 0
m=audio 17940 RTP/AVP 0 19
c=IN IP4 10.10.10.61
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 11 11:12:25.541: //29827/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 200 OK

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517048

From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c

To: <sip:81019@10.10.10.60>;tag=6604E278-397

Date: Thu, 11 Aug 2011 19:12:25 GMT

Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60

CSeq: 3 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER

Allow-Events: telephone-event

Remote-Party-ID: <sip:81019@10.10.10.60>;party=called;screen=no;privacy=off

Contact: <sip:1020@10.10.10.60:5060>

Supported: replaces

Supported: sdp-anat

Server: Cisco-SIPGateway/IOS-15.2(0.19)T,

Session-Expires: 1800;refresher=uac

Require: timer

Supported: timer

Content-Type: application/sdp

Content-Length: 244

v=0
o=CiscoSystemsSIP-GW-UserAgent 3422 5796 IN IP4 10.10.10.60
s=SIP Call
c=IN IP4 10.10.10.60
t=0 0
m=audio 17976 RTP/AVP 0 101
c=IN IP4 10.10.10.60
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20

Aug 11 11:12:25.541: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

ACK sip:81019@10.10.10.61:5060 SIP/2.0

Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76CDA2F

From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316

To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345

Date: Thu, 11 Aug 2011 19:12:25 GMT

Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61

Max-Forwards: 70

CSeq: 103 ACK

Allow-Events: telephone-event

Content-Length: 0

Aug 11 11:12:25.553: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

CUBE_Log_X3

Received:

ACK sip:1020@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~1517049
Max-Forwards: 70
To: <sip:81019@10.10.10.60>;tag=6604E278-397
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 3 ACK
Content-Length: 0
Contact: <sip:10.10.10.20:5060;transport=udp>
Allow-Events: telephone-event

Aug 11 11:12:25.557: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76CE2067
X-Cisco-Recording-Participant: sip:81019@10.10.10.61;media-index="0"
X-Cisco-Recording-Participant: sip:1020@172.27.185.128;media-index="1"
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>;tag=ds7f2cef48
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2713941281-3280212448-2253358592-1084025512
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 103 INVITE
Max-Forwards: 70
Timestamp: 1313089945
Contact: <sip:10.194.122.73:5060;transport=tcp>
Expires: 180
Allow-Events: telephone-event
Session-Expires: 1802;refresher=uac
Content-Type: application/sdp
Content-Length: 349

v=0

o=CiscoSystemsSIP-GW-UserAgent 7953 7006 IN IP4 10.194.122.73
s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 16764 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20
a=sendonly
m=audio 23932 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20
a=sendonly

Aug 11 11:12:25.585: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 200 Ok
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76CE2067
To: <sip:28282828@sjea080>;tag=ds7f2cef48
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
CSeq: 103 INVITE

CUBE_Log_X3

Content-Length: 206
Content-Type: application/sdp
Contact: <sip:28282828@10.194.122.80:5060;transport=tcp>

v=0
o=CiscoORA 4079 1 IN IP4 10.194.122.80
s=SIP Call
c=IN IP4 10.194.122.80
t=0 0
m=audio 55650 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly
m=audio 53528 RTP/AVP 0
a=rtpmap:0 PCMU/8000
a=recvonly

Aug 11 11:12:25.585: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76CF104C
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>;tag=ds7f2cef48
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
Max-Forwards: 70
CSeq: 103 ACK
Allow-Events: telephone-event
Content-Length: 0

Aug 11 11:12:46.065: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:1020@10.10.10.60:5060 SIP/2.0
Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disio7hFvQ~1517058
Max-Forwards: 70
To: <sip:81019@10.10.10.60>;tag=6604E278-397
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
CSeq: 4 BYE
Content-Length: 0
Contact: <sip:10.10.10.20:5060;transport=udp>
Reason: Q.850;cause=16

Aug 11 11:12:46.065: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:81019@10.10.10.61:5060 SIP/2.0
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76D0455
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Max-Forwards: 70
Timestamp: 1313089966
CSeq: 104 BYE
Reason: Q.850;cause=16
P-RTP-Stat: PS=1885,OS=301600,PR=1184,OR=188406,PL=0,JI=0,LA=0,DU=39
Content-Length: 0

Aug 11 11:12:46.065: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK

CUBE_Log_X3

Via: SIP/2.0/TCP 10.10.10.20:5060;branch=z9hG4bKT18qPe7t14i4disiO7hFvQ~~1517058
From: <sip:5200205000@10.10.10.20>;tag=ds5dd3f04c
To: <sip:81019@10.10.10.60>;tag=6604E278-397
Date: Thu, 11 Aug 2011 19:12:46 GMT
Call-ID: A315DC1A-C38411E0-B8B3F73F-A9A46D42@10.10.10.60
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
CSeq: 4 BYE
Reason: Q.850;cause=16
P-RTP-Stat: PS=1184,OS=188406,PR=1885,OR=301600,PL=0,JI=0,LA=0,DU=39
Content-Length: 0

Aug 11 11:12:46.069: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76D11BD6
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
To: <sip:28282828@sjea080>;tag=ds7f2cef48
Date: Thu, 11 Aug 2011 19:12:25 GMT
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Max-Forwards: 70
Timestamp: 1313089966
CSeq: 104 BYE
Reason: Q.850;cause=16
P-RTP-Stat: PS=3037,OS=484886,PR=0,OR=0,PL=0,JI=0,LA=0,DU=39
Content-Length: 0

Aug 11 11:12:46.073: //29829/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 Ok
Via: SIP/2.0/TCP 10.194.122.73:5060;branch=z9hG4bK76D11BD6
To: <sip:28282828@sjea080>;tag=ds7f2cef48
From: <sip:10.194.122.73>;tag=6604E2B0-BEA
Call-ID: A31E677A-C38411E0-B8B7F73F-A9A46D42@10.194.122.73
CSeq: 104 BYE
Content-Length: 0

Aug 11 11:12:46.073: //29826/A1C37521864F/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.10.10.60:5060;branch=z9hG4bK76D0455
From: <sip:5200205000@10.10.10.60>;tag=6604E2AC-316
To: <sip:81019@10.10.10.61>;tag=32B46FE8-1345
Date: Thu, 11 Aug 2011 19:12:46 GMT
Call-ID: A31561EB-C38411E0-865C8600-409CEAA8@10.10.10.61
Server: Cisco-SIPGateway/IOS-12.x
Timestamp: 1313089966
CSeq: 104 BYE
Reason: Q.850;cause=16
Content-Length: 0