


In all of the below failures, an integrated agent is logged in with an active customer chat session.

### Contents

- [1 Application Server Failure](#)
- [2 Application Server Restored](#)
- [3 Services Server Failure](#)
- [4 Services Server Restored](#)
- [5 Messaging Server Failure](#)
- [6 Messaging Server Restored](#)
- [7 Messaging AND Application Servers Failure](#)
- [8 Messaging AND Application Server Restored](#)
- [9 Messaging AND Application AND Services Servers Failure](#)
- [10 Messaging AND Application AND Services Servers Restored](#)


### Application Server Failure

- Customer will be notified that messages sent after failure were lost, and to start a new session.
- If the Application Server comes back online quickly, the customer will simply be asked to start another chat.






## Chat\_Session\_Failure\_Scenarios

- If the Application Server takes more than a few minutes to return, the customer will be informed of connection issues.




- The agent will receive various pop-ups errors depending on what part of the agent console they try to access.






## Application Server Restored

- When the agent logs back in, they will receive a "Session in Progress" pop-up



- Chat history will be lost, and the Agent will be **incorrectly** told that session is still active.

## Chat\_Session\_Failure\_Scenarios



## Services Server Failure

- **Agent and Customer can still communicate via chat!** Chat session is shown as still in progress in the database.

```
select b.contact_point_data,a.queue_name,b.activity_id,b.activity_status,b.activity_sub_status,c.l
FROM egpl_routing_queue a, egpl_casemgmt_activity b, egpl_user c with (nolock)
WHERE a.queue_id=b.queue_id AND
b.assigned_to=c.user_id AND
b.activity_type=2000 AND
b.activity_status <> 9000 AND
b.activity_sub_status NOT IN (9100,9200)
ORDER BY b.when_created ASC
```

Results	Messages	contact_point_data	queue_name	activity_id	activity_status	activity_sub_status	login_ip	assigned_to	when_created	user_name	screen_name
1		customer@awesome.com	CIM_WIM	1347	5000	5900	43app	1003	2011-07-12 14:49:55.000	DMarino	DMarino

- **Complete chat.** Chat session is shown as completed in the database.

```
select b.contact_point_data,a.queue_name,b.activity_id,b.activity_status,b.activity_sub_status,c.l
FROM egpl_routing_queue a, egpl_casemgmt_activity b, egpl_user c with (nolock)
WHERE a.queue_id=b.queue_id AND
b.assigned_to=c.user_id AND
b.activity_type=2000 AND
```

## Chat\_Session\_Failure\_Scenarios

b.activity\_id=1347

	contact_point_data	queue_name	activity_id	activity_status	activity_sub_status	login_ip	assigned_to	when_created	user_name	screen_name
1	customer@awesome.com	CIM_w/M	1347	9000	9100	43app	1003	2011-07-12 14:49:55.000	DMarino	DMarino

- Agent will not be able to handle other activities or receive new activities. Note how the buttons are greyed out for this email response.

Reply

From: [Originating Entry Point - eim@DSLlab.cisco.com]  
To: testcust@dslab.cisco.com  
Subject: Re: test2

response to customer

--Original Message--  
From: testcust@dslab.cisco.com  
Date: 7/11/2011 2:03:58 PM  
To: eim@dslab.cisco.com  
Subject: test2

- Agent must log out.

## Services Server Restored

- Log agent back in. The previous chat completion was successful, and agent is able to continue with new/existing activities.

Reply


From: [Originating Entry Point - eim@DSLlab.cisco.com]  
To: testcust@dslab.cisco.com  
Subject: Re: test2 [#1187]

response to customer

--Original Message--  
From: testcust@dslab.cisco.com  
Date: 7/11/2011 2:03:58 PM  
To: eim@dslab.cisco.com  
Subject: test2

## Messaging Server Failure

- Similar to Application Server Failure
- Agent and customer messages not exchanged. Note the triangle next to chat status.

Activity duration	Chat status	Queue name
00:04:00	Waiting for customer to reply 	CIM_VMM

Customer Entry - Mozilla Firefox


http://43web/system/LiveCustomerServlet.egain?eglvcmd=CustEntry&entryPointName=Integ

**Live help** | Powered by Cisco Chat™

Customer : Help me!  
 [An agent will be with you shortly.]  
 [You are now chatting with JDoe.]  
**JDoe** : Hello  
**Customer** : Hi  
**JDoe** : Are you there?  
 [Some of the above messages may not have been delivered.]

## Messaging Server Restored

- Messages sent while Messaging server was down are lost, but **chat session is re-established and can continue**. Note the green circle next to chat status.

Activity duration	Chat status	Queue name
00:05:00	Waiting for you to reply 	CIM_VMM

Customer Entry - Mozilla Firefox


http://43web/system/LiveCustomerServlet.egain?eglvcmd=CustEntry&entryPointName=Integ

**Live help** | Powered by Cisco Chat™

Customer : Help me!  
 [An agent will be with you shortly.]  
 [You are now chatting with JDoe.]  
**JDoe** : Hello  
**Customer** : Hi  
**JDoe** : Are you there?  
 [Some of the above messages may not have been delivered.]  
**JDoe** : Hello?  
**Customer** : Hi! Looks like we're connected again!

## Messaging AND Application Servers Failure

- Similar to Application Server Failure
- After the servers have failed, try to load one of the information tabs, such as Case. Information will not load, and the agent desktop will time out.



## Messaging AND Application Server Restored

Same as Application Server Restored from above.

- When the agent logs back in, they will receive a "Session in Progress" pop-up
- Customer is told that the session has been lost.
- Chat history will be lost, and the Agent will be **incorrectly** told that session is still active.

## Messaging AND Application AND Services Servers Failure

- Combination of the above scenarios.
- Chat session status in agent console changes to triangle

Key	Activity ID	Customer name	Activity duration	Chat status	Queue name
1	1264	Customer	00:02:05	Waiting for customer to reply	CM_VMM


- Agent's IE title bar starts flashing "A connection could not be established with the server"



- Chat status will state "Customer not connected" and change to a red square.

Key	Activity ID	Customer name	Activity duration	Chat status	Queue name
1	1264	Customer	00:06:05	Customer not connected	CM_VMM

- The customer will be informed of connection issues.



## Messaging AND Application AND Services Servers Restored

Same as Application Server Restored from above.

- When the agent logs back in, they will receive a "Session in Progress" pop-up
- Customer is told that the session has been lost.
- Chat history will be lost, and the Agent will be **incorrectly** told that session is still active.