


To verify MGCP-controlled endpoints configured for SS7 and ISDN PRI, use the **show mgcp endpoint** command in privileged EXEC mode.

 **Note:** The **show mgcp endpoint** command does not show configured endpoints for CAS, including FGD-OS.

| Guide Contents |
|--|
| Troubleshooting Cisco IOS Voice Overview |
| Debug Command Output on Cisco IOS Voice Gateways |
| Filtering Troubleshooting Output |
| Cisco VoIP Internal Error Codes |
| Troubleshooting Cisco IOS Voice Telephony |
| Troubleshooting Cisco IOS Voice Protocols |
| Troubleshooting Cisco IOS Telephony Applications |
| Monitoring the Cisco IOS Voice Network |
| Cause Codes and Debug Values |

The following example shows MGCP endpoints for a NAS package:

```
controller T3 9/0
  framing m23
  cablelength 224
  t1 1-8 controller
!
controller T1 9/0:1
  framing esf
  ds0-group 0 timeslots 1-24 type e&m-fgb mf dnis
!
controller T1 9/0:2
  framing esf
  ds0-group 0 timeslots 1-24 type e&m-fgb dtmf dnis
!
controller T1 9/0:3
  framing esf
  ds0-group 0 timeslots 1-24 type e&m-immediate-start
!
controller T1 9/0:4
  framing esf
  ds0-group 0 timeslots 1-24 type e&m-fgb
!
controller T1 9/0:5
  framing esf
  pri-group timeslots 1-24 service mgcp
!
controller T1 9/0:6
  framing esf
  ds0-group 0 timeslots 1-24 type none service mgcp
!
controller T1 9/0:7
  framing esf
  extsig mgcp
  guard-timer 10 on-expiry reject
  pri-group timeslots 1-24 service mgcp
!
controller T1 9/0:8
  framing esf
  extsig mgcp
  guard-timer 10 on-expiry reject
  ds0-group 0 timeslots 1-24 type none service mgcp
!
```

The following output shows available varieties of CAS:

- 9/0:5-ISDN backhauling
- 9/0:6-SS7
- 9/0:7-ISDN backhauling with NAS package
- 9/0:8-SS7 with NAS package

```
slot7# show mgcp endpoint
T1 S9/0:5 pri-group timeslots 1-23 type backhaul
T1 S9/0:6 ds0-group 0 timeslots 1-24 type none
T1 S9/0:7 pri-group timeslots 1-23 type backhaul
T1 S9/0:8 ds0-group 0 timeslots 1-24 type none
NAS Endpts
T1 9/0:7 ds0-group 0 timeslots 1-24 type none
T1 9/0:8 ds0-group 0 timeslots 1-24 type none
slot7#
```