

Cisco Unified MeetingPlace, Release 6.x > Cisco Unified MeetingPlace Directory Services

The following table lists Cisco Unified MeetingPlace attributes. Use this table to map Cisco Unified MeetingPlace attributes to corresponding attributes on your corporate directory server.

**Table: Raw Profile Information Data**

<b>Field Name</b>	<b>Description</b>	<b>Type of Value and Size</b>
Firstname	First name	ASCII text-0 to 17
Lastname	Last name	ASCII text-0 to 17
MPName	User ID	ASCII text-0 to 17
VUName	Profile number	ASCII text-0 to 17
OutdialPhone	Phone number for this profile	ASCII text-0 to 17
ContactID	User ID of contact for this profile	ASCII text-0 to 17
GroupName	Group name for this profile	ASCII text-0 to 17
TimeZone	Time zone code for this profile	ASCII text-0 to 17
AnnounceQArr	Announced entry	None/Beep/Beep+Name/gd
PasswordRequired	Password required	Yes/No/gd
ScreenedIntroduction	Screened entry	Yes/No/gd
BillCode	Billing code	Alphanumeric-0 to 17
IsActive	Active user	Yes/No/gd
Kind	User type	EndUser/Contact/SysMgr/Attendant
CanOutdial	Can outdial from meetings	Yes/No/gd
QuickMtgEntryAllowed	User can schedule Quick Entry meetings	Yes/No/gd
PasswordRequiredOnOD	Password required on outdial	Yes/No/gd
MeetingRestriction	Who can attend meetings scheduled by this user	Anyone/Users/InvtdUsrs/gd
MtgNoteRestriction	Who can access MeetingNotes	Anyone/Users/InvtdUsrs/gd
CanRecordMeetings	Whether this user is able to record meetings	Yes/No/gd
RecordMeetings	When scheduling, whether you reserve the space so you can record the meeting	Yes/No/gd
IsAdvancedPromptsIs Default	abbprompts value is overridden by group value	Yes/No

NamedDisconnectIs Default	anndpart value is overridden by group value	Yes/No
NamedIntroductionIs Default	annentry value is overridden by group value	Yes/No
PasswordRequiredIs Default	pwdreq value is overridden by group value	Yes/No
ScreenedIntroductionIsDefault	screntry value is overridden by group value	Yes/No
BillCodeIsDefault	bcode value is overridden by group value	Yes/No
IsActiveIsDefault	uactive value is overridden by group value	Yes/No
CanOutdialIsDefault	cnodial value is overridden by group value	Yes/No
IsContactIDDefault	ctctuid value is overridden by group value	Yes/No
TimeZoneIsDefault	tzcode value is overridden by group value	Yes/No
IsQuickMtgEntryAllowedDefault	shrtmnus value is overridden by group value	Yes/No
IsPasswordRequiredOnODDefault	pwdonoutdial value is overridden by group value	Yes/No
WFPASSWORDLast Changed	Date and time of last Cisco Unified MeetingPlace MeetingTime password change for this profile	MM/DD/YYYY HH:MM. The date 01/01/70 00:00 GMT implies an unset field. This date can appear earlier or later than 01/01/70 00:00 depending on the user's specified time zone.
VUPASSWORDLast Changed	Date and time of last VU password change for this profile	MM/DD/YYYY HH:MM
RecordMeetingIs Default	recordmtgs value is overridden by group value	Yes/No
IsMeetingRestriction Default	whocanattnd value is overridden by group value	Yes/No
IsMtgNoteRestriction Default	whocanlstn value is overridden by group value	Yes/No
CanRecordMeetingsIs Default	canrecord value is overridden by group value	Yes/No
Vname	Recorded name for this profile	Recorded/Not_Recorded
IsODXLatTableNum Default	ODSLatTableNum value is overridden by group default	Yes/No
IsMaxImmedMtgsPer DayDefault	MaxImmedMtgsPerDay value is overridden by group value	Yes/No
IsMaximumMeeting LengthDefault	MaximumMeetingLength value is overridden by	Yes/No

Table: Raw Profile Information Data

	group value	
IsMaxVUIODsPerMtgDefault	MaxVUIODsPerMtg value is overridden by group value	Yes/No
ODXLatTableNum	Outdial translation table number for this user	An unsigned integer/gd
MaxImmedMtgsPerDay	Scheduling limits placed on this user	1-500/10000 (Unrestricted)/10001 (Cannot Schedule)/gd
DayOfLastImmedMtg	The day the last near-term (immediate) meeting was scheduled by this user	MM/DD/YYYY HH:MM
NumImmedMtgsOn ThatDay	Number of near-term (immediate) meetings scheduled on that day	An unsigned integer
MaximumMeeting Length	Maximum length of a meeting scheduled by this user	An unsigned integer/gd
MaxVUIODsPerMtg	Maximum number of outdials this user may make from within one meeting	An unsigned integer/gd
FaxNum	Fax number for this user	ASCII text-0 to 17
PagerNum	Pager number for this user	ASCII text-0 to 32
MaxAttPerMtg	Maximum number of attachments allowed per meeting for this user	An unsigned integer/gd
ReceiveNotMask	Whether this user receives meeting notifications	Yes/No/gd
AttendPreference	How this user prefers to attend meetings	UseDflts/UserCallsIn/SystemCallsUser/SystemPagesUser/SysFindsUser/NotAttend
PriNotPreference	How notifications about meetings are sent to this user	None/Email
SecNotPreference	The alternative notification delivery method for this user	None/Email
PagerType	The pager of this user	None/DIDPager/NonDIDPager
Emailtype	The e-mail type of this user	None/ccMail/LotusNotes/MSmail/MicrosoftExchange/Eudora/NetscapeMessenger/Other/gd
MPSite	Site that this user is a member of	An unsigned integer/gd
Preferredunit	Conference server where this user schedules meetings	An unsigned integer/gd
EmailAdd	The e-mail address of this user	Alphanumeric-0 to 28
FaxXLatTableNum	Fax translation table	An unsigned integer/gd

Table: Raw Profile Information Data

	number for this user	
SendNotAboutMtgs	If this user sends meeting notifications	Yes/No/gd
AutoDistributeAtt	If this user distributes attachments with meeting notifications automatically	Yes/No/gd
DefNotPriority	The priority assigned to the notifications of this user	Low/Normal/Urgent
SendNotAboutMtgChngs	If notifications are sent to this user if a meeting changes	Yes/No/gd
SendInviteListWithNot	If this user sends the meeting invitee list with notifications	Yes/No/gd
SendMtgPwdWithNot	If this user sends the meeting password with the notification	Yes/No/gd
ReceiveAttWithNot	If this user receives attachments with notifications	Yes/No/gd
FIFOAttPlayOrder	If this user plays attachments in the order received	Yes/No/gd
fSchedPrefUnitOnly	Whether this user can schedule meetings only on preferred conference server	Yes/No/gd
fAutoStartRecord	If recording starts automatically in meetings	Yes/No/gd
fDisableRollCall	If roll call is disabled in meetings scheduled by this user	Yes/No/gd
fSchedHomeSiteOnly	Whether this user can schedule meetings only on his or her NS home site	Yes/No/gd
FlexField0	User-defined field 1	ASCII text-0 to 17
FlexField1	User-defined field 2	ASCII text-0 to 17
FlexField2	User-defined field 3	ASCII text-0 to 17
ConcurrentQuestions	Whether this user allows attendees to ask more than one question at a time	Yes/No/gd Yes allows attendees to ask up to five concurrent questions.
AnnounceQArr	How this user announces attendees who are being placed on the floor	None/Beep/BeepName/gd
AnnounceQDep	How this user announces attendees who are removed from the floor	None/Beep/BeepName/gd
fQNADisabled		Yes/No/gd

Table: Raw Profile Information Data

	Whether Q&A is turned off for this user when a schedule meeting begins	
fTellPartPos	Whether this user tells attendees in a meeting their position in line (to ask a question)	Yes/No/gd
fDisableAdvanceInfo	Whether this user tells attendees waiting to ask a question if they are next in line	Yes/No/gd
fAutoProEnabled	Whether this user automatically promotes the next waiting attendee to the floor in a meeting	Yes/No/gd
fStartPeopleInWR	How this user admits participants attending a Q&A meeting (as listeners, as speakers with floor open, or in waiting room first)	AdmitAsListeners/StartInWaitingRm/ StartMtgWithFloorOpen/gd
PublicULAllowed	Maximum number of teams allowed	Numeric-0-10000
GroupULAllowed	Reserved for future use	
PrivateULAllowed	Reserved for future use	
MeetingCategory	Default meeting category	Name of existing mtg category/gd
NumDataParts	Reserved for future use	
fEndMtgWarn	Whether this user has end of meeting warnings turned on or off	Yes/No/gd
IsAdvancedPrompts	Whether this user has meeting extended prompts turned on or off	Yes/No/gd
fAllowGuestView	Whether publish meetings scheduled by this user are displayed to everyone	Yes/No/gd
EmailAdd1	Internet e-mail address of the user (used by Cisco Unified MeetingPlace Web Conferencing when sending e-mail to a user)	Alphanumeric-0 to 128
AlternatePhone	Alternate phone number for the user	ASCII text-0 to 17
FindMePreference	First "Find Me" sequence specified by user	None/Main/Alternate/Pager/gd
CanAllowGuestOutdial	Whether this user can schedule meetings that allow guest outdial	Yes/No/gd
AllowGuestOutdial		Yes/No/gd

Table: Raw Profile Information Data

	Whether meetings scheduled by this user allow outdials to guests from the web	
VLanguage	The selected language of the user	English (USA), English (UK), French (Canadian), French (France), Japanese, German, Portuguese (Brazil), Spanish (Americas)
FlexField20	User-defined field 4	ASCII text-0 to 17
FlexField21	User-defined field 5	ASCII text-0 to 17
FlexField22	User-defined field 6	ASCII text-0 to 17
FlexField23	User-defined field 7	ASCII text-0 to 17
CanChangeMtgID	When Allow Vanity Meeting IDs (in system parameters) is yes, whether user can assign vanity IDs to meetings scheduled by phone	Yes/No/gd
VideoEndPtAdd	Video endpoint address	IP address
UseReservationless	Whether this user can schedule and attend reservationless meetings	Yes/No/gd
RsvnlessCnfg	Whether this user uses reservationless only (audio)	An unsigned integer
RsvnlessCnfgGD	Whether the setting comes from the user profile or Group Default	An unsigned integer
AllowVideoSched	Whether this user can schedule meetings that include video integration	Yes/No/gd