

Cisco Unified MeetingPlace, Release 6.x > Cisco Unified MeetingPlace Directory Services

The following table lists Cisco Unified MeetingPlace attributes. Use this table to map Cisco Unified MeetingPlace attributes to corresponding attributes on your corporate directory server.

**Table: Raw Profile Information Data**

| <b>Field Name</b>           | <b>Description</b>   | <b>Type of Value and Size</b>    |
|-----------------------------|--|----------------------------------|
| Firstname                   | First name   | ASCII text-0 to 17               |
| Lastname                    | Last name  | ASCII text-0 to 17               |
| MPName                      | User ID  | ASCII text-0 to 17               |
| VUName                      | Profile number   | ASCII text-0 to 17               |
| OutdialPhone                | Phone number for this profile  | ASCII text-0 to 17               |
| ContactID                   | User ID of contact for this profile  | ASCII text-0 to 17               |
| GroupName                   | Group name for this profile  | ASCII text-0 to 17               |
| TimeZone                    | Time zone code for this profile  | ASCII text-0 to 17               |
| AnnounceQArr                | Announced entry  | None/Beep/Beep+Name/gd           |
| PasswordRequired            | Password required  | Yes/No/gd                        |
| ScreenedIntroduction        | Screened entry   | Yes/No/gd                        |
| BillCode                    | Billing code   | Alphanumeric-0 to 17             |
| IsActive                    | Active user  | Yes/No/gd                        |
| Kind                        | User type  | EndUser/Contact/SysMgr/Attendant |
| CanOutdial                  | Can outdial from meetings  | Yes/No/gd                        |
| QuickMtgEntryAllowed        | User can schedule Quick Entry meetings                                       | Yes/No/gd                        |
| PasswordRequiredOnOD        | Password required on outdial   | Yes/No/gd                        |
| MeetingRestriction          | Who can attend meetings scheduled by this user                               | Anyone/Users/InvtdUsrs/gd        |
| MtgNoteRestriction          | Who can access MeetingNotes  | Anyone/Users/InvtdUsrs/gd        |
| CanRecordMeetings           | Whether this user is able to record meetings                                 | Yes/No/gd                        |
| RecordMeetings              | When scheduling, whether you reserve the space so you can record the meeting | Yes/No/gd                        |
| IsAdvancedPromptsIs Default | abbprompts value is overridden by group value                                | Yes/No                           |

|                                |   |  |
|--------------------------------|---|--|
| NamedDisconnectIs Default      | anndpart value is overridden by group value   | Yes/No   |
| NamedIntroductionIs Default    | annentry value is overridden by group value   | Yes/No   |
| PasswordRequiredIs Default     | pwdreq value is overridden by group value   | Yes/No   |
| ScreenedIntroductionIsDefault  | screntry value is overridden by group value   | Yes/No   |
| BillCodeIsDefault              | bcode value is overridden by group value  | Yes/No   |
| IsActiveIsDefault              | uactive value is overridden by group value  | Yes/No   |
| CanOutdialIsDefault            | cnodial value is overridden by group value  | Yes/No   |
| IsContactIDDefault             | ctctuid value is overridden by group value  | Yes/No   |
| TimeZoneIsDefault              | tzcode value is overridden by group value   | Yes/No   |
| IsQuickMtgEntryAllowedDefault  | shrtmnus value is overridden by group value   | Yes/No   |
| IsPasswordRequiredOnODDefault  | pwdonoutdial value is overridden by group value   | Yes/No   |
| WFPASSWORDLast Changed         | Date and time of last Cisco Unified MeetingPlace MeetingTime password change for this profile | MM/DD/YYYY HH:MM. The date 01/01/70 00:00 GMT implies an unset field. This date can appear earlier or later than 01/01/70 00:00 depending on the user's specified time zone. |
| VUPASSWORDLast Changed         | Date and time of last VU password change for this profile                                     | MM/DD/YYYY HH:MM   |
| RecordMeetingIs Default        | recordmtgs value is overridden by group value   | Yes/No   |
| IsMeetingRestriction Default   | whocanattnd value is overridden by group value  | Yes/No   |
| IsMtgNoteRestriction Default   | whocanlstn value is overridden by group value   | Yes/No   |
| CanRecordMeetingsIs Default    | canrecord value is overridden by group value  | Yes/No   |
| Vname                          | Recorded name for this profile  | Recorded/Not_Recorded  |
| IsODXLatTableNum Default       | ODSLatTableNum value is overridden by group default   | Yes/No   |
| IsMaxImmedMtgsPer DayDefault   | MaxImmedMtgsPerDay value is overridden by group value   | Yes/No   |
| IsMaximumMeeting LengthDefault | MaximumMeetingLength value is overridden by   | Yes/No   |

Table: Raw Profile Information Data

|                          | group value   |   |
|--------------------------|---|---|
| IsMaxVUIODsPerMtgDefault | MaxVUIODsPerMtg value is overridden by group value                        | Yes/No  |
| ODXLatTableNum           | Outdial translation table number for this user                            | An unsigned integer/gd  |
| MaxImmedMtgsPerDay       | Scheduling limits placed on this user                                     | 1-500/10000 (Unrestricted)/10001 (Cannot Schedule)/gd                             |
| DayOfLastImmedMtg        | The day the last near-term (immediate) meeting was scheduled by this user | MM/DD/YYYY HH:MM  |
| NumImmedMtgsOn ThatDay   | Number of near-term (immediate) meetings scheduled on that day            | An unsigned integer   |
| MaximumMeeting Length    | Maximum length of a meeting scheduled by this user                        | An unsigned integer/gd  |
| MaxVUIODsPerMtg          | Maximum number of outdials this user may make from within one meeting     | An unsigned integer/gd  |
| FaxNum                   | Fax number for this user  | ASCII text-0 to 17  |
| PagerNum                 | Pager number for this user  | ASCII text-0 to 32  |
| MaxAttPerMtg             | Maximum number of attachments allowed per meeting for this user           | An unsigned integer/gd  |
| ReceiveNotMask           | Whether this user receives meeting notifications                          | Yes/No/gd   |
| AttendPreference         | How this user prefers to attend meetings                                  | UseDflts/UserCallsIn/SystemCallsUser/SystemPagesUser/SysFindsUser/NotAttend       |
| PriNotPreference         | How notifications about meetings are sent to this user                    | None/Email  |
| SecNotPreference         | The alternative notification delivery method for this user                | None/Email  |
| PagerType                | The pager of this user  | None/DIDPager/NonDIDPager   |
| Emailtype                | The e-mail type of this user  | None/ccMail/LotusNotes/MSmail/MicrosoftExchange/Eudora/NetscapeMessenger/Other/gd |
| MPSite                   | Site that this user is a member of  | An unsigned integer/gd  |
| Preferredunit            | Conference server where this user schedules meetings                      | An unsigned integer/gd  |
| EmailAdd                 | The e-mail address of this user   | Alphanumeric-0 to 28  |
| FaxXLatTableNum          | Fax translation table   | An unsigned integer/gd  |

Table: Raw Profile Information Data

|                       |   |  |
|-----------------------|---|--|
|                       | number for this user  |  |
| SendNotAboutMtgs      | If this user sends meeting notifications                                      | Yes/No/gd  |
| AutoDistributeAtt     | If this user distributes attachments with meeting notifications automatically | Yes/No/gd  |
| DefNotPriority        | The priority assigned to the notifications of this user                       | Low/Normal/Urgent  |
| SendNotAboutMtgChngs  | If notifications are sent to this user if a meeting changes                   | Yes/No/gd  |
| SendInviteListWithNot | If this user sends the meeting invitee list with notifications                | Yes/No/gd  |
| SendMtgPwdWithNot     | If this user sends the meeting password with the notification                 | Yes/No/gd  |
| ReceiveAttWithNot     | If this user receives attachments with notifications                          | Yes/No/gd  |
| FIFOAttPlayOrder      | If this user plays attachments in the order received                          | Yes/No/gd  |
| fSchedPrefUnitOnly    | Whether this user can schedule meetings only on preferred conference server   | Yes/No/gd  |
| fAutoStartRecord      | If recording starts automatically in meetings                                 | Yes/No/gd  |
| fDisableRollCall      | If roll call is disabled in meetings scheduled by this user                   | Yes/No/gd  |
| fSchedHomeSiteOnly    | Whether this user can schedule meetings only on his or her NS home site       | Yes/No/gd  |
| FlexField0            | User-defined field 1  | ASCII text-0 to 17   |
| FlexField1            | User-defined field 2  | ASCII text-0 to 17   |
| FlexField2            | User-defined field 3  | ASCII text-0 to 17   |
| ConcurrentQuestions   | Whether this user allows attendees to ask more than one question at a time    | Yes/No/gd Yes allows attendees to ask up to five concurrent questions. |
| AnnounceQArr          | How this user announces attendees who are being placed on the floor           | None/Beep/BeepName/gd  |
| AnnounceQDep          | How this user announces attendees who are removed from the floor              | None/Beep/BeepName/gd  |
| fQNADisabled          |   | Yes/No/gd  |

Table: Raw Profile Information Data

|                      |   |  |
|----------------------|---|--|
|                      | Whether Q&A is turned off for this user when a schedule meeting begins  |  |
| fTellPartPos         | Whether this user tells attendees in a meeting their position in line (to ask a question)                                       | Yes/No/gd  |
| fDisableAdvanceInfo  | Whether this user tells attendees waiting to ask a question if they are next in line  | Yes/No/gd  |
| fAutoProEnabled      | Whether this user automatically promotes the next waiting attendee to the floor in a meeting                                    | Yes/No/gd  |
| fStartPeopleInWR     | How this user admits participants attending a Q&A meeting (as listeners, as speakers with floor open, or in waiting room first) | AdmitAsListeners/StartInWaitingRm/StartMtgWithFloorOpen/gd |
| PublicULAllowed      | Maximum number of teams allowed   | Numeric-0-10000  |
| GroupULAllowed       | Reserved for future use   |  |
| PrivateULAllowed     | Reserved for future use   |  |
| MeetingCategory      | Default meeting category  | Name of existing mtg category/gd                           |
| NumDataParts         | Reserved for future use   |  |
| fEndMtgWarn          | Whether this user has end of meeting warnings turned on or off  | Yes/No/gd  |
| IsAdvancedPrompts    | Whether this user has meeting extended prompts turned on or off   | Yes/No/gd  |
| fAllowGuestView      | Whether publish meetings scheduled by this user are displayed to everyone   | Yes/No/gd  |
| EmailAdd1            | Internet e-mail address of the user (used by Cisco Unified MeetingPlace Web Conferencing when sending e-mail to a user)         | Alphanumeric-0 to 128                                      |
| AlternatePhone       | Alternate phone number for the user   | ASCII text-0 to 17   |
| FindMePreference     | First "Find Me" sequence specified by user  | None/Main/Alternate/Pager/gd                               |
| CanAllowGuestOutdial | Whether this user can schedule meetings that allow guest outdial  | Yes/No/gd  |
| AllowGuestOutdial    |   | Yes/No/gd  |

Table: Raw Profile Information Data

|                    |  |  |
|--------------------|--|--|
|                    | Whether meetings scheduled by this user allow outdials to guests from the web  |  |
| VLanguage          | The selected language of the user  | English (USA), English (UK), French (Canadian), French (France), Japanese, German, Portuguese (Brazil), Spanish (Americas) |
| FlexField20        | User-defined field 4   | ASCII text-0 to 17   |
| FlexField21        | User-defined field 5   | ASCII text-0 to 17   |
| FlexField22        | User-defined field 6   | ASCII text-0 to 17   |
| FlexField23        | User-defined field 7   | ASCII text-0 to 17   |
| CanChangeMtgID     | When Allow Vanity Meeting IDs (in system parameters) is yes, whether user can assign vanity IDs to meetings scheduled by phone | Yes/No/gd  |
| VideoEndPtAdd      | Video endpoint address   | IP address   |
| UseReservationless | Whether this user can schedule and attend reservationless meetings   | Yes/No/gd  |
| RsvnlessCnfg       | Whether this user uses reservationless only (audio)  | An unsigned integer  |
| RsvnlessCnfgGD     | Whether the setting comes from the user profile or Group Default   | An unsigned integer  |
| AllowVideoSched    | Whether this user can schedule meetings that include video integration   | Yes/No/gd  |