

Main page: [Cisco Unified MeetingPlace, Release 7.0](#)

Previous page: [System Requirements](#)

Contents

- [1 Requirements for Cisco Unified MeetingPlace for IBM Lotus Notes Release 7.0](#)
 - ◆ [1.1 Table: Requirements for IBM Lotus Notes with Cisco Unified MeetingPlace Release 7.0](#)
- [2 Requirements for Cisco Unified MeetingPlace Click-to-Conference with IBM Lotus Sametime Instant Messaging Release 7.0](#)
 - ◆ [2.1 Table: Requirements for IBM Lotus Sametime Instant Messaging for Cisco Unified MeetingPlace Release 7.0](#)
- [3 Requirements for Cisco Unified MeetingPlace for IBM Lotus Sametime Web Release 7.0](#)
 - ◆ [3.1 Table: Requirements for IBM Lotus Sametime Web for Cisco Unified MeetingPlace Release 7.0](#)
- [4 Requirements for Jabber with Cisco Unified MeetingPlace Release 7.0](#)
 - ◆ [4.1 Table: Requirements for Jabber with Cisco Unified MeetingPlace Release 7.0](#)
- [5 Requirements for Cisco Unified MeetingPlace for Microsoft Office Communicator \(MOC\) Release 7.0](#)
 - ◆ [5.1 Table: Requirements for Cisco Unified MeetingPlace for Microsoft Office Communicator Release 7.0](#)
- [6 Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0](#)
 - ◆ [6.1 Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.2 and Later](#)
 - ◇ [6.1.1 Table: Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.2 and Later](#)
 - ◆ [6.2 Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.1](#)
 - ◇ [6.2.1 Table: Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.1](#)
- [7 Supported Cisco Unified IP Phones for Cisco Unified MeetingPlace PhoneView](#)

Requirements for Cisco Unified MeetingPlace for IBM Lotus Notes Release 7.0

For the IBM Lotus Notes with Cisco Unified MeetingPlace integration, you need an Application Server, a Web Server (which also hosts the integration), and an IBM Lotus Domino server.

Table: Requirements for IBM Lotus Notes with Cisco Unified MeetingPlace Release 7.0

Component	Requirement
IBM Lotus Domino Server	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer.

	<p>Operating System</p> <ul style="list-style-type: none"> • Windows. <p>Software</p> <ul style="list-style-type: none"> • IBM Lotus Domino Release 6.0x, 6.5x, 7.0x, 8.0x or 8.5
<p>Cisco Unified MeetingPlace Web Server</p> <p>Note: The Cisco Unified MeetingPlace for IBM Lotus Notes integration is installed on the Web Server.</p>	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Operating System</p> <ul style="list-style-type: none"> • Cisco MCS OS 2003.1.2.a SR13 or later. <p>License</p> <ul style="list-style-type: none"> • The Cisco Unified MeetingPlace <i>lotusnotes</i> license. <p>Software</p> <ul style="list-style-type: none"> • IBM Lotus Notes client Release 6.0.x, 6.5.x, 7.0.x, 8.0.x or 8.5 • Microsoft Internet Information Server (IIS) Release 6.0. <p>Note: Microsoft IIS Release 6.0 is installed and configured on the Cisco MCS when the operating system is installed.</p>
<p>Cisco Unified MeetingPlace Application Server</p>	<p>See the Application Server Requirements.</p>
<p>End-User System</p>	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer. <p>Software</p> <ul style="list-style-type: none"> • Templates 6.0.4, 6.0.5, 6.5.4, 6.5.5, 6.5.6, 7.0.2, 7.0.3, 8.0 and 8.5 • Users of IBM Lotus Domino Server Release 6 require: <ul style="list-style-type: none"> ◆ IBM Lotus Notes Release 6.0.4 or 6.0.5 ◆ Template of the same release as the client or an earlier release • Users of IBM Lotus Domino Server Release 6.5 require: <ul style="list-style-type: none"> ◆ IBM Lotus Notes Release 6.54., 6.5.5, or 6.5.6 ◆ Template of the same release as the client or an earlier release

	<ul style="list-style-type: none"> • Users of IBM Lotus Domino Server Release 7 require: <ul style="list-style-type: none"> ◆ IBM Lotus Notes Release 7.0.2 or 7.0.3 ◆ Template of the same release as the client or an earlier release • Users of IBM Lotus Domino Server Release 8 require: <ul style="list-style-type: none"> ◆ IBM Lotus Notes Release 8.0 and 8.5 ◆ Template of the same release as the client or an earlier release <p>Operating System</p> <ul style="list-style-type: none"> • One of the following: <ul style="list-style-type: none"> ◆ Windows ME ◆ Windows Vista ◆ Windows 2000 Professional ◆ Windows 2000 Server Edition (Service Pack 2 or later) ◆ Windows 2000 Advanced Server Edition (Service Pack 2 or later) ◆ Windows XP
--	---

Requirements for Cisco Unified MeetingPlace Click-to-Conference with IBM Lotus Sametime Instant Messaging Release 7.0

For the IBM Lotus Sametime Instant Messaging integration, you need the following servers:

- Cisco Unified MeetingPlace Application Server
- Cisco Unified MeetingPlace Media Server
- IBM Lotus Sametime Server

Table: Requirements for IBM Lotus Sametime Instant Messaging for Cisco Unified MeetingPlace Release 7.0

Component	Requirement
IBM Lotus Sametime Server	<p>Software</p> <ul style="list-style-type: none"> • IBM Lotus Sametime Release 7.5.1 or later release • IBM Lotus Notes Release 8.0.1 or later release
Cisco Unified MeetingPlace Application Server	See the Application Server Requirements .
Cisco Unified MeetingPlace Media Server	See the Media Server Requirements .
End-User System	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows <p>Software</p>

	<ul style="list-style-type: none"> • IBM Lotus Sametime Connect Client Version 7.5.1 or later release • Client Browsers <ul style="list-style-type: none"> ◆ Mozilla 1.7.12 on Windows XP ◆ Firefox 1.5 on Windows XP ◆ Firefox 2.0 ◆ Internet Explorer 6.0, 7.0 on Windows XP Professional, Windows XP Professional 64-bit <p>Operating System</p> <ul style="list-style-type: none"> • Microsoft Windows <ul style="list-style-type: none"> ◆ Windows XP Professional Service Pack 2 ◆ Windows XP Professional 64-bit only for Web Conferencing ◆ Windows 2000 ◆ Microsoft Vista
--	--

Requirements for Cisco Unified MeetingPlace for IBM Lotus Sametime Web Release 7.0

For the IBM Lotus Sametime Web integration, you need the following servers:

- Cisco Unified MeetingPlace Application Server
- Cisco Unified MeetingPlace Media Server
- IBM Lotus Sametime Standard Server.

Notes:

- Because the IBM Lotus Sametime Server cannot support multiple Telephony Conferencing Service Provider Interface (TCSPI) server-side integrations, you cannot use both of the following integrations at the same time:
 - ◆ Cisco Unified MeetingPlace for IBM Lotus Sametime Web Standard (IBM Lotus Sametime server-side TCSPI integration with Cisco Unified MeetingPlace)
 - ◆ Cisco Click to Call and Conference with IBM Lotus Sametime (IBM Lotus Sametime server-side TCSPI integration with Cisco Unified Communications Manager)
 These two server-side integrations are mutually exclusive and cannot both be deployed at the same time.
- You can, however, deploy Cisco Unified MeetingPlace for IBM Lotus Sametime Web with either or both of the following client-side integrations:
 - ◆ Cisco Unified Messaging with IBM Lotus Sametime
 - ◆ Cisco Phone Control and Presence with IBM Lotus Sametime

Table: Requirements for IBM Lotus Sametime Web for Cisco Unified MeetingPlace Release 7.0

Component	Requirement
IBM Lotus Sametime Server (Standard)	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer

Table: Requirements for IBM Lotus Sametime Instant Messaging for Cisco Unified MeetingPlace Release 7.0

	<p>Operating System</p> <ul style="list-style-type: none"> • Windows 2000 Server • Windows Server 2003 Standard • Windows Server 2003 Enterprise Edition Service Pack 2 <p>Software</p> <ul style="list-style-type: none"> • IBM Lotus Sametime Standard Server 7.5.1 CF1 <p>Also see the server requirements at http://publib.boulder.ibm.com/infocenter/sametime/v7r5m1/index.jsp?topic=/com.ibm.help.sameti</p> <ul style="list-style-type: none"> • IBM Lotus Sametime Standard Server 8.0.1 <p>Also see the server requirements at http://www-01.ibm.com/support/docview.wss?rs=477&uid=sw</p> <p>Note: If you also deploy the Cisco Phone Control and Presence with IBM Lotus Sametime integration, then 8.0.1 and install the following IBM patches to disable the IBM phone icon: 3AAAFEAB, 49D5219C, 643A</p>
Cisco Unified MeetingPlace Application Server	See the Application Server Requirements .
Cisco Unified MeetingPlace Media Server	See the Media Server Requirements .
End-User System	<ul style="list-style-type: none"> • IBM Lotus Sametime Connect Client Version 7.5.1 CF1 <p>Also see the client requirements at http://publib.boulder.ibm.com/infocenter/sametime/v7r5m1/index.jsp?topic=/com.ibm.help.sameti</p> <ul style="list-style-type: none"> • IBM Lotus Sametime Connect Client Version 8.0 <p>Also see the client requirements at http://www-01.ibm.com/support/docview.wss?rs=477&uid=sw</p>

Requirements for Jabber with Cisco Unified MeetingPlace Release 7.0

For the Jabber with Cisco Unified MeetingPlace integration, you need an Application Server, a Web Server, and a Jabber XCP server.

Table: Requirements for Jabber with Cisco Unified MeetingPlace Release 7.0

Component	Requirement
Jabber XCP server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Operating System</p>

	<ul style="list-style-type: none"> • Windows. <p>Software</p> <ul style="list-style-type: none"> • Jabber XCP server Release 5.1 • Sun Java Runtime Environment (JRE) Release 1.4.2.xx
Cisco Unified MeetingPlace Web Server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Operating System</p> <ul style="list-style-type: none"> • Cisco MCS OS 2003.1.2.a SR13 or later <p>Software</p> <ul style="list-style-type: none"> • Jabber XCP server Release 5.1 • Sun Java Runtime Environment (JRE) Release 1.4.2.xx <p>License</p> <ul style="list-style-type: none"> • Cisco Unified MeetingPlace <i>jabber</i> license <p>Other</p> <ul style="list-style-type: none"> • Microsoft Internet Information Server (IIS) Release 6.0 <p>Note: Microsoft IIS Release 6.0 is installed and configured on the Cisco MCS when the operating system is installed.</p>
Cisco Unified MeetingPlace Application Server	<p>See the Application Server Requirements.</p>
End-User System	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer <p>Software</p> <ul style="list-style-type: none"> • Jabber Messenger Release 3.2, Windows version <p>Operating System</p> <ul style="list-style-type: none"> • Windows <p>Other</p> <ul style="list-style-type: none"> • End users who initiate Cisco Unified MeetingPlace meetings from Jabber Messenger must be profiled users in Cisco Unified MeetingPlace.

Requirements for Cisco Unified MeetingPlace for Microsoft Office Communicator (MOC) Release 7.0

For the Cisco Unified MeetingPlace for Microsoft Office Communicator (MOC) integration, you need an Application Server, a Web Server (which also hosts the integration), and a Live Communications Server (LCS).

Table: Requirements for Cisco Unified MeetingPlace for Microsoft Office Communicator Release 7.0

Component	Requirement
LCS Server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Operating System</p> <ul style="list-style-type: none"> • Microsoft Windows 2003 <p>Software</p> <ul style="list-style-type: none"> • Microsoft Live Communications Server (LCS) 2005 Standard or Enterprise Edition
Cisco Unified MeetingPlace Application Server	See the Application Server Requirements .
Cisco Unified MeetingPlace Web Server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Operating System</p> <ul style="list-style-type: none"> • Cisco MCS OS 2003.1.2.a SR13 or later. <p>Software</p> <ul style="list-style-type: none"> • Windows 2003 <p>License</p> <ul style="list-style-type: none"> • The Cisco Unified MeetingPlace <i>msft_int</i> license. <p>Other</p> <ul style="list-style-type: none"> • Microsoft .NET 2.0
End user	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer

	<p>Software</p> <ul style="list-style-type: none"> • Microsoft Office Communicator 2005 <p>Operating System</p> <ul style="list-style-type: none"> • Microsoft Windows 2003
--	---

Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0

Note: There are two options for Microsoft Outlook integrations:

- *Front-end* integration-Enables users to schedule, reschedule, and cancel meetings from the Microsoft Outlook calendar. For information, see [Enabling Cisco Unified MeetingPlace Scheduling from Microsoft Outlook](#).
- *Back-end* integration-Enables Cisco Unified MeetingPlace to send Microsoft Outlook calendar notifications for meetings that are scheduled from the Cisco Unified MeetingPlace end-user web interface. For more information, see [Enabling Microsoft Outlook Calendar Notifications for Meetings Scheduled from the Cisco Unified MeetingPlace End-User Web Interface](#).

The requirements for Microsoft Outlook Integration vary by release:

- [Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.2 and Later](#)
- [Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.1](#)

Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.2 and Later

Table: Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.2 and Later

System	Requirements
Microsoft Exchange Server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Software</p> <ul style="list-style-type: none"> • Microsoft Exchange Server 2003 Service Pack 2 <p>Enable WebDAV access from Cisco Unified MeetingPlace.</p> <ul style="list-style-type: none"> • Microsoft Exchange Server 2007 Service Pack 1 <p>Enable EWS access from Cisco Unified MeetingPlace and use the Client Access server role.</p>

Table: Requirements for Cisco Unified MeetingPlace for Microsoft Office Communicator Release 7.0

Cisco_Unified_MeetingPlace,_Release_7.0_--_Integration_Requirements

	<p>NOTE: EWS replaces CDO as the interface to integrate with Microsoft Exchange 2007. EWS retrieves data from the Cisco Unified MeetingPlace mailbox in order to be able to send update notifications for those meetings scheduled from MP Web. It is also used to perform maintenance tasks, such as deleting old inbox items, for the Cisco Unified MeetingPlace mailbox.</p>
Cisco Unified MeetingPlace Application Server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Application Server Requirements.
End-user system	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer <p>Software</p> <ul style="list-style-type: none"> • Microsoft Outlook XP, 2003, or 2007 Release 12.0.6023.x and higher. • An HTTP or HTTPS connection to Cisco Unified MeetingPlace for Microsoft Outlook. • Cisco Unified MeetingPlace for Microsoft Outlook plugin <ul style="list-style-type: none"> ◆ Note: If you are upgrading from Cisco Unified MeetingPlace Release 7.0.1 to Release 7.0.2, you must also upgrade the Cisco Unified MeetingPlace for Microsoft Outlook plugin if you enable the Single Sign On option. <p>Operating System</p> <ul style="list-style-type: none"> • One of the following: <ul style="list-style-type: none"> ◆ Microsoft Windows ME ◆ Windows Vista ◆ Windows 2000 Professional ◆ Windows 2000 SE with Service Pack 2 ◆ Windows 2000 AS with Service Pack 2 ◆ Windows XP ◆ Windows Server 2003

Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.1

For the Cisco Unified MeetingPlace for Microsoft Outlook integration, you need an Application Server, a Web Server (for back-end integration only), and an Exchange Server.

Table: Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.1

System	Requirements
Microsoft Exchange Server	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Software</p> <ul style="list-style-type: none"> • Microsoft Exchange 2000 Server Service Pack 2 or Microsoft Exchange Server 2003.

Table: Requirements for Cisco Unified MeetingPlace for Microsoft Outlook Release 7.0.2 and Late0

	<p>Other</p> <ul style="list-style-type: none"> • A Windows user account that has an associated Microsoft Exchange mailbox. This will be the Microsoft Exchange mailbox for Cisco Unified MeetingPlace for Microsoft Outlook. Note the following: <ul style="list-style-type: none"> ◆ The Windows user account must have local administrator privileges. ◆ The username and password for the Windows user account must match the username and password of the Cisco Unified MeetingPlace for Microsoft Outlook mailbox. The Windows password cannot contain the characters < or >. ◆ Log in with this account to install Cisco Unified MeetingPlace for Microsoft Outlook. ◆ The Windows user account should have access to the default Microsoft Outlook profile. • Must belong to the same domain as the Integration Server unless they have a trust relationship between them.
<p>Cisco Unified MeetingPlace Application Server</p>	<p>Hardware</p> <ul style="list-style-type: none"> • See the Application Server Requirements. <p>Note: (Required for the optional back-end integration option) For each Application Server that is connected to one or more Web Servers, Cisco Unified MeetingPlace for Microsoft Outlook must be installed on one of the connected Web Servers.</p> <p>License</p> <ul style="list-style-type: none"> • The Cisco Unified MeetingPlace <i>msft_int</i> license.
<p>Cisco Unified MeetingPlace Web Server</p> <p>(Required only for back-end Microsoft Outlook integration)</p>	<p>Hardware</p> <ul style="list-style-type: none"> • See the Web Server Requirements. <p>Note: Cisco Unified MeetingPlace for Microsoft Outlook must not be installed on a domain controller.</p> <p>Operating System</p> <ul style="list-style-type: none"> • Cisco MCS OS 2003.1.2.a SR13 or later <p>License</p> <ul style="list-style-type: none"> • The Cisco Unified MeetingPlace <i>msft_int</i> license. <p>Software</p> <ul style="list-style-type: none"> • Web Conferencing must be installed as an internal (full access) installation and must be running as the primary Cisco Unified MeetingPlace Web Server. • One of the following Microsoft Outlook clients installed and configured to log in to the Microsoft Exchange mailbox: <ul style="list-style-type: none"> ◆ Microsoft Outlook 2007 Service Pack 1 and later

	<ul style="list-style-type: none"> ◆ Microsoft Outlook 2003 Service Pack 3 ◆ Microsoft Outlook 2000 (Service Release 1 and Service Pack 3) • Collaboration Data Objects (CDO) must be installed. <ul style="list-style-type: none"> ◆ For Outlook 2007, CDO is not part of the Outlook installer; you must also install CDO 1.2.1 separately. ◆ For Microsoft Outlook 2003 or Microsoft Outlook 2000, select CDO as an option during setup; it is not loaded by default. The CDO version must be 6.5.7974.0 or later. This version complies with Daylight Savings Time. • The default mail client on this computer must be set to Microsoft Outlook. • The Microsoft Outlook client must be completely installed to the local drive. Network installations are not supported. • Cisco Unified MeetingPlace for Microsoft Outlook does not support "thin clients" (Citrix or Terminal Server). • Must belong to the same domain as the Microsoft Exchange Server unless they have a trust relationship between them.
End-user system	<p>Hardware</p> <ul style="list-style-type: none"> • Microsoft Windows computer <p>Software</p> <ul style="list-style-type: none"> • Microsoft Outlook 2000 (SR 1), XP, 2003, or 2007 Release 12.0.6023.x and higher • An HTTP or HTTPS connection to Cisco Unified MeetingPlace for Microsoft Outlook • MeetingPlace Outlook Plugin installed on the Outlook client <p>Operating System</p> <ul style="list-style-type: none"> • One of the following: <ul style="list-style-type: none"> ◆ Microsoft Windows ME ◆ Windows Vista ◆ Windows 2000 Professional ◆ Windows 2000 SE with Service Pack 2 ◆ Windows 2000 AS with Service Pack 2 ◆ Windows XP ◆ Windows Server 2003

Supported Cisco Unified IP Phones for Cisco Unified MeetingPlace PhoneView

The following Cisco Unified IP Phones are supported in Cisco Unified MeetingPlace Release 7.0:

- Cisco Unified IP Phone 7940 and 7960 models (SCCP only)
- Cisco Unified IP Phone 7941 and 7961 models
- Cisco Unified IP Phone 7970 and 7971 models
- Cisco IP Communicator 1.1(5) or later

Support for the following Cisco Unified IP Phones was introduced in Cisco Unified MeetingPlace Release 7.0.2:

Cisco_Unified_MeetingPlace,_Release_7.0_--_Integration_Requirements

- Cisco Unified IP Phone 7942 and 7945 models
- Cisco Unified IP Phone 7962 and 7965 models
- Cisco Unified IP Phone 7975 model