Main page: Cisco Unified MeetingPlace, Release 7.0

Up one level: Reference Information

Note: The first line in the export file specifies the Cisco Unified MeetingPlace version. If you want to import this file or use this file as a template for importing data, then you must *not* modify this line.

Table: Table 1 Import and Export Data Specifications for User Groups

Field Name	Description	Size and Type of Value
ContactID	See User ID of delegate.	1 to 30 alphanumeric characters
tzcode	See Time zone. Import requirements: • The integer value in the import file must match a value defined by Cisco Unified MeetingPlace. Make sure you use a previously exported value. • If the import file contains the tzcode header field, then all user groups in the import file must have a valid entry for the field. For any invalid or blank tzcode values, the associated user group is not imported, and an error is logged.	0 to 17 ASCII text characters
BillCode	See Billing code.	0 to 17 alphanumeric characters
grpnum	See Number. Import requirement: This field is required in the import file whether you are adding or deleting user groups by import.	1 to 17 alphanumeric characters
Name	See Name. Import requirement: This field is required in the import file whether you are adding or deleting user groups by import.	1 to 17 alphanumeric characters
IsActive	See User status.	Yes/No
IsAdvancedPrompts	*Not supported.*	-

	Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	
CanOutdial	See Can call out from meetings.	Yes/No
NamedDisconnect	See Departure announcement.	Beep only/Beep + name/Silent
NamedIntroduction	See Entry announcement.	Beep only/Beep + name/Silent
PasswordRequired	See Meeting password required.	Yes/No
ScreenedIntroduction	See Screened entry.	Yes/No
RecordMeetings	See Reserve resource for recording.	Yes/No
QuickMtgEntryAllowed	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	-
PasswordRequiredOnOD	See Ask for profile password.	Yes/No
MeetingRestriction	See Who can attend.	Anyone/Users/Invited Users/None
CanRecordMeetings	See Can record meetings. Import restriction: If you set this to No, then the following fields are also set to No during the import process: • RecordMeetings (Reserve resource for recording) • autostrtrcrd (Auto-start recording)	Yes/No
MtgNoteRestriction	See Who can access.	Anyone/Users/Invited Users/None
ODXLatTableNum	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
MaxImmedMtgsPerDay	See Scheduling restriction (meetings to start within 6 hours of scheduling).	• Numeric-range is 0 to 50 • 10000-Unrestricted* 10001-Cannot schedule
MaximumMeetingLength	See Maximum meeting length (minutes). Import restriction: This cannot exceed the value of the Maximum meeting length (minutes) field on the Meeting Configuration Page.	Numeric-range is 0 to 1440

Table: Table 1 Import and Export Data Specifications for User Groups

MaxVUIODsPerMtg	See Maximum TUI outdial attempts per meeting.	• Numeric-range is 0 to 500 • 10000 (unrestricted)
nondidpgrnum	See Phone number for non-direct-dial pagers.	0 to 32 characters of the following types: • numeric • ()- • space ( )
faxnum	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, leave this field blank.	-
maxattsprmtg	See Maximum number of attachments	Numeric-range is 0 to 30
rcvnotifs	See Can receive notifications.	Yes/No
site	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
preferredunit	See Schedule home server. Import restriction: Cisco Unified MeetingPlace Release 7.0 supports a smaller range of values than earlier releases. If you import user groups that were originally configured for an earlier release system, then make sure that you adjust this value accordingly.	Numeric-range is 0 to 999
attndprf	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **UserCallsIn**.	-
prmrynotifprf	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **EMail**.	-
altnotifprf	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **Unknown_NotPref_Type**.	-
pgrtype	*Not supported.*	-

	Import requirement: Do not modify this field from the exported value. If you import a new group, enter **DIDPager**.	
emailtype	See E-mail type and format, which combines the emailtype and EmailFormat fields. **Note:** The emailtype value determines which options are supported in the EmailFormat field.	SMTP/Exchange/LotusNotes
faxxlattablenum	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
sndnotifs	See Can send notifications.	Yes/No
autodistatts	See Send attachments.	Yes/No
dfltnotifprio	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **Normal**.	Low/Normal/Urgent
sndnotifonmtgch	See Send if meeting changes.	Yes/No
sndinvlstwnotif	See Include invitee list when scheduled from web.	Yes/No
sndmtgpwdwnotif	See Include password.	Yes/No
rcvattswnotif	See Receive attachments.	Yes/No
playattlstfifo	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **Yes**.	-
schedprefunitonly	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	-
autostrtrcrd	See Auto-start recording.	Yes/No
disablerollcall	See Disable roll call.	Yes/No
schedhomesiteonly	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **Yes**.	-
concurrentquestions	See More than one question per site.	• 0-No

		• 1-Yes
announceqarr	See Q&A introduction.	Beep only/Beep + name/Silent
announceqdep	See Q&A departure.	Beep only/Beep + name/Silent
fqnadisabled	See Off at meeting startup.	Yes/No
ftellpartpos	See Tell my position in line.	Yes/No
fadvanceinfo	See Disable floor warning prompt.	Yes/No
fautoproenabled	See Automatically ask next question.	Yes/No
fstartpeopleinwr	See Lecture meeting attend settings.	admitaslisteners/ startinwaitingrm/ startmtgwithflooropen
publiculallowed	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **10**.	-
groupulallowed privateulallowed	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
meetingcategory	See Default meeting category.	Up to 20 alphanumeric characters
numdataparts chatclienttype	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
fallowdataconf	See Hide web conference provider.	Yes/No
fchatsession fismtgseminartype	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	-
fallowguestview	See Show meetings in public listing.	Yes/No
qnanotify	See Notify attendees about Q&A.	Yes/No
fCanInviteRemoteServers canallowguestoutdial allowguestoutdial	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	-
VLanguage	See Language.	0 to 128 alphanumeric characters
fEndMtgWarn	*Not supported.*	-

fMtgExtendPrompts	Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	
SSI_SystemID SSI_RollMapID SSI_SiteID	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
CanChangeMtgID	See Can change meeting ID via phone.	Yes/No
RsvnlessCnfg	See Use reservationless.	• 0-Yes • 1-No
AllowVideoSched	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	-
AllowInternetAccess	See Allow Internet access.	Yes/No
VideoEndPtBandwidth	*Not supported.* Import requirement: Do not modify this field from the exported value. If you import a new group, enter **384K**.	-
EmailFormat	See E-mail type and format, which combines the emailtype and EmailFormat fields. Import restriction for Release 7.0.2 and later releases: Only the following combinations of emailtype and EmailFormat fields are supported: • SMTP/html • SMTP/txt • LotusNotes/txt • Exchange/html • Exchange/txt Import restriction for Release 7.0.1: Only the following combinations of emailtype and EmailFormat fields are supported: • SMTP/html • SMTP/txt • Exchange/RTF	txt/html/RTF

	• LotusNotes/txt	
ReserveVoiceLicenses	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **Yes**.	-
CanReserveVideoPorts	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **No**.	-
PreferVideo	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **Yes**.	-
FRsvnAllowGuestView	See Show reservationless meetings in public listing.	Yes/No
attendMode	See Auto attend mode.	• 0-None • 1-Automatically join meeting • 2-Automatically log in
attendPasswdRequired	See Auto attend requires profile password.	Yes/No
FRsvnlessAllowInternetAcc	See Reservationless allow Internet access.	Yes/No
videoTypes	*Not supported*. Import requirement: Do not modify this field from the exported value. If you import a new group, enter **0**.	-
mtgEntryMode	See Meeting entry mode.	• 0-Echo meeting • 1-Skip ID repeat • 3-Skip ID repeat and skip names
dataConfClientType	See Default web conference provider.	MP/WEBEX

Related Topics

- Exporting User Groups
- Adding or Editing User Groups by Import
- Deleting User Groups by Import