

Main page: [Cisco Unified MeetingPlace, Release 7.0](#)

Up one level: [Reference Information](#)

Note: The first line in the export file specifies the Cisco Unified MeetingPlace version. If you want to import this file or use this file as a template for importing data, then you must *not* modify this line.

Table: Table 1 Import and Export Data Specifications for User Groups

Field Name	Description	Size and Type of Value
ContactID	See User ID of delegate .	1 to 30 alphanumeric characters
tzcode	See Time zone . Import requirements: <ul style="list-style-type: none"> • The integer value in the import file must match a value defined by Cisco Unified MeetingPlace. Make sure you use a previously exported value. • If the import file contains the tzcode header field, then all user groups in the import file must have a valid entry for the field. For any invalid or blank tzcode values, the associated user group is not imported, and an error is logged. 	0 to 17 ASCII text characters
BillCode	See Billing code .	0 to 17 alphanumeric characters
grpnum	See Number . Import requirement: This field is required in the import file whether you are adding or deleting user groups by import.	1 to 17 alphanumeric characters
Name	See Name . Import requirement: This field is required in the import file whether you are adding or deleting user groups by import.	1 to 17 alphanumeric characters
IsActive	See User status .	Yes/No
IsAdvancedPrompts	<i>Not supported.</i>	-

	Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	
CanOutdial	See Can call out from meetings .	Yes/No
NamedDisconnect	See Departure announcement .	Beep only/Beep + name/Silent
NamedIntroduction	See Entry announcement .	Beep only/Beep + name/Silent
PasswordRequired	See Meeting password required .	Yes/No
ScreenedIntroduction	See Screened entry .	Yes/No
RecordMeetings	See Reserve resource for recording .	Yes/No
QuickMtgEntryAllowed	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
PasswordRequiredOnOD	See Ask for profile password .	Yes/No
MeetingRestriction	See Who can attend .	Anyone/Users/Invited Users/None
CanRecordMeetings	See Can record meetings . Import restriction: If you set this to No, then the following fields are also set to No during the import process: <ul style="list-style-type: none"> • RecordMeetings (Reserve resource for recording) • autostrtrcrd (Auto-start recording) 	Yes/No
MtgNoteRestriction	See Who can access .	Anyone/Users/Invited Users/None
ODXLatTableNum	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
MaxImmedMtgsPerDay	See Scheduling restriction (meetings to start within 6 hours of scheduling) .	<ul style="list-style-type: none"> • Numeric-range is 0 to 50 • 10000-Unrestricted* • 10001-Cannot schedule
MaximumMeetingLength	See Maximum meeting length (minutes) . Import restriction: This cannot exceed the value of the Maximum meeting length (minutes) field on the Meeting Configuration Page .	Numeric-range is 0 to 1440

Table: Table 1 Import and Export Data Specifications for User Groups

MaxVUIODsPerMtg	See <u>Maximum TUI outdial attempts per meeting</u> .	<ul style="list-style-type: none"> • Numeric-range is 0 to 500 • 10000 (unrestricted)
nondidpgrnum	See <u>Phone number for non-direct-dial pagers</u> .	<p>0 to 32 characters of the following types:</p> <ul style="list-style-type: none"> • numeric • ()- • space ()
faxnum	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, leave this field blank.</p>	-
maxattsprmtg	See <u>Maximum number of attachments</u>	Numeric-range is 0 to 30
rcvnotifs	See <u>Can receive notifications</u> .	Yes/No
site	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0.</p>	-
preferredunit	<p>See <u>Schedule home server</u>.</p> <p>Import restriction: Cisco Unified MeetingPlace Release 7.0 supports a smaller range of values than earlier releases. If you import user groups that were originally configured for an earlier release system, then make sure that you adjust this value accordingly.</p>	Numeric-range is 0 to 999
attndprf	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter UserCallsIn.</p>	-
prmrynotifprf	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter EMail.</p>	-
altnotifprf	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter Unknown_NotPref_Type.</p>	-
pgrtype	<i>Not supported.</i>	-

Table: Table 1 Import and Export Data Specifications for User Groups

	Import requirement: Do not modify this field from the exported value. If you import a new group, enter DIDPager .	
emailtype	See <u>E-mail type and format</u> , which combines the <u>emailtype</u> and <u>EmailFormat</u> fields. Note: The <u>emailtype</u> value determines which options are supported in the <u>EmailFormat</u> field.	SMTP/Exchange/LotusNotes
faxxlattablenum	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
sndnotifs	See <u>Can send notifications</u> .	Yes/No
autodistatts	See <u>Send attachments</u> .	Yes/No
dfltnotifprio	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter Normal .	Low/Normal/Urgent
sndnotifonmtgch	See <u>Send if meeting changes</u> .	Yes/No
sndinvlstwnotif	See <u>Include invitee list when scheduled from web</u> .	Yes/No
sndmtgpwdwnotif	See <u>Include password</u> .	Yes/No
rcvattswnotif	See <u>Receive attachments</u> .	Yes/No
playattlstfiffo	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter Yes .	-
schedprefunitonly	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
autostrtrcrd	See <u>Auto-start recording</u> .	Yes/No
disablerollcall	See <u>Disable roll call</u> .	Yes/No
schedhomesiteonly	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter Yes .	-
concurrentquestions	See <u>More than one question per site</u> .	• 0-No

Table: Table 1 Import and Export Data Specifications for User Groups

		• 1-Yes
announceqarr	See Q&A introduction .	Beep only/Beep + name/Silent
announceqdep	See Q&A departure .	Beep only/Beep + name/Silent
fqnadisabled	See Off at meeting startup .	Yes/No
ftellpartpos	See Tell my position in line .	Yes/No
fadvanceinfo	See Disable floor warning prompt .	Yes/No
fautoproenabled	See Automatically ask next question .	Yes/No
fstartpeopleinwr	See Lecture meeting attend settings .	admitaslisteners/ startinwaitingrm/ startmtgwithflooropen
publiculallowed	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 10 .	-
groupulallowed	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
privateulallowed	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
meetingcategory	See Default meeting category .	Up to 20 alphanumeric characters
numdataparts	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
chatclienttype	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
fallowdataconf	See Hide web conference provider .	Yes/No
fchatsession	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
fismtgseminartype	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
fallowguestview	See Show meetings in public listing .	Yes/No
qnotify	See Notify attendees about Q&A .	Yes/No
fCanInviteRemoteServers	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
canallowguestoutdial	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
allowguestoutdial	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
VLanguage	See Language .	0 to 128 alphanumeric characters
fEndMtgWarn	<i>Not supported.</i>	-

Table: Table 1 Import and Export Data Specifications for User Groups

fMtgExtendPrompts	Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	
SSI_SystemID	<i>Not supported.</i>	
SSI_RollMapID	Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0 .	-
SSI_SiteID		
CanChangeMtgID	See <u>Can change meeting ID via phone</u> .	Yes/No
RsvnlessCnfg	See <u>Use reservationless</u> .	<ul style="list-style-type: none"> • 0-Yes • 1-No
AllowVideoSched	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter No .	-
AllowInternetAccess	See <u>Allow Internet access</u> .	Yes/No
VideoEndPtBandwidth	<i>Not supported.</i> Import requirement: Do not modify this field from the exported value. If you import a new group, enter 384K .	-
EmailFormat	See <u>E-mail type and format</u> , which combines the <u>emailtype</u> and <u>EmailFormat</u> fields. Import restriction for Release 7.0.2 and later releases: Only the following combinations of <u>emailtype</u> and <u>EmailFormat</u> fields are supported: <ul style="list-style-type: none"> • SMTP/html • SMTP/txt • LotusNotes/txt • Exchange/html • Exchange/txt Import restriction for Release 7.0.1: Only the following combinations of <u>emailtype</u> and <u>EmailFormat</u> fields are supported: <ul style="list-style-type: none"> • SMTP/html • SMTP/txt • Exchange/RTF 	txt/html/RTF

Table: Table 1 Import and Export Data Specifications for User Groups

	• LotusNotes/txt	
ReserveVoiceLicenses	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter Yes.</p>	-
CanReserveVideoPorts	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter No.</p>	-
PreferVideo	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter Yes.</p>	-
FRsvnAllowGuestView	See Show reservationless meetings in public listing .	Yes/No
attendMode	See Auto attend mode .	<ul style="list-style-type: none"> • 0-None • 1-Automatically join meeting • 2-Automatically log in
attendPasswdRequired	See Auto attend requires profile password .	Yes/No
FRsvnlessAllowInternetAcc	See Reservationless allow Internet access .	Yes/No
videoTypes	<p><i>Not supported.</i></p> <p>Import requirement: Do not modify this field from the exported value. If you import a new group, enter 0.</p>	-
mtgEntryMode	See Meeting entry mode .	<ul style="list-style-type: none"> • 0-Echo meeting • 1-Skip ID repeat • 3-Skip ID repeat and skip names
dataConfClientType	See Default web conference provider .	MP/WEBEX

Related Topics

- [Exporting User Groups](#)
- [Adding or Editing User Groups by Import](#)
- [Deleting User Groups by Import](#)