

Main page: [Cisco Unified MeetingPlace Express, Release 2.x](#)

Previous page: [Page References](#)

This page is used to export user group information from the Cisco Unified MeetingPlace Express database.

- [Table: Fields on the Group Information Page](#)
- [Output Fields of the Group Information Page-Used for Importing User Groups](#)

Contents

- [1 Table: Fields on the Group Information Page](#)
- [2 Output Fields of the Group Information Page-Used for Importing User Groups](#)
 - ◆ [2.1 Table: Output Fields of the Group Information Page-Used to Import User Groups](#)
 - ◆ [2.2 Related Topics](#)

Table: Fields on the Group Information Page

Field	Description	Value
Destination	Destination of the exported information. For descriptions, restrictions, and recommendations for each option, see the How To Export Data .	Screen/File/Printer Default: Screen
Include field header names	Whether to include the field header names in the exported file.	No/Yes Default: Yes

Output Fields of the Group Information Page-Used for Importing User Groups

[Table: Output Fields of the Group Information Page-Used to Import User Groups](#) lists, in alphabetical order, the output fields that the system displays after exporting user group information. It also includes field descriptions and values, which are useful when you use the exported output to create import files.

Table: Output Fields of the Group Information Page-Used to Import User Groups

Header Field	Description	Value
Required Header Fields for Importing User Groups		
grpnum	See <u>Number</u> . Requirement: This field is required in the import file whether you are adding or deleting user groups by import.	-
Name	See <u>Name</u> . Requirement: This field is required in the import file whether you are adding or deleting user groups by import.	-
Optional Header Fields for Importing User Groups		
allowguestoutdial	<i>Not supported</i>	-
AllowInternetAccess	<i>Not supported</i>	-
altnotifprf	<i>Not supported</i>	-
announceqarr	<i>Not supported</i>	-
announceqdep	<i>Not supported</i>	-
attndprf	<i>Not supported</i>	-
autodistatts	<i>Not supported</i>	-
autostrrcrd	<i>Not supported</i>	-
BillCode	See <u>Billing code</u> .	-
canallowguestoutdial	<i>Not supported</i>	-
CanChangeMtgID	<i>Not supported</i>	-
CanOutdial	See <u>Can call out from meetings</u> .	-
CanRecordMeetings	Whether users in this group can initiate the recording of meetings.	Yes/No Default: No
chatclienttype	<i>Not supported</i>	-
concurrentquestions	<i>Not supported</i>	-
ContactID	See <u>User ID of Delegate</u> .	-
dfltnotifprio	See <u>Priority</u> .	-
disablerollcall	<i>Not supported</i>	-
emailtype	See <u>E-mail type</u> .	-
fadvanceinfo	<i>Not supported</i>	-
fallowdataconf	<i>Not supported</i>	-
fallowguestview	See <u>Show meetings in public listing</u> .	-
fautoproenabled	<i>Not supported</i>	-
faxnum	<i>Not supported</i>	-
faxxlattablenum	<i>Not supported</i>	-

Table: Output Fields of the Group Information Page-Used to Import User Groups

fCanInviteRemoteServers	<i>Not supported</i>	-
fchatsession	<i>Not supported</i>	-
fEndMtgWarn	<i>Not supported</i>	-
fismtgseminartype	<i>Not supported</i>	-
fMtgExtendPrompts	<i>Not supported</i>	-
fqnadisabled	<i>Not supported</i>	-
fstartpeopleinwr	<i>Not supported</i>	-
ftellpartpos	<i>Not supported</i>	-
groupulallowed	<i>Not supported</i>	-
IsAdvancedPrompts	<i>Not supported</i>	-
maxattsprmtg	<i>Not supported</i>	-
MaxImmedMtgPerDay	<i>Not supported</i>	-
MaximumMeetingLength	See <u>Maximum meeting length (minutes)</u> .	-
MaxVUIODsPerMtg	<i>Not supported</i>	-
meetingcategory	<i>Not supported</i>	-
MeetingRestriction	See <u>Who can attend</u> .	-
MtgNoteRestriction	<i>Not supported</i>	-
NamedDisconnect	See <u>Departure announcement</u> .	-
NamedIntroduction	See <u>Entry announcement</u> .	-
nondidpgrnum	See <u>Phone # for non-direct-dial pagers</u> .	-
numdataparts	<i>Not supported</i>	-
ODXLatTableNum	<i>Not supported</i>	-
PasswordRequired	See <u>Password required</u> .	-
PasswordRequiredOnOD	See <u>Ask for profile password</u> .	-
pgrtype	<i>Not supported</i>	-
playattlstfifo	<i>Not supported</i>	-
preferredunit	<i>Not supported</i>	-
privateulallowed	<i>Not supported</i>	-
prmrynotifprf	<i>Not supported</i>	-
profileflex1	<i>Not supported</i>	-
profileflex2	<i>Not supported</i>	-
profileflex3	<i>Not supported</i>	-
profileflex4	<i>Not supported</i>	-
profileflex5	<i>Not supported</i>	-
profileflex6	<i>Not supported</i>	-
profileflex7	<i>Not supported</i>	-
publiculallowed	<i>Not supported</i>	-
qnanotify	<i>Not supported</i>	-
QuickMtgEntryAllowed	<i>Not supported</i>	-
rcvattswnotif	<i>Not supported</i>	-
rcvnotifs	See <u>Enable to receive</u> .	-
RecordMeetings	<i>Not supported</i>	-
RsvnlessCnfg	<i>Not supported</i>	-
schedhomesiteonly	<i>Not supported</i>	-

schedprefunitonly	<i>Not supported</i>	-
ScreenedIntroduction	<i>Not supported</i>	-
site	<i>Not supported</i>	-
sndinvlstwnotif	See Include participant list .	-
sndmtgpwdwnotif	See Include password .	-
sndnotifonmtgch	See Send if meeting changes .	-
sndnotifs	See Enable for meeting .	-
SSI_RollMapID	<i>Not supported</i>	-
SSI_SiteID	<i>Not supported</i>	-
SSI_SystemID	<i>Not supported</i>	-
tzcode	<p>See Time zone.</p> <p>Recommendation: The integer value in the import file must match a value defined by Cisco Unified MeetingPlace Express. Therefore, we recommend that you use an existing value from an export file.</p> <p>Restriction: If the import file contains the tzcode header field, all user groups in the import file must have a valid entry for the field. For any invalid or blank tzcode values, the associated user group is not imported, and an error is logged.</p>	integer value
updatetime	(Read only) The date and time of the last change to a file or record associated with the users in this group.	MM/DD/YYYY HH:MM
VLanguage	See Language .	-

Related Topics

- [Examples of Import Files](#)