

Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

[Cisco Unified MeetingPlace Release 6.1](#) > [Cisco Unified MeetingPlace Audio Server](#) > [Maintaining](#) > [File Import Specifications](#)

**Table: Table B-1 Import Database Fields**

Field	Abbreviation	Length	Type of Value, or Value Choices
First name*	Fnm	17	Alphanumeric
Last name*	Ln timer	17	Alphanumeric
User ID*	uid	17	Alphanumeric
New User ID	newuid	17	Alphanumeric  Use this field to assign new IDs to several users. To import a series of new user IDs, create an import file and specify each user's old ID using the <i>uid</i> field. Specify their new ID using the <i>newuid</i> field. (During import, <i>prfpwd</i> and <i>upwd</i> fields may be used for clear text passwords. However, adding data in clear text and encrypted password fields overrides encrypted version if import file contains both fields.)
User password	upwd	11	Alphanumeric
Encrypted user password	EncryptedUserPWD	11	Users cannot edit this field.  Field is read-only field, used for re-importing encrypted passwords previously exported from Cisco Unified MeetingPlace.
Last changed	wfpasswordlastchanged		MM/DD/YYYY HH:MM
Profile number*	prfn timer	17	Numeric
Profile password	prfpwd	11	Alphanumeric
Encrypted profile password	EncryptedProfilePWD	11	Users cannot edit this field.  Field is read-only field, used for re-importing encrypted passwords previously exported from Cisco Unified MeetingPlace.
Last changed	vupasswordlastchanged		MM/DD/YYYY HH:MM
User active	Uactive		yes/no/locked/groupdefault
Type of user*	Utype		enduser/contact/attendant/sysmgr
Group name**	Grp timer	11	Alphanumeric
Group number**	Grpnum	17	Numeric
Phone number**	Phnum	32	Numeric  Allowed characters: ( ) , - " " space

## Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

Alternate phone number*	AltPhNum	32	Numeric  Allowed characters: ( ) , - " " space
Type of pager	pgrtype		none/didpager/nondidpager/ groupdefault
Pager phone number*	Pgrnum	32	Direct Dial-pager number Non Direct Dial-user's pager access code (PIN)
Video Terminal ID	VideoTerminalID	32	Alphanumeric
Video Terminal Name	VideoTerminalName	64	Alphanumeric
Video Terminal Classification	VideoTerminalClassification	64	Alphanumeric
Profile Type	ProfileType		User/Video_Terminal
Video Attend Preference	VideoAttendPreference		Call_In/Dial_Out
Video MCU Only	fVideoMCUOnly		Yes/No
First Search***	1stSearch		None/main/alternate/pager/gd  Choosing <i>gd</i> for this field also applies <i>gd</i> to the other search fields. (For example, choosing <i>gd</i> for First Search applies <i>gd</i> to Second Search and Third Search.)
Second Search***	2ndSearch		None/main/alternate/pager/gd  Choosing <i>gd</i> for this field also applies <i>gd</i> to the other search fields. (For example, choosing <i>gd</i> for Second Search applies <i>gd</i> to First Search and Third Search.)
Third Search***	3rdSearch		None/main/alternate/pager/gd  Choosing <i>gd</i> for this field also applies <i>gd</i> to the other search fields. (For example, choosing <i>gd</i> for Third Search applies <i>gd</i> to First Search and Second Search.)
Internet E-mail Address*	InternetEmailAddr	127	Alphanumeric  User's Internet e-mail address (for example, UserName@Company.com). Used when users browse meetings in Cisco Unified MeetingPlace Web and request to send e-mail to scheduler. Also used to send e-mail notifications to such users when E-mail Address field in their profile is blank.
Time zone*	Tzcode		Numeric-groupdefault  In MeetingTime, use <b>Time Zone Import Codes</b> in the Configure tab. (See the list of numeric codes on the <a href="#">Time</a>

Table: Table B-1 Import Database Fields

## Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

			Zone Codes page.)
Abbreviated prompts	Abbprmts		yes/no/groupdefault
Billing code	Bcode	17	Alphanumeric-groupdefault
Default mtg category	Meetingcategory	17	Alphanumeric-groupdefault
Scheduling home server	Preferredunit		Numeric-0-8/groupdefault
Able to record mtgs	Canrecord		yes/no/groupdefault
Record meetings	Recordmtgs		yes/no/groupdefault
Who can access	Whocanlstn		none/anyone/invtusrs/users/groupdefault
Auto-start recording	Autostrtrcrd		yes/no/groupdefault
Attachment access ordering	Playattlstfifo		yes/no/groupdefault
Display mtg to everyone	fallowguestview		yes/no/groupdefault
Can call out from mtgs?	Cndial		yes/no/groupdefault
Can call other servers?	fcaninviteremoteservers		yes/no/groupdefault
Max outdials per mtg	maxvuiodspermtg		Numeric-0-500/10000 (unrestricted)/groupdefault
Can schedule guest outdial mtgs?	canallowguestoutdial		yes/no/groupdefault
Allow outdials to guests from Web	allowguestoutdial		yes/no/groupdefault
Ask for profile password	pwdonoutdial		yes/no/groupdefault
Digit translation table	odxlattablenum		Numeric-0-15/groupdefault
Entry announcement	Annentry		beepname/beep/none/groupdefault
Departure announcement	Anndpart		beepname/beep/none/groupdefault
Entry announcement in breakouts	fBreakoutAnn		beepname/beep/none/groupdefault <b>NOTE:</b> This field is only found in Cisco Unified MeetingPlace Release 6.0 Maintenance Release 4 and later.
Meeting announcements for reservationless meetings	fRsvlessAnn		Yes/No/groupdefault <b>NOTE:</b> This field is only found in Cisco Unified MeetingPlace Release 6.0 Maintenance Release 4 and later.

Table: Table B-1 Import Database Fields

## Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

Screened entry	Screntry		yes/no/groupdefault
Skip pre-meeting options	Shrtmnus		yes/no/groupdefault
Disable roll call	disablerollcall		yes/no/groupdefault
Password required	Pwdreq		yes/no/groupdefault
Who can attend	whocanattnd		anyone/users/invtdustrs/groupdefault
Lecture meeting attend settings?	fstartpeopleinwr		AdmitAsListeners/StartInWaitingRm/ StartMtgWithFloorOpen/ReservationlessMtg/groupdefault  <b>Caution!</b> A meeting with this field set to <i>Reservationless Mtg</i> cannot be imported.
Scheduling restriction	maximmedmtgsperday		Numeric-0-50/10000 (unrestricted)/10001 (cannot schedule)/groupdefault
Max mtg length (min)	maximummeetinglength		Numeric-0-MaximumMeetingLength/groupdefault
Max # of attachments	Mxattsprmtg		Numeric-0-30/groupdefault
Sched only on home server?	Schedprefunitonly		yes/no/groupdefault
Sched only on NS home site	schedhomesiteonly		yes/no/groupdefault
Max # teams allowed	publiculallowed		Numeric-0-10000/groupdefault
Can chg mtg ID via phone	CanChangeMtgID		yes/no/groupdefault
Enabled for this mtg	sndnotifs		yes/no/groupdefault
Include attachments	autodistatts		yes/no/groupdefault
Priority	dfltnotifprio		low/normal/urgent/groupdefault
Send if mtg changes	sndnotifonmtgch		yes/no/groupdefault
Include participant list	sndinvlstwnotif		yes/no/groupdefault
Include password	sndmtgpwdwnotif		yes/no/groupdefault
Enable to receive	rcvnotifs		yes/no/groupdefault
Include attachments	rcvattswnotif		yes/no/groupdefault
E-mail address	emailaddr	128	Alphanumeric  User's e-mail address. Cisco Unified MeetingPlace also uses this address to send e-mail notifications to this user.
	emailtype		none/ccmail/lotusnotes/msmail/groupdefault

Table: Table B-1 Import Database Fields

Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

Type of e-mail system			
Fax phone number  (Not supported in Cisco Unified MeetingPlace Audio Server Release 5.0 and later)	faxnum	17	Numeric-0-32/groupdefault  User's fax number.
Fax digit translation table  (Not supported in Cisco Unified MeetingPlace Audio Server Release 5.0 and later)	faxlattblnum		Numeric-0-15/groupdefault
Preferred delivery method	prmrnotifprf		none/email/groupdefault
Alternate delivery method	Altnotifprf		non/email/groupdefault
Method of attending	Attdprf		usercallsin/syscallsuser/syspagesuser/sysfindsuser/notattend
QampersandA off at mtg startup?	fqnadisable		yes/no/groupdefault
Notify attendees about QampersandA	Qnanotify		yes/no/groupdefault
QampersandA introduction	announceqarr		Beepname/beep/none/groupdefault
QampersandA departure	announceqdep		Beepname/beep/non/groupdefault
Automatically ask next question	fautoproenabled		yes/no/groupdefault
More than one question per site?	concurrentquestions		yes/no/groupdefault
Tell my position in line	ftellpartpos		yes/no/groupdefault
Disable floor warning prompt	fadvanceInfo		yes/no/groupdefault
Flex Field 1	profileflex1	17	text/number/date/yes/no/groupdefault

Table: Table B-1 Import Database Fields

## Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

			Customizable fields. See the <a href="#">About Flex Fields</a> for more information.
Flex Field 2	profileflex2	17	text/number/date/yes/no/groupdefault
Flex Field 3	profileflex3	17	text/number/date/yes/no/groupdefault
Flex Field 4	profileflex4	17	text/number/date/yes/no/groupdefault
Flex Field 5	profileflex5	17	text/number/date/yes/no/groupdefault
Flex Field 6	profileflex6	17	text/number/date/yes/no/groupdefault
Flex Field 7	profileflex7	17	text/number/date/yes/no/groupdefault
User ID of contact	ctctuid		Alphanumeric
Recorded profile name?	vname		recorded/notrecorded
Date user last scheduled an immediate meeting	dayoflastimmedmtg		MM/DD/YYYY HH:MM
Number of immediate meetings	Numimmedmtgson thatday		Numeric-0-1000
Number of group-wide teams the user can create	Groupulallowed		Numeric-0-1000
Number of private teams user can create	privateulallowed		Numeric-0-1000
Profile user's selected language	VLanguage		English (US), English (UK), French (Canadian), French (French), Japanese, German, Portuguese (Brazil), Spanish (Americas)
Whether this user prefers end meeting warning turned on or off	fEndMtgWarn		yes/no/groupdefault
Whether this user prefers meeting extend prompts turned on or off	fMtgExtendPrompts		yes/no/groupdefault
Single System Image-System ID	SSI-SystemID		Reserved for future use
Single System Image-Roll Map ID	SSI-RollMapID		Reserved for future use
Single System Image-Site ID	SSI-SiteID		Reserved for future use
	newuid	17	Alphanumeric

Table: Table B-1 Import Database Fields

Cisco\_Unified\_MeetingPlace\_Release\_6.1\_--\_Import\_Database\_Fields

Used in a profile import file to change the user ID of an existing user			
Used in a profile import file to change the profile number of an existing user	newprfnum	17	Numeric
Allow Internet Access	fAllowInternetAccess		yes/no/groupdefault
Display Meeting to Everyone	fAllowGuestView		yes/no
Allow Internet Access for Reservationless	fRsvnlessAllowInternetAcc		yes/no/groupdefault
Display Meeting to Everyone for Reservationless	fRsvnlessAllowGuestView		yes/no