

[Cisco Unified MeetingPlace Release 6.1](#) > [Cisco Unified MeetingPlace Audio Server](#) > [Maintaining](#) > [Running Reports](#) > [About Raw Data Reports](#) > [Raw Data Export Specifications](#)

Table: Raw Profile Information Data describes raw profile information data.

The value *gd* means the group default value.

Table: Table C-1 Raw Profile Information Data

Field Name	Description	Type of Value, and Size
Fnm	First name	ASCII text-0 to 17
Lnm	Last name	ASCII text-0 to 17
Uid	User ID	ASCII text-0 to 17
Prfnum	Profile number	ASCII text-0 to 17
Phnum	Phone number for this profile	ASCII text-0 to 17
Ctctuid	User ID of contact for this profile	ASCII text-0 to 17
Grpnm	Group name for this profile	ASCII text-0 to 17
Grpnum	Group ID number	ASCII text-0 to 17
Tzcode	Time zone code for this profile	ASCII text-0 to 17
Abbprmts	Abbreviated prompts	Yes/No/gd
Annentry	Announced entry	None/Beep/Beep+Name/gd
fBreakoutAnn	Announced entry for breakouts	None/Beep/Beep+Name/gd NOTE: This field is only found in Cisco Unified MeetingPlace Release 4 and later.
fRsvlessAnn	Meeting announcements for reservationless meetings	Yes/No/gd NOTE: This field is only found in Cisco Unified MeetingPlace Release 4 and later.
Pwdreq	Password required	Yes/No/gd
Screntry	Screened entry	Yes/No/gd
Bcode	Billing code	Alphanumeric-0 to 17
Uactive	Active user	Yes/No/gd
utype	User type	EndUser/Contact/SysMgr/ Attendant
endial	Can outdial from meetings	Yes/No/gd

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

shrtmnus	User can schedule Quick Entry meetings	Yes/No/gd
pwdonoutdial	Password required on outdial	Yes/No/gd
whocanattnd	Who can attend meetings scheduled by this user	Anyone/Users/InvtdUsrs/gd
whocanlstn	Who can access MeetingNotes	Anyone/Users/InvtdUsrs/gd
canrecord	Whether this user is able to record meetings	Yes/No/gd
recordmtgs	When scheduling, whether you reserve the space so you can record the meeting	Yes/No/gd
IsAdvancedPromptsIs Default	abbprompts value is overridden by group value	Yes/No
NamedDisconnectIs Default	anndpart value is overridden by group value	Yes/No
NamedIntroductionIs Default	annentry value is overridden by group value	Yes/No
PasswordRequiredIs Default	pwdreq value is overridden by group value	Yes/No
ScreenedIntroductionIsDefault	screntry value is overridden by group value	Yes/No
BillCodeIsDefault	bcode value is overridden by group value	Yes/No
IsActiveIsDefault	uactive value is overridden by group value	Yes/No
CanOutdialIsDefault	ndial value is overridden by group value	Yes/No
IsContactIDDefault	ctctuid value is overridden by group value	Yes/No
TimeZoneIsDefault	tzcode value is overridden by group value	Yes/No
IsQuickMtgEntry AllowedDefault	shrtmnus value is overridden by group value	Yes/No
IsPasswordRequiredOnODDefault	pwdonoutdial value is overridden by group value	Yes/No

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

WFPasswdLast Changed	Date and time of last MeetingTime password change for this profile	MM/DD/YYYY HH:MM The date 01/01/70 00:00 GMT implies an unset field. This d than 01/01/70 00:00 depending on the user's specified time z
VUPasswdLast Changed	Date and time of last VUI password change for this profile	MM/DD/YYYY HH:MM
RecordMeetingIs Default	recordmtgs value is overridden by group value	Yes/No
IsMeetingRestriction Default	whocanattnd value is overridden by group value	Yes/No
IsMtgNoteRestriction Default	whocanlstn value is overridden by group value	Yes/No
CanRecordMeetingsIs Default	canrecord value is overridden by group value	Yes/No
Vname	Recorded name for this profile	Recorded/Not_Recorded
IsODXLatTableNum Default	ODSLatTableNum value is overridden by group default	Yes/No
IsMaxImmedMtgsPer DayDefault	MaxImmedMtgsPerDay value is overridden by group value	Yes/No
IsMaximumMeeting LengthDefault	MaximumMeetingLength value is overridden by group value	Yes/No
IsMaxVUIODsPerMtgDefault	MaxVUIODsPerMtg value is overridden by group value	Yes/No
ODXLatTableNum	Outdial translation table number for this user	An unsigned integer/gd
MaxImmedMtgsPerDay	Scheduling limits placed on this user	1-500/10000 (Unrestricted)/10001 (Cannot Schedule)/gd
DayOfLastImmedMtg	The day the last near-term (immediate) meeting was scheduled by this user	MM/DD/YYYY HH:MM
NumImmedMtgsOn ThatDay	Number of near-term (immediate) meetings scheduled on that day	An unsigned integer
MaximumMeeting Length	Maximum length of a meeting scheduled by this user	An unsigned integer/gd
MaxVUIODsPerMtg		An unsigned integer/gd

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

	Maximum number of outdials this user may make from within one meeting	
faxnum (Not supported in Cisco Unified MeetingPlace Audio Server Release 5.0 and later)	Fax number for this user	ASCII text-0 to 17
pgnum	Pager number for this user	ASCII text-0 to 32
mxattsprmtg	Maximum number of attachments allowed per meeting for this user	An unsigned integer/gd
rcvnotifs	Whether this user receives meeting notifications	Yes/No/gd
attndprf	How this user prefers to attend meetings	UseDflts/UserCallsIn/SystemCallsUser/SystemPagesUser/S
Prmrynotifprf	How notifications about meetings are sent to this user	None/Email
Altnotifprf	This user's alternative notification delivery method	None/Email
Pgrtype	This user's pager	None/DIDPager/NonDIDPager
Emailtype	This user's e-mail type	None/ccMail/LotusNotes/MSmail/MicrosoftExchange/Eudoc
Site	Site that this user is a member of	An unsigned integer/gd
Preferredunit	Conference server where this user schedules meetings	An unsigned integer/gd
Emailaddr	This user's e-mail address	Alphanumeric-0 to 28
Faxlattblnum (Not supported in Cisco Unified MeetingPlace Audio Server Release 5.0 and later)	Fax translation table number for this user	An unsigned integer/gd
Sndnotifs	If this user sends meeting notifications	Yes/No/gd
Autodistatts	If this user distributes attachments with meeting notifications automatically	Yes/No/gd
Dflnotifprio	The priority assigned to this user's notifications	Low/Normal/Urgent
sndotifonmtgch		Yes/No/gd

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

	If notifications are sent to this user if a meeting changes	
Sndinvlstwnotif	If this user sends the meeting invitee list with notifications	Yes/No/gd
Sndmtgpwdwnotif	If this user sends the meeting password with the notification	Yes/No/gd
rcvattswnotif	If this user receives attachments with notifications	Yes/No/gd
playattlstfiffo	If this user plays attachments in the order received	Yes/No/gd
schedprefunitonly	Whether this user can schedule meetings only on preferred conference server	Yes/No/gd
autostrtrcrd	If recording starts automatically in meetings	Yes/No/gd
disablerollcall	If roll call is disabled in this user's meetings	Yes/No/gd
schedhomesiteonly	Whether this user can schedule meetings only on his/her NS home site	Yes/No/gd
profileflex1	User defined field 1	ASCII text-0 to 17
profileflex2	User defined field 2	ASCII text-0 to 17
profileflex3	User defined field 3	ASCII text-0 to 17
concurrentquestions	Whether this user allows attendees to ask more than one question at a time	Yes/No/gd <i>Yes</i> allows attendees to ask up to five concurrent questions.
announceqarr	How this user announces attendees who are being placed on the floor	None/Beep/BeepName/gd
announceqdep	How this user announces attendees who are removed from the floor	None/Beep/BeepName/gd
Fqnadisable	Whether QampersandA is turned off for this user when a schedule meeting begins	Yes/No/gd
Ftellpartpos	Whether this user tells attendees in a meeting their position in line (to ask a question)	Yes/No/gd
Fadvanceinfo		Yes/No/gd

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

	Whether this user tells attendees waiting to ask a question if they are next in line	
fautoproenabled	Whether this user automatically promotes the next waiting attendee to the floor in a meeting	Yes/No/gd
fstartpeopleinwr	How this user admits participants attending a QampersandA meeting (as listeners, as speakers with floor open, or in waiting room first)	AdmitAsListeners/StartInWaitingRm/StartMtgWithFloorOp
publiculallowed	Maximum number of Teams allowed	Numeric-0-10000
groupulallowed	Reserved for future use	
privateulallowed	Reserved for future use	
meetingcategory	Default meeting category	Name of existing mtg category/gd
numdataparts	Reserved for future use	
nVCSEcsInConf	Total number of seconds that this participant attended using video	An unsigned integer representing the number of seconds
chatclienttype	Reserved for future use	
fAllowDataConf	<i>NOTE: In order to use this field, you must enable Cisco WebEx on your system.</i> <i>NOTE: This field is only used in Cisco Unified MeetingPlace Release 6.0 MR2 and later.</i> Determines if the field called "Hide Web Conference Provider" appears in MeetingTime.	
DataConfClientType	<i>NOTE: In order to use this field, you must enable Cisco WebEx on your system.</i> <i>NOTE: This field is only used in Cisco Unified MeetingPlace Release 6.0 MR2 and later.</i> Determines if the field called "Default Web Conference Provider" appears in MeetingTime.	
Fchatsession	Reserved for future use	
fismtgseminartype	Reserved for future use	
fAllowGuestView	Whether publish meetings scheduled by this user are displayed to everyone	Yes/No/gd
updatetime	Date and Time of last change or modifications	MM/DD/YYYY HH:MM

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

	to a record	
qnanotify	Whether this user tells attendees how to use the QampersandA feature when they first join a meeting	Yes/No/gd
InternetEmailAddr	User's Internet e-mail address. Used by Cisco Unified MeetingPlace Web when sending e-mail to a user	Alphanumeric-0 to 128
EncryptedUserPWD	A user's encrypted user password	
EncryptedProfilePWD	A user's encrypted profile password	
fcaninviteotherservers	Whether this user can schedule multiserver meetings	Yes/No/gd
AltPhNum	Alternate phone number for the user	ASCII text-0 to 17
1stSearch	First "Find Me" sequence specified by user (For more information, see the Using the "Find Me" Feature.)	None/Main/Alternate/Pager/gd
2ndSearch	Second "Find Me" sequence specified by user	None/Main/Alternate/Pager/gd
3rdSearch	Third "Find Me" sequence specified by user	None/Main/Alternate/Pager/gd
CanAllowGuestOutdial	Whether this user can schedule meetings that allow guest outdial	Yes/No/gd
AllowGuestOutdial	Whether meetings scheduled by this user allow outdials to guests from the Web	Yes/No/gd
VLanguage	The profile user's selected language	English (USA), English (UK), French (Canadian), French (Portuguese (Brazil), Spanish (Americas)
fEndMtgWarn	Whether this user has end of meeting warnings turned on or off	Yes/No/gd
fMtgExtendPrompts	Whether this user has meeting extended prompts turned on or off	Yes/No/gd
SSI-System ID	Reserved for future use	

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

SSI-RollMapID	Reserved for future use	
SSI-SiteID	Reserved for future use	
profileflex4	User defined field 4	ASCII text-0 to 17
profileflex5	User defined field 5	ASCII text-0 to 17
profileflex6	User defined field 6	ASCII text-0 to 17
profileflex7	User defined field 7	ASCII text-0 to 17
CanChangeMtgID	When Allow Vanity Meeting IDs (in System Parameters) is Yes, whether user can assign vanity IDs to meetings scheduled by phone	Yes/No/gd
UseRsvnless	Whether this user can schedule and attend reservationless meetings.	Yes/No/gd
RsvnlessCnfg	Whether this user uses reservationless only (audio).	An unsigned integer
RsvnlessCnfgGD	Whether the setting comes from the user's profile or Group Default.	An unsigned integer
AllowVideoSched	Whether this user can schedule meeting that include video integration.	Yes/No/gd
AllowInternetAccess	Whether meetings allow Internet access.	Yes/No/gd
VideoEndPtBandwidth	Video bandwidth for this user or terminal	128/256/384/512/758/1472/1920/gd
VideoEndPtAddr	IP address of the video end point for this user or terminal.	Dotted decimal format, as in 198.207.208.1
ProfileType	User profile or video terminal profile	User/Video_Terminal/gd
VideoAttendPreference	Attend preference for video terminal	Call_In/Dial_Out/gd
fVideoMCUOnly	Meeting is entirely on video MCU (ad-hoc participants not allowed to join)	Yes/No/gd
fRsvnlessAllowInternetAcc	Whether reservationless meetings allow Internet access.	Yes/No
fRsvnlessAllowGuestView	Display meeting to everyone for reservationless	Yes/No/gd
VideoTerminalID	Video Terminal ID	Alphanumeric-0 to 32
VideoTerminalName	Video Terminal Name	Alphanumeric-0 to 64
VideoTerminalClassification		Alphanumeric-0 to 64

Table: Table C-1 Raw Profile Information Data

Cisco_Unified_MeetingPlace_Release_6.1_--_Raw_Profile_Information_Data

	Video Terminal Classification	
--	----------------------------------	--