

Main page: [Cisco Unified Presence, Release 7.x](#)

Previous Topic

- [Hardware and Software Compatibility Information for Cisco Unified Presence](#)

Table: [Cisco Unified Presence Server Support](#) shows the servers that Cisco Unified Presence supports from Release 7.0(1).

Table: Table 2 Cisco Unified Presence Server Support

Cisco Unified Presence Software Releases									
MCS Platform Model	7.0(1)	7.0(2)	7.0(3)	7.0(4)	7.0(5)	7.0(6)	7.0(7)	7.0(8)	7.0(9)
7816 Servers									
MCS-7816-H3-IPC1	Supported	Supported	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7816-I3-IPC1	Supported	Supported	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7816-I4-IPC1	Not Supported	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported	Supported
7825 Servers									
MCS-7825-H1-IPC1	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-I1-IPC1	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-H2-IPC1	Not Supported	Not Supported	Not Supported	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-I2-IPC1	Not Supported	Not Supported	Not Supported	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-H2-IPC2	Supported	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-I2-IPC2	Supported	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)

Previous Topic

Cisco_Unified_Presence,_Release_7.x_--_Cisco_Unified_Presence_Hardware_Compatibility

MCS-7825-H3-IPC1	Supported	Supported	Supported	Supported (Server EOS Announced)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-I3-IPC1	Supported	Supported	Supported	Supported (Server EOS Announced)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7825-H4-IPC1	Not Supported	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported
MCS-7825-I4-IPC1	Not Supported	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported
7835 Servers										
MCS-7835-H1-IPC1	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7835-I1-IPC1	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7835-H2-IPC1	Supported	Supported	Supported	Supported (Server EOS Announced)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7835-I2-IPC1	Supported	Supported	Supported	Supported (Server EOS Announced)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7835-H2-IPC2	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported
MCS-7835-I2-IPC2	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported
MCS-7835-I3-IPC1	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported	Supported
7845 Servers										
MCS-7845-H1-IPC1	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7845-I1-IPC1	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7845-H2-IPC1	Supported	Supported	Supported	Supported (Server EOS Announced)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)

Table: Table 2 Cisco Unified Presence Server Support

Cisco_Unified_Presence,_Release_7.x_--_Cisco_Unified_Presence_Hardware_Compatibility

MCS-7845-I2-IPC1	Supported	Supported	Supported	Supported (Server EOS Announced)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)	Supported (Server EOS)
MCS-7845-H2-IPC2	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported
MCS-7845-I2-IPC2	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported	Supported
MCS-7845-I3-IPC1	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported

Related Topics

- [Legend: Information Collated in the Compatibility Tables](#)
- [User Capacities with Cisco Unified Presence Release 7.x](#)
- [Cisco Unified Presence Software Compatibility](#)
- [Compatibility with Cisco IP Phones and Third-Party IP Phones](#)
- [Getting More Information](#)