

Main page: [Cisco Unified Presence, Release 7.x](#)

Contents

- [1 Previous Topic](#)
- [2 How to Configure Intercluster Peers in Cisco Unified Presence Administration](#)
 - ◆ [2.1 Configuring Intercluster Peers](#)
 - ◇ [2.1.1 Before You Begin](#)
 - ◇ [2.1.2 Restriction](#)
 - ◇ [2.1.3 Procedure](#)
 - ◇ [2.1.4 Troubleshooting Tips](#)
 - ◇ [2.1.5 Related Topics](#)
 - ◇ [2.1.6 What To Do Next](#)
 - ◆ [2.2 Intercluster Peer Status](#)
 - ◇ [2.2.1 Table: Intercluster Peer Status](#)
 - ◇ [2.2.2 Related Topics](#)
- [3 Verifying the Intercluster Peer Status](#)
 - ◆ [3.1 Before You Begin](#)
 - ◆ [3.2 Procedure](#)
 - ◆ [3.3 Related Topics](#)

Previous Topic

- [Configuration and Maintenance of Cisco Unified Presence](#)
- [How to Configure Intercluster Peers in Cisco Unified Presence Administration](#)
- [Verifying the Intercluster Peer Status](#)

How to Configure Intercluster Peers in Cisco Unified Presence Administration

- [Configuring Intercluster Peers](#)
- [Intercluster Peer Status](#)

Configuring Intercluster Peers

Perform this procedure on the publisher node of the local Cisco Unified Presence cluster, and on the publisher node of the remote Cisco Unified Presence cluster (that you wish your local cluster to form a peer relationship with).

Before You Begin

- Activate the AXL interface on the local Cisco Unified Presence node.
- Confirm that the AXL interface is activated on the remote Cisco Unified Presence publisher node.
- Acquire the user name and password for the intercluster application user on the Cisco Unified Presence remote server.

Restriction

We recommend that you use TCP as the intercluster trunk transport for all Cisco Unified Presence clusters.

This window is updated every 20 seconds with the latest intercluster status information.

Procedure

1. Perform one of the following actions:

If you want to:	Action
Add an intercluster peer	<ol style="list-style-type: none"> 1. Select Presence > Inter-clustering. 2. Select Add New.
Update an intercluster peer	<ol style="list-style-type: none"> 1. Find the record. See the Finding a Network Component topic for instructions. 2. Edit the record as required.

2. Enter the intercluster remote server settings as described in the table below.

Field	Description
Peer Address	Enter the IP address of the publisher node of a remote Cisco Unified Presence cluster for the remote address.
AXL Username	Enter the username of the application user on the Cisco Unified Presence remote server that has AXL permissions.
AXL Password	Enter the associated password of the application user on the Cisco Unified Presence remote server that has AXL permissions.
Confirm AXL Password	Reenter the AXL password.
Protocol	<p>Enter the preferred protocol for SIP communication.</p> <p>Note: If the specified protocol is configured in the remote Cisco Unified Presence cluster, then "Protocol" is used. If the remote cluster does not contain a Cisco Unified Presence SIP Proxy listener of "Protocol" type, then a protocol is selected according to the following precedence: UDP, TCP, TLS.</p>
External Phone Number Mask	<p>(Optional) Enter the External Phone Number Mask value. This is the E164 mask to apply to Directory Numbers retrieved from the remote cluster.</p> <p>Note: The default E164 mask is overridden by the E164 mask assigned to a Line Appearance from the remote cluster. Cisco IP Phone Messenger (IPPM) uses the</p>

	DN and E164 mask from the remote cluster for dial back functionality.
Force Sync	Select Force Sync to manually force Cisco Unified Presence to synchronize data with this remote server. Note: This button displays only after you successfully create an intercluster peer.

3. Review the intercluster remote server status, and repeat the above step if necessary.

4. Select **Save**.

Troubleshooting Tips

- If DNS is available in your network, the address configured for the intercluster peer could be a DNS SRV FQDN that resolves to the remote Cisco Unified Presence cluster nodes.
- By default, Cisco Unified Presence turns on the Intercluster Sync Agent parameter. You must turn on the Intercluster Sync Agent on all nodes in the Cisco Unified Presence cluster because in addition to synchronizing user information from the local publisher node to the remote publisher node, the Intercluster Sync Agent also handles security between all nodes in the clusters.

Related Topics

- [How to Find and Delete Components in Cisco Unified Presence Administration](#)
- [Getting More Information](#)

What To Do Next

[Intercluster Peer Status](#)

Intercluster Peer Status

The settings in the table below indicate whether your intercluster peer configuration has succeeded or failed.

Table: Intercluster Peer Status

Field	Description
Peer Connectivity	If successful, the remote server can be reached using the AXL connection. If a failure occurs, the system is unable to connect to the remote server using AXL.
Peer Compatibility)	If successful, the remote server has a valid user location table and is enabled for interclustering. If a failure occurs, the remote server does not have a user location table and is not compatible.
Peer Proxy Domain	If successful, the remote server has a proxy domain that matches the local Cisco Unified Presence proxy domain. If a failure occurs, the proxy domains of the two clusters (local and remote) do not match.

CUP Version	If successful, the version of the remote server is displayed.
CUCM Publisher Version	If successful, the version of the Cisco Unified Communications Manager publisher is displayed.
Unique CUCM Cluster	<p>If successful, the test verifies that two Cisco Unified Communications Manager (local and remote) are not part of the same cluster.</p> <p>If a failure occurs, the test verifies that two Cisco Unified Communications Manager (local and remote) are part of the same cluster.</p> <p>Caution! It is incorrect to configure two Cisco Unified Presence peers to point at Cisco Unified Communications Manager servers that are in the same cluster. Be aware that Release 6.x Cisco Unified Presence peers cannot verify whether the Cisco Unified Communications Manager cluster is unique, and pass this test by default.</p>
Associated Users	If successful, the users associated with the remote server are displayed.
Duplicate Users	If successful, the duplicate users associated with the remote server are displayed. If the number of duplicate users is zero, a View Duplicates hyperlink is displayed allowing you to view a duplicate user report.
Certificate Status	<p>If successful, the connection is secure.</p> <p>If failure (1) occurs: Your security certificates are out of synchronization. You can attempt to load these certificates by selecting Force Manual Sync. If this action fails to create a secure connection, you can manually load the certificates in Cisco Unified OS Administration.</p> <p>Note: This status item only displays if you select TLS as the protocol type.</p> <p>If failure (2) occurs: The system failed to automatically exchange security certificates because this peer/cluster does not support auto exchange. You can manually load the certificates in Cisco Unified OS Administration.</p> <p>If failure (3) occurs: The system failed to automatically exchange security certificates because an internal error occurred while exchanging the security certificates. You can manually load the certificates in Cisco Unified OS Administration.</p>

Related Topics

- [How to Find and Delete Components in Cisco Unified Presence Administration](#)
- [Getting More Information](#)

Verifying the Intercluster Peer Status

Before You Begin

Configure an intercluster peer.

Procedure

1. Select **Presence > Inter-Clustering**.
2. Select the intercluster remote server entry under the Peer Address menu.
3. Select **Find**.
4. Verify that there are check marks beside each of the result entries for the intercluster remote server.
5. Select **Diagnostics > System Troubleshooter**.
6. In the section InterClustering Troubleshooter:
 - Verify the status of each of the intercluster remote server entries.
 - Make sure that the Associated Users value equals the number of users on the remote cluster.

Related Topics

- [How to Find and Delete Components in Cisco Unified Presence Administration](#)
- [Getting More Information](#)