Links to Other API pages: Cisco_Unity_Connection_APIs

CUPI Guide Contents
API Overview
Index of All CUPI Documentation

Contents

Playback Message Settings

The following URI can be used to view the user template object ID:

```
GET https://<connection-server>/vmrest/usertemplates/<usertemplateobjectid>
```

Edit Parameters

```
Request Body:
<UserTemplate>
    <Volume>50</Volume>
    <Speed>100</Speed>
    <SayTotalNew>true</SayTotalNew>
    <SayTotalNewVoice>true</SayTotalNewVoice>
    <SayTotalNewEmail>false</SayTotalNewEmail>
    <SayTotalNewFax>false</SayTotalNewFax>
    <SayTotalReceipts>false</SayTotalReceipts>
    <SayTotalSaved>true</SayTotalSaved>
    <SayTotalDraftMsg>false</SayTotalDraftMsg>
    <MessageTypeMenu>false</MessageTypeMenu>
    <NewMessageSortOrder>2</NewMessageSortOrder>
    <SaveMessageOnHangup>1</SaveMessageOnHangup>
    <DeletedMessageSortOrder>1</DeletedMessageSortOrder>
    <SaySender>true</SaySender>
    <SaySenderExtension>false</SaySenderExtension>
    <SayAni>true</SayAni>
    <SayMsgNumber>true</SayMsgNumber>
    <SayTimestampBefore>true</SayTimestampBefore>
    <AutoAdvanceMsgs>false</AutoAdvanceMsgs>
    <ConfirmDeleteMessage>true</ConfirmDeleteMessage>
</UserTemplate>
```

The following is the response from the above *PUT* request and the actual response will depend upon the information given by you:

```
Response Code: 204
```

NOTE: To sort the message type:

- for new message: <NewMessageSortOrder>2</NewMessageSortOrder>
- for saved message: <SaveMessageSortOrder>1</SaveMessageSortOrder>
- for deleted message: <DeletedMessageSortOrder>1</DeletedMessageSortOrder>

All the possible values for above three parameters are given in the table.

Explanation of Data Fields

Parameter	Values
Volume	25: Low 50: Medium 100: High
Speed	50: Slow 100: Normal 150: Fast 200: Fastest
SaveMessageOnHangup	True: New False: Saved
NewMessageSortOrder	1: Newest First 2: Oldest First
SavedMessageSortOrder	1: Newest First 2: Oldest First
DeletedMessageSortOrder	1: Newest First 2: Oldest First

NOTE: Volume and Speed parameters must be of the same range given in the table.