

Main page: [Cisco Unity Express -- REST PI Service Operations](#)

Previous page: [Cisco Unity Express -- Triggers REST PI Service Operation](#)

Next page: [Cisco Unity Express -- Greetings REST PI Service Operation](#)

Search the Cisco Unity Express documentation on the DocWiki:

Loading

Contents


- [1 Caller Call Flow](#)
 - ◆ [1.1 Classes](#)
 - ◇ [1.1.1 CallflowAction](#)
 - ◇ [1.1.2 DialPadKey](#)
 - ◇ [1.1.3 KeyAction](#)
 - ◇ [1.1.4 CallerCallflow](#)
 - ◆ [1.2 Resources](#)

Caller Call Flow

Classes

Figure 24: Caller Call Flow

Cisco_Unity_Express_--_Caller_Call_Flow_REST_Pi_Service_Operation



CallflowAction

Class Name	CallflowAction (Enumeration Class)
Extends From	
Description	Enumeration of callflow actions
XML Namespace	http://callercallflow.model.rest.voicemail.aesop.cisco.com
Enum Values	IGNORE, SKIP_GREETING, REPEAT_GREETING, TRANSFER_TO, TRANSFER_OPERATOR, SAY_GOODBYE, SUBSCRIBER_SIGNIN, KEY_DEFAULT

DialPadKey

Class Name	DialPadKey (Enumeration Class)
Extends From	
Description	Enumeration of keys on dial pad for which a call flow action could be defined
XML Namespace	http://callercallflow.model.rest.voicemail.aesop.cisco.com
Enum Values	ZERO, ONE, TWO, THREE, FOUR, FIVE, SIX, SEVEN, EIGHT, NINE, STAR, POUND

KeyAction

Class Name	KeyAction
Extends From	ManagedBaseElement
Description	Class representing a callflow action in response to a specified caller input
XML Namespace	http://callercallflow.model.rest.voicemail.aesop.cisco.com

Cisco_Unity_Express_--_Caller_Call_Flow_REST_Pi_Service_Operation

Field Name	Type	Constraints	Comments
key	DialPadKey		Key pressed by the caller
callflowAction	CallflowAction		Callflow action to be executed
transferNumber	String		The number to which the call is transferred if callflow action is specified as TRANSFER_TO

CallerCallflow

Class Name	CallerCallflow		
Extends From	ManagedBaseElement		
Description	Class representing mailbox configuration for caller call flow for specified caller inputs		
XML Namespace	http://callercallflow.model.rest.voicemail.aesop.cisco.com		
Field Name	Type	Constraints	Comments
keyAction	KeyAction (collection)		List of Keyaction objects

Resources

Resource URI	Operation	Input	Return Value
/voicemail/mailboxes/{ownerId}/callerflow	GET		CallerCallflow
	PUT	CallerCallflow	