

**Main page:** [Cisco Unity Express -- REST PI Service Operations](#)

**Previous page:** [Cisco Unity Express -- Triggers REST PI Service Operation](#)

**Next page:** [Cisco Unity Express -- Greetings REST PI Service Operation](#)

**Search the Cisco Unity Express documentation on the DocWiki:**

Loading

---

## Contents


- [1 Caller Call Flow](#)
  - ◆ [1.1 Classes](#)
    - ◇ [1.1.1 CallflowAction](#)
    - ◇ [1.1.2 DialPadKey](#)
    - ◇ [1.1.3 KeyAction](#)
    - ◇ [1.1.4 CallerCallflow](#)
  - ◆ [1.2 Resources](#)

## Caller Call Flow

Classes

**Figure 24: Caller Call Flow**

## Cisco\_Unity\_Express\_--\_Caller\_Call\_Flow\_REST\_Pi\_Service\_Operation



### CallflowAction

<b>Class Name</b>	CallflowAction (Enumeration Class)
<b>Extends From</b>	
<b>Description</b>	Enumeration of callflow actions
<b>XML Namespace</b>	http://callercallflow.model.rest.voicemail.aesop.cisco.com
<b>Enum Values</b>	IGNORE, SKIP_GREETING, REPEAT_GREETING, TRANSFER_TO, TRANSFER_OPERATOR, SAY_GOODBYE, SUBSCRIBER_SIGNIN, KEY_DEFAULT

### DialPadKey

<b>Class Name</b>	DialPadKey (Enumeration Class)
<b>Extends From</b>	
<b>Description</b>	Enumeration of keys on dial pad for which a call flow action could be defined
<b>XML Namespace</b>	http://callercallflow.model.rest.voicemail.aesop.cisco.com
<b>Enum Values</b>	ZERO, ONE, TWO, THREE, FOUR, FIVE, SIX, SEVEN, EIGHT, NINE, STAR, POUND

### KeyAction

<b>Class Name</b>	KeyAction
<b>Extends From</b>	ManagedBaseElement
<b>Description</b>	Class representing a callflow action in response to a specified caller input
<b>XML Namespace</b>	http://callercallflow.model.rest.voicemail.aesop.cisco.com

Cisco\_Unity\_Express\_--\_Caller\_Call\_Flow\_REST\_Pi\_Service\_Operation

Field Name	Type	Constraints	Comments
key	DialPadKey		Key pressed by the caller
callflowAction	CallflowAction		Callflow action to be executed
transferNumber	String		The number to which the call is transferred if callflow action is specified as <b>TRANSFER_TO</b>

CallerCallflow

<b>Class Name</b>	CallerCallflow		
<b>Extends From</b>	ManagedBaseElement		
<b>Description</b>	Class representing mailbox configuration for caller call flow for specified caller inputs		
<b>XML Namespace</b>	http://callercallflow.model.rest.voicemail.aesop.cisco.com		
Field Name	Type	Constraints	Comments
keyAction	KeyAction (collection)		List of Keyaction objects

Resources

Resource URI	Operation	Input	Return Value
/voicemail/mailboxes/{ownerId}/callerflow	GET		CallerCallflow
	PUT	CallerCallflow	