

Main page: [Cisco Unity Express -- REST PI Service Operations](#)

Previous page: [Cisco Unity Express -- Caller Call Flow REST PI Service Operation](#)

Next page: [Cisco Unity Express -- Subscriber Notification Profile REST PI Service Operation](#)

Search the Cisco Unity Express documentation on the DocWiki:

Loading


Contents

- [1 Greetings](#)
 - ◆ [1.1](#)
 - [Classes](#)
 - ◇ [1.1.1](#)
[GreetingStatus](#)
 - ◇ [1.1.2](#)
[GreetingType](#)
 - ◇ [1.1.3](#)
[RecordingType](#)
 - ◇ [1.1.4](#)
[Greeting](#)
 - ◇ [1.1.5](#)
[UserRecording](#)
 - ◆ [1.2](#)
[Resources](#)

Greetings

Classes

Figure 25: Greeting



GreetingStatus

Class Name	GreetingStatus (Enumeration Class)
Extends From	
Description	Enumeration of greeting status types
XML Namespace	http://greeting.model.voicemail.rest.aesop.cisco.com
Enum Values	DISABLED, ENABLED, ENABLED_UNTIL

GreetingType

Class Name	GreetingType (Enumeration Class)
Extends From	
Description	Enumeration of greeting types
XML Namespace	http://greeting.model.voicemail.rest.aesop.cisco.com
Enum Values	STANDARD, ALTERNATE, MEETING, VACATION, EXTENDEDABSENCE, BUSY, CLOSED, INTERNAL

RecordingType

Class Name	RecordingType (Enumeration Class)
Extends From	
Description	Enumeration of recording types for a greeting
XML Namespace	http://greeting.model.voicemail.rest.aesop.cisco.com
Enum Values	SYSTEM, USER, NONE

Greeting

Class Name	Greeting		
Extends From	ManagedBaseElement		
Description	Class representing configurations related to a specified greeting type for a given mailbox		
XML Namespace	http://greeting.model.voicemail.rest.aesop.cisco.com		
Field Name	Type	Constraints	Comments
enableUntil	DateTime	Must be specified if greetingStatus is set to ENABLED_UNTIL . Value must be less than 365 days in the future.	Enable a greeting until the specified date and time.
greetingStatus	GreetingStatus		Greeting status
greetingType	GreetingType		Greeting type
recordingType	RecordingType		Recording type for this greeting
userRecording	UserRecording		Indicates if user recorded custom greeting is present

UserRecording

Class Name	UserRecording		
Extends From	ManagedBaseElement		
Description	Class representing user recorded custom greeting for a specified greeting type for a given mailbox		
XML Namespace	http://greeting.model.voicemail.rest.aesop.cisco.com		

Resources

Resource URI	Operation	Input	Return Value
/voicemail/mailboxes/{ownerid}/greetings	GET (retrieve greetings information for all greeting types)		BaseElementList Containing list of Greeting objects

Cisco_Unity_Express_--_Greetings_REST_API_Service_Operation

/voicemail/mailboxes/{ownerid}/greetings/{greetingtype}	GET (Read Greeting information for a given greeting type)		Greeting
/voicemail/mailboxes/{ownerid}/greetings/{greetingtype}	PUT (Update greeting information)	Content-type: application/xml	Greeting
/voicemail/mailboxes/{ownerid}/greetings/{greetingtype}/reset	PUT (Reset information for a greeting type to system defaults)		
/voicemail/mailboxes/{ownerid}/greetings/{greetingtype}/recording	PUT (Upload a custom recorded wav file as a greeting)	Content-type: audio/x-wav	Audio WAV file
/voicemail/mailboxes/{ownerid}/greetings/{greetingtype}/recording	DELETE (Delete any custom recording for greeting type)		