

**Main page:** [Cisco Unity Express -- REST PI Service Operations](#)

**Previous page:** [Cisco Unity Express -- Business Schedule and Holidays REST PI Service Operation](#)

**Next page:** [Cisco Unity Express -- Restriction Tables REST PI Service Operation](#)

**Search the Cisco Unity Express documentation on the DocWiki:**

Loading

---


## Contents

- [1 Language and Prompts](#)
  - ◆ [1.1 Classes](#)
    - ◇ [1.1.1 Language](#)
    - ◇ [1.1.2 Prompt](#)
  - ◆ [1.2 Resources](#)
    - ◇ [1.2.1 Language](#)
    - ◇ [1.2.2 Prompts](#)

## Language and Prompts

### Classes

**Figure 10: Language and Prompt**



## Cisco\_Unity\_Express\_--\_Language\_and\_Prompts\_REST\_API\_Service\_Operation

### Language

<b>Class Name</b>	Language		
<b>Extends From</b>	ManagedBaseElement		
<b>Description</b>	Represents a language installed in the system.		
<b>XML Namespace</b>	http://language.model.rest.aesop.cisco.com		
<b>Field Name</b>	<b>Type</b>	<b>Constraints</b>	<b>Comments</b>
locale	String	Specified as xx_YY where xx is the language code and YY is the country code. For example, en_US.	Locale name represented by this language.
language	String		Full language name. For example, "English" for locale "en_US".
country	String		Full country name. For example, "United States" for locale value "en_US".

### Prompt

<b>Class Name</b>	Prompt		
<b>Extends From</b>	ManagedBaseElement		
<b>Description</b>	Represents a prompt file installed in the system.		
<b>XML Namespace</b>	http://language.model.rest.aesop.cisco.com		
<b>Field Name</b>	<b>Type</b>	<b>Constraints</b>	<b>Comments</b>
promptName	String		Name of the prompt file.
size	Integer	Read Only	Size of the file (in Bytes)
creationDate	String	Read Only	Date when the prompt file was created

### Resources

#### Language

Resource URI	Operation	Input	Return Value
/languages	GET (read all languages installed)	BaseElementList (containing list of Language objects)	
/languages/{lang}	GET (Read an installed		Language

Cisco\_Unity\_Express\_--\_Language\_and\_Prompts\_REST\_API\_Service\_Operation

	language)		
/languages/default	GET (Read system default language)		Language
	PUT (Set a language as system default)	Language	

**Prompts**

Resource URI	Operation	Input	Return Value
/languages/{language}/prompts/user	GET (read information about all prompts)		BaseElementList (containing list of Prompt objects)
/languages/{language}/prompts/user/{promptname}	GET (Read information about an installed prompt)	Accept: application/xml	Prompt
While uploading audio wav file, use query parameter <b>overwrite</b> to replace any file with the same name. /languages/{language}/prompts/user/{prompt name}?overwrite=true	GET (Download the audio wav file for a prompt)	Accept: audio/x-wav	The prompt audio wav file
	PUT Update prompt (change prompt file name)	Content-type: application/xml Prompt	
	PUT (Upload prompt audio wav file)	Content-type: audio/x-wav Prompt wav file	
	DELETE (Delete prompt file from server)		