

java.sql.SQLException: The operation could not be performed because the OLE DB provider 'SQLOLEDB' was unable to begin a distributed transaction

Config datastore activation failed.java.sql.SQLException: The operation could not be performed because the OLE DB provider 'SQLOLEDB' was unable to begin a distributed transaction

Problem Summary	%MCVD-CVD-3-COMPONENT_SET_CDS_ERROR: Component ConfigDataLinker.setCds error: type SyncConfigData; nested exception is: java.sql.SQLException: The operation could not be performed because the OLE DB provider 'SQLOLEDB' was unable to begin a distributed transaction Getting the above mentioned error while activating config and historical datastore on the second node of the cluster.
Error Message	java.sql.SQLException: The operation could not be performed because the OLE DB provider 'SQLOLEDB' was unable to begin a distributed transaction
Possible Cause	Verify whether the host file has been updated and whether both nodes can ping each other using host names. To reimage node 2 and install Windows from DVD. To run MS DTC ping: 1. Download MS DTC Ping from Microsoft Download Center http://download.microsoft.com/download/9/1/9/91919191-9191-9191-9191-919191919191/MSDTCping.exe and run it on the host name of other node and try to ping 5. The ping should work in both directions for MS DTC to work. The log file will have the reason why the ping fails; it will also have the Machine CID which should be different for each node. If there is some other problem to establish the distributed connection the logs will have the error message.
Recommended Action	Remove the second node from the cluster using Appadmin control center -> component activation page.
Release	Release 7.0, Release 5.0
Associated CDETS #	None

Config datastore activation failed.java.sql.SQLException: The operation could not be performed because the OLE DB provider 'SQLOLEDB' was unable to begin a distributed transaction