

**Configuration: Creating CUIC Database Failed**

<b>Problem Summary</b>	Failed to create the CUIC database
<b>Error Message</b>	Not applicable.
<b>Possible Cause</b>	The SQL script did not auto run or the database was not created for some other reason.
<b>Recommended Action</b>	<p>If you see this message, look at the CuisConfigTool.Log file and make every effort to resolve the error based on the information in that file.</p> <p>Only if it is not possible to resolve the matter from information in the CuisConfigTool log, you can manually run the SQL script as follows:</p> <ol style="list-style-type: none"> <li>1. Open <b>MS SQL Server</b>. Make sure you are connected as a user who has administrative rights in the SQL Server and on the master database.</li> <li>2. Open a <b>New Query</b> window.</li> <li>3. Copy and paste the contents of the following file into the query window: &lt;CUIS_HOME&gt;\CuisSqlScripts\CUIC\CUIC_DB_INSTALL.SQL.</li> <li>4. Do a search-and-replace on the text that was pasted from the file. Search for <i>cuic_data</i>, and replace with <i>cuic_data_&lt;ip or hostname of CUIC web server&gt;</i>.</li> <li>5. Execute the query.</li> <li>6. Open <b>Object Explorer &gt; Databases</b> to verify that the database was created.</li> </ol>
<b>Releases</b>	Release 7.5(x)
<b>Associated CDETS #</b>	None