

Back to: Call Flow Details for CUBE and CVP

Back to: Call Flow Details for Cisco MediaSense

Back to: category:Cisco MediaSense

Syslog logging: enabled (0 messages dropped, 32 messages rate-limited, 0 flushes, 0 overruns, xml

No Active Message Discriminator.

No Inactive Message Discriminator.

Console logging: disabled
Monitor logging: level debugging, 12615 messages logged, xml disabled,
filtering disabled
Logging to: vty578(5794)
Buffer logging: level debugging, 15474 messages logged, xml disabled,
filtering disabled
Exception Logging: size (8192 bytes)
Count and timestamp logging messages: disabled
Persistent logging: disabled
Trap logging: level informational, 1331 message lines logged

Log Buffer (2000000 bytes):

Aug 6 05:19:27.167: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

INVITE sip:5200201003@10.194.122.74:5060 SIP/2.0

Via: SIP/2.0/TCP 172.27.185.128:5060;branch=z9hG4bK569c4b68f770

From: <sip:8002@172.27.185.128>;tag=30003~043c30ec-7a78-41a1-9d5c-0d42583cbbe5-30938690

To: <sip:5200201003@10.194.122.74>

Date: Sat, 06 Aug 2011 05:19:27 GMT

Call-ID: a64f5f00-e3c1cedf-1611-80b91bac@172.27.185.128

Supported: timer,resource-priority,replaces

Min-SE: 1800

User-Agent: Cisco-CUCM8.5

Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY

CSeq: 101 INVITE

Expires: 180

Allow-Events: presence, kpml

Supported: X-cisco-srtp-fallback

Supported: Geolocation

Call-Info: <sip:172.27.185.128:5060>;method="NOTIFY;Event=telephone-event;Duration=500"

Cisco-Guid: 2790219520-0000065536-0000001848-2159614892

Session-Expires: 1800

P-Asserted-Identity: <sip:8002@172.27.185.128>

Remote-Party-ID: <sip:8002@172.27.185.128>;party=calling;screen=yes;privacy=off

Contact: <sip:8002@172.27.185.128:5060;transport=tcp>

Max-Forwards: 70

Content-Length: 0

Aug 6 05:19:27.167: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 100 Trying

Via: SIP/2.0/TCP 172.27.185.128:5060;branch=z9hG4bK569c4b68f770

From: <sip:8002@172.27.185.128>;tag=30003~043c30ec-7a78-41a1-9d5c-0d42583cbbe5-30938690

GW_Log_X1

To: <sip:5200201003@10.194.122.74>
Date: Sat, 06 Aug 2011 05:19:27 GMT
Call-ID: a64f5f00-e3c1cedf-1611-80b91bac@172.27.185.128
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

Aug 6 05:19:28.176: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Sent:

INVITE sip:5200201003@10.194.122.73:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC
Remote-Party-ID: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;party=calling;screen=yes;privacy
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
User-Agent: Cisco-SIPGateway/IOS-12.x
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1312607968
Contact: <sip:8002@10.194.122.74:5060>
Call-Info: <sip:10.194.122.74:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
X-Cisco-CCBProbe: undefined
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 215

v=0

o=CiscoSystemsSIP-GW-UserAgent 0 4244 IN IP4 10.194.122.74
s=SIP Call
c=IN IP4 10.194.122.74
t=0 0
m=audio 17818 RTP/AVP 0 19
c=IN IP4 10.194.122.74
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 6 05:19:28.180: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Timestamp: 1312607968
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Content-Length: 0

Aug 6 05:19:28.180: %ISDN-6-CONNECT: Interface Serial0/0/0:0 is now connected to 5200201003 N/A

Aug 6 05:19:28.182: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Sent:

GW_Log_X1

SIP/2.0 200 OK
Via: SIP/2.0/TCP 172.27.185.128:5060;branch=z9hG4bK569c4b68f770
From: <sip:8002@172.27.185.128>;tag=30003~043c30ec-7a78-41a1-9d5c-0d42583cbbe5-30938690
To: <sip:5200201003@10.194.122.74>;tag=15FC7FFA-125A
Date: Sat, 06 Aug 2011 05:19:27 GMT
Call-ID: a64f5f00-e3c1cedf-1611-80b91bac@172.27.185.128
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:5200201003@10.194.122.74>;party=called;screen=no;privacy=off
Contact: <sip:5200201003@10.194.122.74:5060;transport=tcp>
Supported: replaces
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x
Session-Expires: 1800;refresher=uac
Require: timer
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 218

v=0
o=CiscoSystemsSIP-GW-UserAgent 3508 5711 IN IP4 10.194.122.74
s=SIP Call
c=IN IP4 10.194.122.74
t=0 0
m=audio 19626 RTP/AVP 8 19
c=IN IP4 10.194.122.74
a=rtpmap:8 PCMA/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 6 05:19:28.184: %ISDN-6-CONNECT: Interface Serial0/0/1:0 is now connected to 8002 N/A
Aug 6 05:19:28.192: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:5200201003@10.194.122.74:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 172.27.185.128:5060;branch=z9hG4bK569d61e45e5f
From: <sip:8002@172.27.185.128>;tag=30003~043c30ec-7a78-41a1-9d5c-0d42583cbbe5-30938690
To: <sip:5200201003@10.194.122.74>;tag=15FC7FFA-125A
Date: Sat, 06 Aug 2011 05:19:27 GMT
Call-ID: a64f5f00-e3c1cedf-1611-80b91bac@172.27.185.128
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: presence, kpml
Content-Type: application/sdp
Content-Length: 159

v=0
o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.27.185.128
s=SIP Call
c=IN IP4 171.68.31.143
t=0 0
m=audio 24582 RTP/AVP 8
a=rtpmap:8 PCMA/8000
a=ptime:20

Aug 6 05:19:28.230: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11C1BCC
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Timestamp: 1312607968

GW_Log_X1

CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: <sip:5200201003@10.194.122.73>;party=called;screen=no;privacy=off
Contact: <sip:5200201003@10.194.122.73:5060>
Supported: replaces
Call-Info: <sip:10.194.122.73:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-15.2(0.19)T,
Supported: timer
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 218

v=0
o=CiscoSystemsSIP-GW-UserAgent 6642 6493 IN IP4 10.194.122.73
s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 28196 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

Aug 6 05:19:28.230: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:5200201003@10.194.122.73:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.74:5060;branch=z9hG4bK11D6F7
From: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
To: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Content-Length: 0

.Aug 6 05:19:44.357: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:8002@10.194.122.74:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Supported: timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2100850324-3206681056-2165059812-3678985216
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Max-Forwards: 70
Timestamp: 1312607984
Contact: <sip:5200201003@10.194.122.73:5060>
Call-Info: <sip:10.194.122.73:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Expires: 180
Allow-Events: telephone-event
Content-Type: application/sdp
Content-Length: 218

v=0
o=CiscoSystemsSIP-GW-UserAgent 6642 6493 IN IP4 10.194.122.73

GW_Log_X1

s=SIP Call
c=IN IP4 10.194.122.73
t=0 0
m=audio 28196 RTP/AVP 0 19
c=IN IP4 10.194.122.73
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

.Aug 6 05:19:44.359: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
CSeq: 101 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

.Aug 6 05:19:44.359: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DB1F72
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Remote-Party-ID: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;party=called;screen=yes;privacy=
Contact: <sip:8002@10.194.122.74:5060>
Supported: replaces
Call-Info: <sip:10.194.122.74:5060>;method="NOTIFY;Event=telephone-event;Duration=2000"
Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x
Content-Type: application/sdp
Content-Length: 215

v=0
o=CiscoSystemsSIP-GW-UserAgent 0 4244 IN IP4 10.194.122.74
s=SIP Call
c=IN IP4 10.194.122.74
t=0 0
m=audio 17818 RTP/AVP 0 19
c=IN IP4 10.194.122.74
a=rtpmap:0 PCMU/8000
a=rtpmap:19 CN/8000
a=ptime:20

.Aug 6 05:19:44.361: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:8002@10.194.122.74:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DC16F1
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Max-Forwards: 70
CSeq: 101 ACK

GW_Log_X1

Allow-Events: telephone-event
Content-Length: 0

.Aug 6 05:20:01.435: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8002@10.194.122.74:5060 SIP/2.0
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DF23CD
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:19:44 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
User-Agent: Cisco-SIPGateway/IOS-15.2(0.19)T,
Max-Forwards: 70
Timestamp: 1312608001
CSeq: 102 BYE
Reason: Q.850;cause=16
P-RTP-Stat: PS=1538,OS=246080,PR=17,OR=2561,PL=0,JI=0,LA=0,DU=33
Content-Length: 0

.Aug 6 05:20:01.441: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.194.122.73:5060;branch=z9hG4bK56DF23CD
From: <sip:5200201003@10.194.122.73>;tag=494ADAE4-2627
To: "--CVP_8_5_1_0_0_0_312" <sip:8002@10.194.122.74>;tag=15FC7FF4-36A
Date: Sat, 06 Aug 2011 05:20:01 GMT
Call-ID: 7DD10CD4-BF2211E0-881A8600-409CEAA8@10.194.122.74
Server: Cisco-SIPGateway/IOS-12.x
Timestamp: 1312608001
CSeq: 102 BYE
Reason: Q.850;cause=16
Content-Length: 0

.Aug 6 05:20:01.461: %ISDN-6-DISCONNECT: Interface Serial0/0/1:0 disconnected from 8002 , call 1
.Aug 6 05:20:01.465: %ISDN-6-DISCONNECT: Interface Serial0/0/0:0 disconnected from 5200201003 ,
.Aug 6 05:20:01.479: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8002@172.27.185.128:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 10.194.122.74:5060;branch=z9hG4bK11EF3A
From: <sip:5200201003@10.194.122.74>;tag=15FC7FFA-125A
To: <sip:8002@172.27.185.128>;tag=30003~043c30ec-7a78-41a1-9d5c-0d42583cbb5-30938690
Date: Sat, 06 Aug 2011 05:19:28 GMT
Call-ID: a64f5f00-e3c1cedf-1611-80b91bac@172.27.185.128
User-Agent: Cisco-SIPGateway/IOS-12.x
Max-Forwards: 70
Timestamp: 1312608001
CSeq: 101 BYE
Reason: Q.850;cause=16
Content-Length: 0

.Aug 6 05:20:01.481: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/TCP 10.194.122.74:5060;branch=z9hG4bK11EF3A
From: <sip:5200201003@10.194.122.74>;tag=15FC7FFA-125A
To: <sip:8002@172.27.185.128>;tag=30003~043c30ec-7a78-41a1-9d5c-0d42583cbb5-30938690
Date: Sat, 06 Aug 2011 05:20:01 GMT
Call-ID: a64f5f00-e3c1cedf-1611-80b91bac@172.27.185.128
CSeq: 101 BYE
Content-Length: 0