

### Ladder\_3

**Back to: Call Flow Details for CUBE Inbound Dial Peer Recording**

**Back to: Call Flow Details for Cisco MediaSense**

**Back to: category: Cisco MediaSense**

---

LE1 -> 172.27.185.128  
RE1 -> 10.10.10.20  
RE2 -> 28282828  
CUBE -> 10.194.122.73

```
-----  
TIME STAMP UCM          CUBE          CVP  ORA  
-----  
10:51:48.672|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060 SIP/2.0 (CSEQ : 1  
10:51:48.676|          | ----->|          | INVITE sip:5200201005@10.10.10.20:5060 SIP/2.0 (CSEQ : 101  
10:51:48.676|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
10:51:48.684|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
10:51:48.712|          | <-----|          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
10:51:48.712|<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
10:51:50.792|          | <-----|          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
10:51:50.792|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
10:51:50.796|<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
10:51:50.796|<-----|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
10:51:50.856|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
10:51:50.860|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 101  
10:51:50.860|          | ----->|          | INVITE sip:28282828@sjea080:5060 SIP/2.0 (CSEQ : 101 INVIT  
10:51:50.876|          | <-----|          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
10:51:50.900|          | <-----|          | INVITE sip:1019@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 INVITE)  
10:51:50.904|          | ----->|          | SIP/2.0 100 Trying (CSEQ : 1 INVITE)  
10:51:50.904|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
10:51:50.908|----->|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
10:51:50.908|----->|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
10:51:50.912|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
10:51:50.912|          | ----->|          | SIP/2.0 200 OK (CSEQ : 1 INVITE) [With Body]  
10:51:50.928|          | <-----|          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 ACK)  
10:51:51.104|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
10:51:51.104|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
10:51:51.104|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
10:51:51.152|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
10:51:51.156|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
10:51:56.612|          | <-----|          | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 INVITE)  
10:51:56.612|          | ----->|          | SIP/2.0 100 Trying (CSEQ : 2 INVITE)  
10:51:56.612|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
10:51:56.616|----->|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
10:51:56.616|----->|          |          | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]  
10:51:56.620|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
10:51:56.620|          | ----->|          | SIP/2.0 200 OK (CSEQ : 2 INVITE) [With Body]  
10:51:56.632|          | <-----|          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 ACK)  
10:51:56.632|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
10:51:56.644|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
10:51:56.648|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
10:51:56.764|          | <-----|          | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 INVITE)  
10:51:56.768|          | ----->|          | SIP/2.0 100 Trying (CSEQ : 3 INVITE)  
10:51:56.768|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
10:51:56.768|----->|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
10:51:56.788|----->|          |          | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]  
10:51:56.792|          | ----->|          | SIP/2.0 200 OK (CSEQ : 3 INVITE) [With Body]  
10:51:56.808|          | <-----|          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 ACK) [With  
10:51:56.808|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
10:51:56.808|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
```

### Ladder\_3

```
10:51:56.820| | <-----| SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
10:51:56.820| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
10:52:03.120| | <-----| INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 INVITE)
10:52:03.124| | ----->| SIP/2.0 100 Trying (CSEQ : 4 INVITE)
10:52:03.124|<-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:03.124|----->| | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
10:52:03.128|----->| | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
10:52:03.128|<-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
10:52:03.128| | ----->| SIP/2.0 200 OK (CSEQ : 4 INVITE) [With Body]
10:52:03.144| | <-----| ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 ACK)
10:52:03.144| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
10:52:03.156| | <-----| SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
10:52:03.156| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
10:52:03.328| | <-----| UPDATE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 5 UPDATE)
10:52:03.328|<-----| | UPDATE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:03.328| | ----->| SIP/2.0 200 OK (CSEQ : 5 UPDATE)
10:52:03.332|----->| | SIP/2.0 200 OK (CSEQ : 105 UPDATE)
10:52:03.332|<-----| | UPDATE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:03.332|----->| | SIP/2.0 200 OK (CSEQ : 106 UPDATE)
10:52:03.344| | <-----| INVITE sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 6 INVITE)
10:52:03.344| | ----->| SIP/2.0 100 Trying (CSEQ : 6 INVITE)
10:52:03.344|<-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:03.344|----->| | SIP/2.0 100 Trying (CSEQ : 107 INVITE)
10:52:03.364|----->| | SIP/2.0 200 OK (CSEQ : 107 INVITE) [With Body]
10:52:03.364| | ----->| SIP/2.0 200 OK (CSEQ : 6 INVITE) [With Body]
10:52:03.392| | <-----| ACK sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 6 ACK) [With
10:52:03.392|<-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
10:52:03.396| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
10:52:03.412| | <-----| SIP/2.0 200 Ok (CSEQ : 106 INVITE) [With Body]
10:52:03.412| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
10:52:14.688| | <-----| INVITE sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 7 INVITE)
10:52:14.692| | ----->| SIP/2.0 100 Trying (CSEQ : 7 INVITE)
10:52:14.692|<-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:14.696|----->| | SIP/2.0 100 Trying (CSEQ : 108 INVITE)
10:52:14.696|----->| | SIP/2.0 200 OK (CSEQ : 108 INVITE) [With Body]
10:52:14.696|<-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
10:52:14.700| | ----->| SIP/2.0 200 OK (CSEQ : 7 INVITE) [With Body]
10:52:14.708| | <-----| ACK sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 7 ACK)
10:52:14.712| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
10:52:14.732| | <-----| SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
10:52:14.732| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
10:52:14.920| | <-----| INVITE sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 8 INVITE)
10:52:14.924| | ----->| SIP/2.0 100 Trying (CSEQ : 8 INVITE)
10:52:14.924|<-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:14.928|----->| | SIP/2.0 100 Trying (CSEQ : 109 INVITE)
10:52:14.940|----->| | SIP/2.0 200 OK (CSEQ : 109 INVITE) [With Body]
10:52:14.944| | ----->| SIP/2.0 200 OK (CSEQ : 8 INVITE) [With Body]
10:52:14.960| | <-----| ACK sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 8 ACK) [With
10:52:14.964|<-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
10:52:14.964| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
10:52:14.984| | <-----| SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
10:52:14.984| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
10:52:22.152| | <-----| INVITE sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 9 INVITE)
10:52:22.152| | ----->| SIP/2.0 100 Trying (CSEQ : 9 INVITE)
10:52:22.152|<-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:22.156|----->| | SIP/2.0 100 Trying (CSEQ : 110 INVITE)
10:52:22.156|----->| | SIP/2.0 200 OK (CSEQ : 110 INVITE) [With Body]
10:52:22.160|<-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
10:52:22.160| | ----->| SIP/2.0 200 OK (CSEQ : 9 INVITE) [With Body]
10:52:22.172| | <-----| ACK sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 9 ACK)
10:52:22.176| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
10:52:22.184| | <-----| SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
10:52:22.188| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
10:52:22.356| | <-----| UPDATE sip:1021@10.10.10.60:5060 SIP/2.0 (CSEQ : 10 UPDATE
```

### Ladder\_3

```
10:52:22.360|<-----| | | UPDATE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:22.360| | ----->| | | SIP/2.0 200 OK (CSEQ : 10 UPDATE)
10:52:22.360|----->| | | | SIP/2.0 200 OK (CSEQ : 111 UPDATE)
10:52:22.360|<-----| | | | UPDATE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:22.364|----->| | | | SIP/2.0 200 OK (CSEQ : 112 UPDATE)
10:52:22.376| | <-----| | | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 11 INVITE)
10:52:22.380| | ----->| | | SIP/2.0 100 Trying (CSEQ : 11 INVITE)
10:52:22.380|<-----| | | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
10:52:22.380|----->| | | | SIP/2.0 100 Trying (CSEQ : 113 INVITE)
10:52:22.412|----->| | | | SIP/2.0 200 OK (CSEQ : 113 INVITE) [With Body]
10:52:22.412| | ----->| | | | SIP/2.0 200 OK (CSEQ : 11 INVITE) [With Body]
10:52:22.436| | <-----| | | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 11 ACK) [With Body]
10:52:22.440|<-----| | | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CSEQ : 111 ACK)
10:52:22.440| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 110 INVITE) [With Body]
10:52:22.452| | <-----| | | | SIP/2.0 200 OK (CSEQ : 110 INVITE) [With Body]
10:52:22.452| | ----->| | | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 110 ACK)
10:52:29.728| | <-----| | | BYE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 12 BYE)
10:52:29.732|<-----| | | | BYE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CSEQ : 111 BYE)
10:52:29.732| | ----->| | | SIP/2.0 200 OK (CSEQ : 12 BYE)
10:52:29.732| | ----->| | | BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 110 BYE)
10:52:29.732|----->| | | | SIP/2.0 200 OK (CSEQ : 114 BYE)
10:52:29.736| | <-----| | | | SIP/2.0 200 OK (CSEQ : 111 BYE)
```