

Ladder_5

Back to: Call Flow Details for CUBE Inbound Dial Peer Recording

Back to: Call Flow Details for Cisco MediaSense

Back to: category: Cisco MediaSense

LE1 -> 172.27.185.128 (Inbound UCM)
RE1 -> 10.10.10.20 (CVP B2BUA)
RE2 -> 28282828 (MediaSense)
CUBE -> 10.194.122.73

TIME STAMP UCM1 CUBE CVP ORA

--> Establish initial connection 1019-1020 and begin recording session

```
11:01:46.153|----->| | | INVITE sip:5200201005@10.194.122.73:5060 SIP/2.0 (CSEQ : 1
11:01:46.157| | ----->| | INVITE sip:5200201005@10.10.10.20:5060 SIP/2.0 (CSEQ : 101
11:01:46.157|<-----| | | SIP/2.0 100 Trying (CSEQ : 101 INVITE)
11:01:46.165| | <-----| | SIP/2.0 100 Trying (CSEQ : 101 INVITE)
11:01:46.193| | <-----| | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)
11:01:46.193|<-----| | | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)
11:01:48.109| | <-----| | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod
11:01:48.109|<-----| | | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod
11:01:48.113| | <-----| | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]
11:01:48.113|<-----| | | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]
11:01:48.173|----->| | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:01:48.173| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 101
11:01:48.177| | ----->| | INVITE sip:28282828@sjea080:5060 SIP/2.0 (CSEQ : 101 INVIT
11:01:48.201| | <-----| | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)
11:01:48.209| | <-----| | INVITE sip:1019@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 INVITE)
11:01:48.213| | ----->| | SIP/2.0 100 Trying (CSEQ : 1 INVITE)
11:01:48.213|<-----| | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:01:48.213|----->| | | SIP/2.0 100 Trying (CSEQ : 101 INVITE)
11:01:48.217|----->| | | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]
11:01:48.217|<-----| | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:01:48.217| | ----->| | SIP/2.0 200 OK (CSEQ : 1 INVITE) [With Body]
11:01:48.229| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 ACK)
11:01:48.425| | <-----| | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]
11:01:48.429| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:01:48.429| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:01:48.441| | <-----| | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]
11:01:48.441| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
```

TIME STAMP UCM1 CUBE CVP ORA

--> 1020 transfers call to 2021

```
11:01:54.793| | <-----| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 INVITE)
11:01:54.797| | ----->| | SIP/2.0 100 Trying (CSEQ : 2 INVITE)
11:01:54.797|<-----| | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:01:54.797|----->| | | SIP/2.0 100 Trying (CSEQ : 102 INVITE)
11:01:54.801|----->| | | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]
11:01:54.801|<-----| | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:01:54.801| | ----->| | SIP/2.0 200 OK (CSEQ : 2 INVITE) [With Body]
11:01:54.817| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 ACK)
11:01:54.821| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
```

Ladder_5

```
11:01:54.833|          | <-----| SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]
11:01:54.833|          | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:01:55.041|          | <-----| INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 INVITE)
11:01:55.041|          | ----->| SIP/2.0 100 Trying (CSEQ : 3 INVITE)
11:01:55.041|<-----|          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:01:55.045|----->|          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)
11:01:55.061|----->|          | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]
11:01:55.065|          | ----->| SIP/2.0 200 OK (CSEQ : 3 INVITE) [With Body]
11:01:55.081|          | <-----| ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 ACK) [With
11:01:55.085|<-----|          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:01:55.085|          | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:01:55.097|          | <-----| SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:01:55.097|          | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
```

```
-----
TIME STAMP  UCM1      CUBE      CVP ORA
-----
```

--> Disconnect

```
11:02:08.037|----->|          | BYE sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:02:08.037|          | ----->| BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:02:08.041|<-----|          | SIP/2.0 200 OK (CSEQ : 102 BYE)
11:02:08.041|          | ----->| BYE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 102
11:02:08.045|          | <-----| SIP/2.0 200 Ok (CSEQ : 102 BYE)
11:02:08.045|          | <-----| SIP/2.0 200 Ok (CSEQ : 105 BYE)
```