

## Ladder\_C

**Back to: [Call Flow Details for CUBE Inbound Dial Peer Recording](#)**

**Back to: [Deployment Scenarios for Cisco MediaSense](#)**

**Back to: [category: Cisco MediaSense](#)**

---

LE1 -> 172.27.185.128  
RE1 -> 10.10.10.20  
RE2 -> 28282828  
CUBE -> 10.194.122.73

```
-----  
TIME STAMP UCM          CUBE          CVP  ORA  
-----  
11:27:06.557|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060 SIP/2.0 (CSEQ : 1  
11:27:06.561|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:27:06.561|          |----->|          |          | INVITE sip:5200201005@10.10.10.20:5060 SIP/2.0 (CSEQ : 101  
11:27:06.565|          |<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:27:06.601|          |<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:27:06.601|<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:27:08.357|          |<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:27:08.361|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:27:08.361|<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:27:08.361|<-----|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:27:08.425|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:27:08.429|          |----->|          |          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 101  
11:27:08.429|          |----->|          |          | INVITE sip:28282828@sjea080:5060 SIP/2.0 (CSEQ : 101 INVIT  
11:27:08.449|          |<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:27:08.477|          |<-----|          |          | INVITE sip:1019@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 INVITE)  
11:27:08.481|          |----->|          |          | SIP/2.0 100 Trying (CSEQ : 1 INVITE)  
11:27:08.481|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
11:27:08.485|----->|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:27:08.485|----->|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:27:08.485|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
11:27:08.485|          |----->|          |          | SIP/2.0 200 OK (CSEQ : 1 INVITE) [With Body]  
11:27:08.501|          |<-----|          |          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 ACK)  
11:27:08.673|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:27:08.673|          |----->|          |          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:27:08.673|          |----->|          |          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:27:08.697|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:27:08.697|          |----->|          |          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:27:13.417|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:27:13.421|          |----->|          |          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:27:13.421|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:27:13.425|          |<-----|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:27:13.445|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:27:13.445|<-----|          |          | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]  
11:27:13.445|          |----->|          |          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 102  
11:27:13.449|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:27:13.449|          |----->|          |          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:27:13.449|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:27:13.453|          |----->|          |          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:27:13.453|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:27:13.457|          |<-----|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:27:13.465|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:27:13.469|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:27:13.469|          |----->|          |          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:27:13.469|<-----|          |          | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]  
11:27:13.473|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:27:13.477|          |----->|          |          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 103  
11:27:13.501|          |<-----|          |          | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 INVITE)
```

## Ladder\_C

```
11:27:13.501| | ----->| | SIP/2.0 100 Trying (CSEQ : 2 INVITE)
11:27:13.505|<----- | | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:27:13.505|-----> | | | SIP/2.0 100 Trying (CSEQ : 102 INVITE)
11:27:13.505|-----> | | | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]
11:27:13.509|<----- | | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:27:13.509| | ----->| | | SIP/2.0 200 OK (CSEQ : 2 INVITE) [With Body]
11:27:13.521| | <-----| | | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 ACK)
11:27:13.521| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:27:13.533| | <-----| | | SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:27:13.533| | ----->| | | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:20.578|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:20.582| | ----->| | | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:20.582|<----- | | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:27:20.586| | <-----| | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:27:20.602| | <-----| | | SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:27:20.606|<----- | | | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:27:20.606| | ----->| | | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 104
11:27:20.614|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:27:20.614| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:27:20.614|-----> | | | UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:20.618| | ----->| | | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:20.618|<----- | | | SIP/2.0 200 OK (CSEQ : 105 UPDATE)
11:27:20.618|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:20.622|<----- | | | SIP/2.0 100 Trying (CSEQ : 106 INVITE)
11:27:20.626| | <-----| | | SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
11:27:20.626| | ----->| | | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:20.626| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:27:20.630| | <-----| | | SIP/2.0 200 Ok (CSEQ : 105 UPDATE)
11:27:20.630| | ----->| | | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:20.642| | <-----| | | SIP/2.0 200 Ok (CSEQ : 106 UPDATE)
11:27:20.642| | ----->| | | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:20.646| | <-----| | | SIP/2.0 100 Trying (CSEQ : 107 INVITE)
11:27:20.662| | <-----| | | SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
11:27:20.662|<----- | | | SIP/2.0 200 OK (CSEQ : 106 INVITE) [With Body]
11:27:20.674|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:27:20.674| | ----->| | | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 107
11:27:20.682| | <-----| | | SIP/2.0 200 Ok (CSEQ : 106 INVITE) [With Body]
11:27:20.682| | ----->| | | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:20.682| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:27:20.698| | <-----| | | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 INVITE)
11:27:20.702| | ----->| | | SIP/2.0 100 Trying (CSEQ : 3 INVITE)
11:27:20.702|<----- | | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:27:20.706|-----> | | | SIP/2.0 100 Trying (CSEQ : 103 INVITE)
11:27:20.706|-----> | | | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]
11:27:20.710|<----- | | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:27:20.710| | ----->| | | SIP/2.0 200 OK (CSEQ : 3 INVITE) [With Body]
11:27:20.722| | <-----| | | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 ACK)
11:27:20.742| | <-----| | | SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
11:27:20.746| | ----->| | | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:20.746| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:27:20.774| | <-----| | | SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:27:20.774| | ----->| | | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:28.362|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:28.366| | ----->| | | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:28.366|<----- | | | SIP/2.0 100 Trying (CSEQ : 107 INVITE)
11:27:28.370| | <-----| | | SIP/2.0 100 Trying (CSEQ : 108 INVITE)
11:27:28.390| | <-----| | | SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:27:28.394|<----- | | | SIP/2.0 200 OK (CSEQ : 107 INVITE) [With Body]
11:27:28.394| | ----->| | | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 108
11:27:28.394|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:27:28.398| | ----->| | | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:27:28.398|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:28.398| | ----->| | | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:28.398|<----- | | | SIP/2.0 100 Trying (CSEQ : 108 INVITE)
```

## Ladder\_C

```
11:27:28.402| | <-----| | SIP/2.0 100 Trying (CSEQ : 109 INVITE)
11:27:28.406| | <-----| | SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
11:27:28.410| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:28.418| | <-----| | SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
11:27:28.418| <-----| | SIP/2.0 200 OK (CSEQ : 108 INVITE) [With Body]
11:27:28.422| ----->| | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.0
11:27:28.422| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 109)
11:27:28.446| | <-----| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 INVITE)
11:27:28.450| | ----->| | SIP/2.0 100 Trying (CSEQ : 4 INVITE)
11:27:28.450| <-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:27:28.454| ----->| | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:27:28.454| ----->| | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:27:28.454| <-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:27:28.454| | ----->| | SIP/2.0 200 OK (CSEQ : 4 INVITE) [With Body]
11:27:28.466| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 ACK)
11:27:28.470| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:28.478| | <-----| | SIP/2.0 200 Ok (CSEQ : 110 INVITE) [With Body]
11:27:28.478| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.614| ----->| | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:36.618| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:36.618| <-----| | SIP/2.0 100 Trying (CSEQ : 109 INVITE)
11:27:36.622| | <-----| | SIP/2.0 100 Trying (CSEQ : 110 INVITE)
11:27:36.642| | <-----| | SIP/2.0 200 Ok (CSEQ : 110 INVITE) [With Body]
11:27:36.646| <-----| | SIP/2.0 200 OK (CSEQ : 109 INVITE) [With Body]
11:27:36.646| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 110)
11:27:36.650| ----->| | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.0
11:27:36.654| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.654| ----->| | UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:36.654| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:36.654| <-----| | SIP/2.0 200 OK (CSEQ : 110 UPDATE)
11:27:36.658| ----->| | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:27:36.658| <-----| | SIP/2.0 100 Trying (CSEQ : 111 INVITE)
11:27:36.662| | <-----| | SIP/2.0 200 Ok (CSEQ : 111 INVITE) [With Body]
11:27:36.666| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.666| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.666| | <-----| | SIP/2.0 200 Ok (CSEQ : 111 UPDATE)
11:27:36.666| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:36.678| | <-----| | SIP/2.0 200 Ok (CSEQ : 112 UPDATE)
11:27:36.678| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:27:36.682| | <-----| | SIP/2.0 100 Trying (CSEQ : 113 INVITE)
11:27:36.694| | <-----| | SIP/2.0 200 Ok (CSEQ : 113 INVITE) [With Body]
11:27:36.694| | <-----| | SIP/2.0 200 Ok (CSEQ : 112 INVITE) [With Body]
11:27:36.698| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.698| <-----| | SIP/2.0 200 OK (CSEQ : 111 INVITE) [With Body]
11:27:36.778| ----->| | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.0
11:27:36.778| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 113)
11:27:36.778| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.790| | <-----| | SIP/2.0 200 Ok (CSEQ : 113 INVITE) [With Body]
11:27:36.790| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.802| | <-----| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 5 INVITE)
11:27:36.806| | ----->| | SIP/2.0 100 Trying (CSEQ : 5 INVITE)
11:27:36.806| <-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:27:36.806| ----->| | SIP/2.0 100 Trying (CSEQ : 105 INVITE)
11:27:36.810| ----->| | SIP/2.0 200 OK (CSEQ : 105 INVITE) [With Body]
11:27:36.810| <-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:27:36.810| | ----->| | SIP/2.0 200 OK (CSEQ : 5 INVITE) [With Body]
11:27:36.822| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 5 ACK)
11:27:36.822| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:36.834| | <-----| | SIP/2.0 200 Ok (CSEQ : 114 INVITE) [With Body]
11:27:36.838| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:27:45.738| | <-----| | BYE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 6 BYE)
11:27:45.742| <-----| | BYE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:27:45.742| | ----->| | SIP/2.0 200 OK (CSEQ : 6 BYE)
11:27:45.742| | ----->| | BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
```

## Ladder\_C

```
11:27:45.742|-----> |          | | SIP/2.0 200 OK (CSEQ : 106 BYE)
11:27:45.746|          | <-----| | SIP/2.0 200 Ok (CSEQ : 115 BYE)
```