

Ladder_D

Back to: [Call Flow Details for CUBE Inbound Dial Peer Recording](#)

Back to: [Deployment Scenarios for Cisco MediaSense](#)

Back to: [category: Cisco MediaSense](#)

LE1 -> 172.27.185.128
RE1 -> 10.10.10.20
RE2 -> 28282828
CUBE -> 10.194.122.73

```
-----  
TIME STAMP UCM          CUBE          CVP  ORA  
-----  
11:30:06.703|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060 SIP/2.0 (CSEQ : 1  
11:30:06.707|          | ----->|          | INVITE sip:5200201005@10.10.10.20:5060 SIP/2.0 (CSEQ : 101  
11:30:06.707|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:30:06.711|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:30:06.743|          | <-----|          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:30:06.743|<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:30:08.483|          | <-----|          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:30:08.487|<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:30:08.487|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:30:08.487|<-----|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:30:08.551|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:30:08.551|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 101  
11:30:08.555|          | ----->|          | INVITE sip:28282828@sjea080:5060 SIP/2.0 (CSEQ : 101 INVIT  
11:30:08.571|          | <-----|          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:30:08.599|          | <-----|          | INVITE sip:1019@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 INVITE)  
11:30:08.603|          | ----->|          | SIP/2.0 100 Trying (CSEQ : 1 INVITE)  
11:30:08.603|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
11:30:08.603|----->|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:30:08.603|----->|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:30:08.607|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
11:30:08.607|          | ----->|          | SIP/2.0 200 OK (CSEQ : 1 INVITE) [With Body]  
11:30:08.623|          | <-----|          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 ACK)  
11:30:08.791|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:30:08.791|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:30:08.791|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:30:08.815|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:30:08.819|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:30:19.199|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:30:19.203|          | ----->|          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:30:19.203|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:30:19.207|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:30:19.223|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:30:19.223|<-----|          |          | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]  
11:30:19.227|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 102  
11:30:19.227|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:30:19.227|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:30:19.227|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:30:19.231|          | ----->|          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:30:19.231|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:30:19.235|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:30:19.239|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:30:19.239|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:30:19.243|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:30:19.247|<-----|          |          | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]  
11:30:19.251|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:30:19.251|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 103  
11:30:19.283|          | <-----|          | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 INVITE)
```

Ladder_D

```
11:30:19.283| | ----->| | SIP/2.0 100 Trying (CSEQ : 2 INVITE)
11:30:19.287|<----- | | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:30:19.287|-----> | | | SIP/2.0 100 Trying (CSEQ : 102 INVITE)
11:30:19.287|-----> | | | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]
11:30:19.291|<----- | | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:30:19.291| | ----->| | SIP/2.0 200 OK (CSEQ : 2 INVITE) [With Body]
11:30:19.303| |<----- | | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 ACK)
11:30:19.303| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:30:19.315| |<----- | | SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:30:19.315| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:30:24.103|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:30:24.103| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:30:24.103|<----- | | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:30:24.111| |<----- | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:30:24.131| |<----- | | SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:30:24.131|<----- | | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:30:24.135| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 104
11:30:24.135|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:30:24.143|-----> | | | UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:30:24.143| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:30:24.143|<----- | | | SIP/2.0 200 OK (CSEQ : 105 UPDATE)
11:30:24.143|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:30:24.147|<----- | | | SIP/2.0 100 Trying (CSEQ : 106 INVITE)
11:30:24.155| |<----- | | SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
11:30:24.155| |<----- | | SIP/2.0 200 Ok (CSEQ : 105 UPDATE)
11:30:24.159| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:30:24.159| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:30:24.159| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:30:24.167| |<----- | | SIP/2.0 200 Ok (CSEQ : 106 UPDATE)
11:30:24.171| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:30:24.175| |<----- | | SIP/2.0 100 Trying (CSEQ : 107 INVITE)
11:30:24.183| |<----- | | SIP/2.0 200 Ok (CSEQ : 106 INVITE) [With Body]
11:30:24.183| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:30:24.187| |<----- | | SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
11:30:24.187|<----- | | SIP/2.0 200 OK (CSEQ : 106 INVITE) [With Body]
11:30:24.191|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:30:24.191| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 107
11:30:24.215| |<----- | | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 INVITE)
11:30:24.219| | ----->| | SIP/2.0 100 Trying (CSEQ : 3 INVITE)
11:30:24.219|<----- | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:30:24.219|-----> | | | SIP/2.0 100 Trying (CSEQ : 103 INVITE)
11:30:24.223|-----> | | | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]
11:30:24.223|<----- | | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:30:24.223| | ----->| | SIP/2.0 200 OK (CSEQ : 3 INVITE) [With Body]
11:30:24.235| |<----- | | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 ACK)
11:30:24.235| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:30:24.251| |<----- | | SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
11:30:24.251| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:30:28.283|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:30:28.283| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:30:28.283|<----- | | | SIP/2.0 100 Trying (CSEQ : 107 INVITE)
11:30:28.291| |<----- | | SIP/2.0 100 Trying (CSEQ : 108 INVITE)
11:30:28.303| |<----- | | SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:30:28.307|<----- | | | SIP/2.0 200 OK (CSEQ : 107 INVITE) [With Body]
11:30:28.307| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 108
11:30:28.307|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:30:28.307| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:30:28.311|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:30:28.311| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:30:28.311|<----- | | | SIP/2.0 100 Trying (CSEQ : 108 INVITE)
11:30:28.315| |<----- | | SIP/2.0 100 Trying (CSEQ : 109 INVITE)
11:30:28.319| |<----- | | SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:30:28.323| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
```

Ladder_D

```
11:30:28.335|          | <-----| | SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
11:30:28.335|<-----| | SIP/2.0 200 OK (CSEQ : 108 INVITE) [With Body]
11:30:28.375|----->| | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:30:28.375|          | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 109
11:30:28.375|          | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:30:28.387|          | <-----| | SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
11:30:28.391|          | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:30:28.399|          | <-----| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 INVITE)
11:30:28.403|          | ----->| | SIP/2.0 100 Trying (CSEQ : 4 INVITE)
11:30:28.403|<-----| | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:30:28.403|----->| | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:30:28.407|----->| | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:30:28.407|<-----| | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:30:28.407|          | ----->| | SIP/2.0 200 OK (CSEQ : 4 INVITE) [With Body]
11:30:28.419|          | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 ACK)
```