

Ladder_F

Back to: [Call Flow Details for CUBE Inbound Dial Peer Recording](#)

Back to: [Deployment Scenarios for Cisco MediaSense](#)

Back to: [category:Cisco MediaSense](#)

LE1 -> 172.27.185.128
RE1 -> 10.10.10.20
RE2 -> 28282828
CUBE -> 10.194.122.73

```
-----  
TIME STAMP UCM          CUBE          CVP  ORA  
-----  
11:40:49.512|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060 SIP/2.0 (CSEQ : 1  
11:40:49.512|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:40:49.516|          |----->|          |          | INVITE sip:5200201005@10.10.10.20:5060 SIP/2.0 (CSEQ : 101  
11:40:49.520|          |<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:40:49.548|          |<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:40:49.548|<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:40:50.660|          |<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:40:50.664|<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:40:50.664|          |<-----|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:40:50.668|<-----|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:40:50.728|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:40:50.728|          |----->|          |          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 101  
11:40:50.732|          |----->|          |          | INVITE sip:28282828@sjea080:5060 SIP/2.0 (CSEQ : 101 INVIT  
11:40:50.748|          |<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:40:50.780|          |<-----|          |          | INVITE sip:1019@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 INVITE)  
11:40:50.784|          |----->|          |          | SIP/2.0 100 Trying (CSEQ : 1 INVITE)  
11:40:50.784|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
11:40:50.788|----->|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:40:50.788|----->|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:40:50.788|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
11:40:50.788|          |----->|          |          | SIP/2.0 200 OK (CSEQ : 1 INVITE) [With Body]  
11:40:50.800|          |<-----|          |          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 ACK)  
11:40:50.964|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:40:50.964|          |----->|          |          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:40:50.968|          |----->|          |          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:40:50.980|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:40:50.984|          |----->|          |          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:40:57.752|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:40:57.756|          |----->|          |          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:40:57.756|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:40:57.760|          |<-----|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:40:57.776|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:40:57.780|<-----|          |          | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]  
11:40:57.780|          |----->|          |          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 102  
11:40:57.780|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:40:57.780|          |----->|          |          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:40:57.784|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:40:57.784|          |----->|          |          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:40:57.784|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:40:57.788|          |<-----|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:40:57.800|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:40:57.800|<-----|          |          | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]  
11:40:57.804|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:40:57.808|          |----->|          |          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 103  
11:40:57.808|          |<-----|          |          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:40:57.812|          |----->|          |          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:40:57.812|          |----->|          |          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
```

Ladder_F

```
11:40:57.848| | <-----| SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:40:57.848| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:40:57.880| | <-----| INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 INVITE)
11:40:57.880| | ----->| SIP/2.0 100 Trying (CSEQ : 2 INVITE)
11:40:57.880| <-----| INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:40:57.884| ----->| SIP/2.0 100 Trying (CSEQ : 102 INVITE)
11:40:57.884| ----->| SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]
11:40:57.888| <-----| ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:40:57.888| | ----->| SIP/2.0 200 OK (CSEQ : 2 INVITE) [With Body]
11:40:57.896| | <-----| ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 ACK)
11:40:57.900| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:40:57.908| | <-----| SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
11:40:57.908| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:41:08.516| ----->| INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:41:08.520| | ----->| INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:41:08.520| <-----| SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:41:08.524| | <-----| SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:41:08.540| | <-----| SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:41:08.540| <-----| SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:41:08.540| | ----->| ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 104
11:41:08.544| ----->| ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:41:08.544| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:41:08.552| ----->| INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:41:08.552| | ----->| INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:41:08.552| <-----| SIP/2.0 100 Trying (CSEQ : 105 INVITE)
11:41:08.556| | <-----| SIP/2.0 100 Trying (CSEQ : 105 INVITE)
11:41:08.560| | <-----| SIP/2.0 200 Ok (CSEQ : 106 INVITE) [With Body]
11:41:08.564| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:41:08.576| | <-----| SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
11:41:08.580| <-----| SIP/2.0 200 OK (CSEQ : 105 INVITE) [With Body]
11:41:08.580| ----->| ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:41:08.584| | ----->| ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 105
11:41:08.584| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:41:08.584| ----->| UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:41:08.588| | ----->| UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:41:08.588| <-----| SIP/2.0 200 OK (CSEQ : 106 UPDATE)
11:41:08.596| | <-----| SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
11:41:08.600| | <-----| SIP/2.0 200 Ok (CSEQ : 106 UPDATE)
11:41:08.600| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:41:08.600| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:41:08.600| | ----->| UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:41:08.612| | <-----| INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 INVITE)
11:41:08.616| | ----->| SIP/2.0 100 Trying (CSEQ : 3 INVITE)
11:41:08.616| <-----| INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:41:08.620| ----->| SIP/2.0 100 Trying (CSEQ : 103 INVITE)
11:41:08.620| ----->| SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]
11:41:08.624| <-----| ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:41:08.624| | ----->| SIP/2.0 200 OK (CSEQ : 3 INVITE) [With Body]
11:41:08.624| | <-----| SIP/2.0 200 Ok (CSEQ : 107 UPDATE)
11:41:08.632| | <-----| ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 ACK)
11:41:10.616| | <-----| SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:41:10.620| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:41:10.620| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:41:12.680| | <-----| SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
11:41:12.680| | ----->| ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:41:21.600| ----->| INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:41:21.604| | ----->| INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:41:21.604| <-----| SIP/2.0 100 Trying (CSEQ : 107 INVITE)
11:41:21.608| | <-----| SIP/2.0 100 Trying (CSEQ : 108 INVITE)
11:41:21.624| | <-----| SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:41:21.624| <-----| SIP/2.0 200 OK (CSEQ : 107 INVITE) [With Body]
11:41:21.628| | ----->| ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 108
11:41:21.628| ----->| ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:41:21.628| | ----->| INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
```

Ladder_F

```
11:41:21.632|----->| | | UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.0 (CSEQ : 108 UPDATE)
11:41:21.632| | |----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 108 UPDATE)
11:41:21.632|<-----| | | SIP/2.0 200 OK (CSEQ : 108 UPDATE)
11:41:21.636|----->| | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.0 (CSEQ : 109 INVITE)
11:41:21.636|<-----| | | SIP/2.0 100 Trying (CSEQ : 109 INVITE)
11:41:21.640| | |----->| | SIP/2.0 200 Ok (CSEQ : 110 INVITE) [With Body]
11:41:21.640| | |----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 111 INVITE)
11:41:21.644| | |----->| | SIP/2.0 200 Ok (CSEQ : 109 UPDATE)
11:41:21.644| | |----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 110 UPDATE)
11:41:21.656| | |----->| | SIP/2.0 200 Ok (CSEQ : 110 UPDATE)
11:41:21.656| | |----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 111 INVITE)
11:41:21.660| | |----->| | SIP/2.0 100 Trying (CSEQ : 111 INVITE)
11:41:21.664| | |----->| | SIP/2.0 200 Ok (CSEQ : 111 INVITE) [With Body]
11:41:21.664| | |----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 111 INVITE)
11:41:21.672| | |----->| | SIP/2.0 200 OK (CSEQ : 111 INVITE) [With Body]
11:41:21.672|<-----| | | SIP/2.0 200 OK (CSEQ : 109 INVITE) [With Body]
11:41:21.804|----->| | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.0 (CSEQ : 109 INVITE)
11:41:21.804| | |----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 111 INVITE)
11:41:21.816| | |----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 112 INVITE)
11:41:21.816| | |----->| | SIP/2.0 200 Ok (CSEQ : 112 INVITE) [With Body]
11:41:21.816| | |----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 112 INVITE)
11:41:21.828| | |----->| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 INVITE)
11:41:21.832| | |----->| | SIP/2.0 100 Trying (CSEQ : 4 INVITE)
11:41:21.832|<-----| | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CSEQ : 4 INVITE)
11:41:21.832|----->| | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:41:21.836|----->| | | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:41:21.836|<-----| | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CSEQ : 4 INVITE)
11:41:21.836| | |----->| | SIP/2.0 200 OK (CSEQ : 4 INVITE) [With Body]
11:41:21.852| | |----->| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 ACK)
11:41:21.852| | |----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 113 INVITE)
11:41:21.864| | |----->| | SIP/2.0 200 Ok (CSEQ : 113 INVITE) [With Body]
11:41:21.864| | |----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 113 INVITE)
11:41:32.296| | |----->| | BYE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 5 BYE)
11:41:32.296|<-----| | | BYE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CSEQ : 5 BYE)
11:41:32.296| | |----->| | SIP/2.0 200 OK (CSEQ : 5 BYE)
11:41:32.300| | |----->| | BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0 (CSEQ : 105 BYE)
11:41:32.300|----->| | | SIP/2.0 200 OK (CSEQ : 105 BYE)
11:41:32.304| | |----->| | SIP/2.0 200 Ok (CSEQ : 114 BYE)
```