

Ladder_G

Back to: [Call Flow Details for CUBE Inbound Dial Peer Recording](#)

Back to: [Deployment Scenarios for Cisco MediaSense](#)

Back to: [category:Cisco MediaSense](#)

LE1 -> 172.27.185.128
RE1 -> 10.10.10.20
RE2 -> 28282828
CUBE -> 10.194.122.73

```
-----  
TIME STAMP UCM          CUBE          CVP  ORA  
-----  
11:42:49.085|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060 SIP/2.0 (CSEQ : 1  
11:42:49.089|          | ----->|          | INVITE sip:5200201005@10.10.10.20:5060 SIP/2.0 (CSEQ : 101  
11:42:49.089|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:42:49.093|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:42:49.125|          | <-----|          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:42:49.125|<-----|          |          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:42:50.413|          | <-----|          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:42:50.417|<-----|          |          | SIP/2.0 183 Session Progress (CSEQ : 101 INVITE) [With Bod  
11:42:50.417|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:42:50.417|<-----|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:42:50.481|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:42:50.485|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 101  
11:42:50.485|          | ----->|          | INVITE sip:28282828@sjea080:5060 SIP/2.0 (CSEQ : 101 INVIT  
11:42:50.501|          | <-----|          | SIP/2.0 180 Ringing (CSEQ : 101 INVITE)  
11:42:50.529|          | <-----|          | INVITE sip:1019@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 INVITE)  
11:42:50.533|          | ----->|          | SIP/2.0 100 Trying (CSEQ : 1 INVITE)  
11:42:50.533|<-----|          |          | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
11:42:50.533|----->|          |          | SIP/2.0 100 Trying (CSEQ : 101 INVITE)  
11:42:50.537|----->|          |          | SIP/2.0 200 OK (CSEQ : 101 INVITE) [With Body]  
11:42:50.537|<-----|          |          | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
11:42:50.537|          | ----->|          | SIP/2.0 200 OK (CSEQ : 1 INVITE) [With Body]  
11:42:50.549|          | <-----|          | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 1 ACK)  
11:42:50.725|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 101 INVITE) [With Body]  
11:42:50.725|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:42:50.725|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:42:50.845|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:42:50.845|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:42:56.097|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:42:56.101|          | ----->|          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:42:56.101|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:42:56.105|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 102 INVITE)  
11:42:56.121|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 102 INVITE) [With Body]  
11:42:56.125|<-----|          |          | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]  
11:42:56.125|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 102  
11:42:56.125|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:42:56.129|          | ----->|          | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:42:56.129|----->|          |          | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:42:56.129|          | ----->|          | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:42:56.129|<-----|          |          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:42:56.133|          | <-----|          | SIP/2.0 100 Trying (CSEQ : 103 INVITE)  
11:42:56.141|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:42:56.141|          | ----->|          | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:42:56.149|          | <-----|          | SIP/2.0 200 Ok (CSEQ : 103 INVITE) [With Body]  
11:42:56.153|<-----|          |          | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]  
11:42:56.157|----->|          |          | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:42:56.157|          | ----->|          | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 103  
11:42:56.185|          | <-----|          | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 INVITE)
```

Ladder_G

```
11:42:56.185| | ----->| | SIP/2.0 100 Trying (CSEQ : 2 INVITE)
11:42:56.185|<-----| | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:42:56.189|----->| | | SIP/2.0 100 Trying (CSEQ : 102 INVITE)
11:42:56.189|----->| | | SIP/2.0 200 OK (CSEQ : 102 INVITE) [With Body]
11:42:56.189|<-----| | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:42:56.189| | ----->| | SIP/2.0 200 OK (CSEQ : 2 INVITE) [With Body]
11:42:56.201| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 2 ACK)
11:42:56.205| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:42:56.217| | <-----| | SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:42:56.217| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:43:05.173|----->| | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:43:05.177| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:43:05.177|<-----| | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:43:05.181| | <-----| | SIP/2.0 100 Trying (CSEQ : 104 INVITE)
11:43:05.201| | <-----| | SIP/2.0 200 Ok (CSEQ : 104 INVITE) [With Body]
11:43:05.205|<-----| | | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]
11:43:05.205| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 104
11:43:05.205|----->| | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:43:05.205| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:43:05.213|----->| | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:43:05.213| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:43:05.213|<-----| | | SIP/2.0 100 Trying (CSEQ : 105 INVITE)
11:43:05.213| | <-----| | SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
11:43:05.217| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:43:05.217| | <-----| | SIP/2.0 100 Trying (CSEQ : 105 INVITE)
11:43:05.229| | <-----| | SIP/2.0 200 Ok (CSEQ : 105 INVITE) [With Body]
11:43:05.233|<-----| | | SIP/2.0 200 OK (CSEQ : 105 INVITE) [With Body]
11:43:05.237|----->| | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:43:05.237| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 105
11:43:05.241| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:43:05.241|----->| | | UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:43:05.241| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:43:05.241|<-----| | | SIP/2.0 200 OK (CSEQ : 106 UPDATE)
11:43:05.249| | <-----| | SIP/2.0 200 Ok (CSEQ : 106 INVITE) [With Body]
11:43:05.253| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:43:05.253| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:43:05.253| | <-----| | SIP/2.0 200 Ok (CSEQ : 106 UPDATE)
11:43:05.253| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:43:05.265| | <-----| | SIP/2.0 200 Ok (CSEQ : 107 UPDATE)
11:43:05.269| | <-----| | SIP/2.0 200 Ok (CSEQ : 107 INVITE) [With Body]
11:43:05.269| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:43:05.293| | <-----| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 INVITE)
11:43:05.297| | ----->| | SIP/2.0 100 Trying (CSEQ : 3 INVITE)
11:43:05.297|<-----| | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0
11:43:05.297|----->| | | SIP/2.0 100 Trying (CSEQ : 103 INVITE)
11:43:05.297|----->| | | SIP/2.0 200 OK (CSEQ : 103 INVITE) [With Body]
11:43:05.301|<-----| | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS
11:43:05.301| | ----->| | SIP/2.0 200 OK (CSEQ : 3 INVITE) [With Body]
11:43:05.313| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 3 ACK)
11:43:05.313| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:43:05.325| | <-----| | SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:43:05.325| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:43:15.529|----->| | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
11:43:15.533| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :
11:43:15.533|<-----| | | SIP/2.0 100 Trying (CSEQ : 107 INVITE)
11:43:15.541| | <-----| | SIP/2.0 100 Trying (CSEQ : 108 INVITE)
11:43:15.553| | <-----| | SIP/2.0 200 Ok (CSEQ : 108 INVITE) [With Body]
11:43:15.557|<-----| | | SIP/2.0 200 OK (CSEQ : 107 INVITE) [With Body]
11:43:15.557| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 108
11:43:15.557|----->| | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.
11:43:15.561| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2
11:43:15.569| | <-----| | SIP/2.0 200 Ok (CSEQ : 109 INVITE) [With Body]
11:43:15.569| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0
11:43:15.573|----->| | | UPDATE sip:5200201005@10.194.122.73:5060;transport=tcp SIP
```

Ladder_G

```
11:43:15.577| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:43:15.577|<----- | | | SIP/2.0 200 OK (CSEQ : 108 UPDATE)  
11:43:15.577| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:43:15.577|-----> | | | INVITE sip:5200201005@10.194.122.73:5060;transport=tcp SIP  
11:43:15.581|<----- | | | SIP/2.0 100 Trying (CSEQ : 109 INVITE)  
11:43:15.585| | <-----| | SIP/2.0 200 Ok (CSEQ : 109 UPDATE)  
11:43:15.589| | ----->| | UPDATE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:43:15.593| | <-----| | SIP/2.0 200 Ok (CSEQ : 110 INVITE) [With Body]  
11:43:15.593| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:43:15.597| | <-----| | SIP/2.0 200 Ok (CSEQ : 110 UPDATE)  
11:43:15.601| | ----->| | INVITE sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ :  
11:43:15.601| | <-----| | SIP/2.0 100 Trying (CSEQ : 111 INVITE)  
11:43:15.621| | <-----| | SIP/2.0 200 Ok (CSEQ : 111 INVITE) [With Body]  
11:43:15.621|<----- | | | SIP/2.0 200 OK (CSEQ : 109 INVITE) [With Body]  
11:43:15.633|-----> | | | ACK sip:5200201005@10.194.122.73:5060;transport=tcp SIP/2.  
11:43:15.637| | ----->| | ACK sip:10.10.10.20:5060;transport=udp SIP/2.0 (CSEQ : 111  
11:43:15.637| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:43:15.649| | <-----| | SIP/2.0 200 Ok (CSEQ : 111 INVITE) [With Body]  
11:43:15.653| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:43:15.661| | <-----| | INVITE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 INVITE)  
11:43:15.661| | ----->| | SIP/2.0 100 Trying (CSEQ : 4 INVITE)  
11:43:15.661|<----- | | | INVITE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0  
11:43:15.665|-----> | | | SIP/2.0 100 Trying (CSEQ : 104 INVITE)  
11:43:15.665|-----> | | | SIP/2.0 200 OK (CSEQ : 104 INVITE) [With Body]  
11:43:15.669|<----- | | | ACK sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
11:43:15.669| | ----->| | SIP/2.0 200 OK (CSEQ : 4 INVITE) [With Body]  
11:43:15.681| | <-----| | ACK sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 4 ACK)  
11:43:15.681| | ----->| | INVITE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2  
11:43:15.701| | <-----| | SIP/2.0 200 Ok (CSEQ : 112 INVITE) [With Body]  
11:43:15.701| | ----->| | ACK sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:43:26.061| | <-----| | BYE sip:1020@10.10.10.60:5060 SIP/2.0 (CSEQ : 5 BYE)  
11:43:26.061|<----- | | | BYE sip:1019@172.27.185.128:5060;transport=tcp SIP/2.0 (CS  
11:43:26.061| | ----->| | SIP/2.0 200 OK (CSEQ : 5 BYE)  
11:43:26.065| | ----->| | BYE sip:28282828@10.194.122.80:5060;transport=tcp SIP/2.0  
11:43:26.065|-----> | | | SIP/2.0 200 OK (CSEQ : 105 BYE)  
11:43:26.069| | <-----| | SIP/2.0 200 Ok (CSEQ : 113 BYE)
```