

## Possible Issues in an ICD call flow

## Possible\_Issues\_in\_an\_ICD\_call\_flow

CallCtlCause:0 CiscoCause:0 FeatReason:6, (P1-rmjapi\_1) 66342/2 CallCtlConnOfferedEv 1904 CiscoCause:0 FeatReason:6, events on the AddressCallObserver.

### ***Call is dropped at the Routepoint as it was redirected successfully to the CTI port***

60563: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:RP[num=1800], conn=[1800::1/(P1-rmjapi\_1) GCID=(2,66342)->ACTIVE]->DISCONNECTED, event=(P1-rmjapi\_1) 66342/2 CallCtlConnLeftEvent Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:6, cause=CAUSE\_NORMAL[100], meta=META\_CALL\_Removing\_Party[131]  
60564: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Got (P1-rmjapi\_1) CallObservationEndedEv [#3642] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12, even

### **If the call is rejected before it can be accepted at the CTI port,**

**GOTO: "Call is rejected after it is offered on the CTI Port" section under**

**[http://docwiki-dev.cisco.com/wiki/Troubleshooting\\_Tips\\_for\\_Unified\\_CCX\\_8.0#Identifying](http://docwiki-dev.cisco.com/wiki/Troubleshooting_Tips_for_Unified_CCX_8.0#Identifying)**

### ***Call is accepted at the CTI port***

60568: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:CallID: 58, MediaID: 66342/2 Accepted on CTI Port: 1904, ciscoCause=0

### ***Call state is changed to accepted***

60569: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:Call.accepted()  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ACCEPTED\_IDX,inbound=true,AppName=HelpDesk,task=null,session=10000000060,seqnum=0,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=null]

### ***Call rings at the CTI port***

60570: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2, Terminal is RINGING, [1904::1/(P1-rmjapi\_1) GCID=(2,66342)->ACTIVE]->ALERTING

60571: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 com.cisco.terminal received

### **GOTO: "Issues invoking Application Task" section under**

**[http://docwiki-dev.cisco.com/wiki/Troubleshooting\\_Tips\\_for\\_Unified\\_CCX\\_8.0#Identifying](http://docwiki-dev.cisco.com/wiki/Troubleshooting_Tips_for_Unified_CCX_8.0#Identifying)**

### ***An application task is created for the call and the call is associated with a task ID***

60572: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:Call.attributed()  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ATTRIBUTED\_IDX,inbound=true,AppName=HelpDesk,task=null,session=10000000060,seqnum=0,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=null]

60573: Jan 15 10:43:41.987 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19000000072

### ***The application task starts executing***

60596: Jan 15 10:43:41.987 CST %MIVR-ENG-7-UNK:Execute step of Task 19000000072 : Step 1

### ***The application task executes the Accept Step to answer the call at the CTI Port***

60620: Jan 15 10:43:43.987 CST %MIVR-ENG-7-UNK:Execute step of Task 19000000072 : Answer

### ***Call on the CTI port is active***

60623: Jan 15 10:43:44.002 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19000000072 Terminal: CTI\_1904 is ACTIVE

### ***Call state is changed to answered***

## Possible\_Issues\_in\_an\_ICD\_call\_flow

60625: Jan 15 10:43:44.002 CST %MIVR-SS\_TEL-7-UNK:Call.answered()  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ANSWERED\_IDX,inbound=true,App  
name=HelpDesk,task=19000000072,session=10000000060,seq  
num=0,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=nul

After the call is answered, if CallCtlConnFailed is received with cause 107,

**GOTO:** [http://docwiki-dev.cisco.com/wiki/Codec\\_Mismatch\\_between\\_Caller\\_and\\_CTI\\_Port](http://docwiki-dev.cisco.com/wiki/Codec_Mismatch_between_Caller_and_CTI_Port)

At any point during the call, if CallCtlConnFailed is received any cause.

At any point during the call, if CallCtlConnFailed is received any cause, GOTO: [http://docwiki-dev.cisco.com/wiki/Call\\_fails\\_with\\_CallCtlConnFailed\\_event](http://docwiki-dev.cisco.com/wiki/Call_fails_with_CallCtlConnFailed_event)

*CiscoMediaOpenLogicalChannelEv is received for the call for which UCCX will set RTPParameters*

com.cisco.itapi.CiscoMediaOpenLogicalChannelEvImpl received

**Following CiscoMediaOpenLogicalChannelEv, if either CiscoRTPOutputStartedEv or CiscoRTPOutputCompletedEv is received for the call.**

**GOTO:** [http://docwiki-dev.cisco.com/wiki/Media\\_Setup\\_Failure](http://docwiki-dev.cisco.com/wiki/Media_Setup_Failure)

*Media is being set up for the call at the CTI Port. CiscoRTPOutputStartedEv is received*

60622: Jan 15 10:43:44.002 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 com.cisco.itapi.CiscoRTPOutputStartedEvImpl received

*CiscoRTPInputStartedEv is received. Media is now set up for the call at the CTI Port.*

60641: Jan 15 10:43:44.002 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 com.cisco.jtapi.CiscoRTPIInputStartedEvImpl received

**Select Resource Step** is executed and an agent is selected by RmCm subsystem to handle this case.

60703: Jan 15 10:43:50.893 CST %MIVR-ENG-7-UNK:Execute step of Task 19000000072 : Set from CSQ)

## **Consult Transfer to the agent extension 52925 begins**

61085: Jan 15 10:45:42.816 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
ACKNOWLEDGED)

*The call is put on hold at the CTI port and so CiscoRTPInputStoppedEv is received*

61086: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 com.cisco.jtapi.CiscoRTPIInputStoppedEvImpl received

*The call is put on hold at the CTI port and so CiscoRTPOutputStoppedEv is received*

61087: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 com.cisco.jtapi.CiscoRTPOutputStoppedEvImpl received

### ***The call on the CTI port goes on hold***

61088: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
Terminal: CTL\_1904 is HELD

*A consult call is created*

61089: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
5336/1 ConsultCallActive [#3701] Cause:106 CallCtlCause:0 CiscoCause:501 FeatReason:12, (I)  
1904: [#3702] Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:12, (P1-rmjtapi\_1) 5336/1  
Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:12, (P1-rmjtapi\_1) 5336/1 CallCtlConnI  
CallCtlCause:0 CiscoCause:501 FeatReason:12, (P1-rmjtapi\_1) 5336/1 TermConnCreatedEv CTI  
CallCtlCause:0 CiscoCause:100 FeatReason:12, (P1-rmjtapi\_1) 5336/1 TermConnActiveEv CTI

## Possible\_Issues\_in\_an\_ICD\_call\_flow

CallCtlCause:0 CiscoCause:501 FeatReason:12, (P1-rmjapi\_1) 5336/1 CallCtlTermConnTalking  
CallCtlCause:0 CiscoCause:501 FeatReason:12, events on the AddressCallObserver.  
61090: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 ConsultCallActive [#3701] Cause:106 CallCtlCause:0 CiscoCause:501 FeatReason:  
61091: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 ConnCreatedEv 1904: [#3702] Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:  
61092: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 ConnConnectedEv 1904: [#3703] Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:  
61093: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 CallCtlConnInitiatedEv 1904: [#3704] Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:  
61094: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 TermConnCreatedEv CTI\_1904 [#3705] Cause:501 CallCtlCause:0 CiscoCause:501 FeatReason:  
61095: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 TermConnActiveEv CTI\_1904 [#3706] Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:  
61096: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 CallCtlTermConnTalkingEv CTI\_1904 [#3707] Cause:100 CallCtlCause:0 CiscoCause:501 FeatReason:  
61097: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:1904  
5336/1 CallCtlConnDialingEv 1904: [#3708] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12, events on the  
AddressCallObserver.  
61098: Jan 15 10:45:42.832 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 CallCtlConnDialingEv 1904: [#3708] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61099: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:1904  
5336/1 CallCtlConnEstablishedEv 1904: [#3709] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
ConnCreatedEv 52925: [#3710] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12, events on the  
AddressCallObserver.  
61100: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 CallCtlConnEstablishedEv 1904: [#3709] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61101: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 ConnCreatedEv 52925: [#3710] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61102: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:1904  
5336/1 ConnInProgressEv 52925: [#3711] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
CallCtlConnOfferedEv 52925: [#3712] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61103: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 ConnInProgressEv 52925: [#3711] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.

### ***The consult call is offered at the agent extension***

61104: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 CallCtlConnOfferedEv 52925: [#3712] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.

**GOTO: [http://docwiki-dev.cisco.com/wiki/Consult\\_call\\_fails\\_with\\_RESOURCE\\_BUSY](http://docwiki-dev.cisco.com/wiki/Consult_call_fails_with_RESOURCE_BUSY)**

### ***The consult call is ringing at the agent extension***

61129: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:1904  
5336/1 ConnAlertingEv 52925: [#3725] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
CallCtlConnAlertingEv 52925: [#3726] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61130: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 ConnAlertingEv 52925: [#3725] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61131: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2  
(P1-rmjapi\_1) 5336/1 CallCtlConnAlertingEv 52925: [#3726] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:12,  
events on the AddressCallObserver.  
61132: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:1904

### **RINGING**

61133: Jan 15 10:45:42.848 CST %MIVR-SS\_TEL-7-UNK:Call.transferStarted(52925)  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ANSWERED\_IDX,inbound=true,App  
name=HelpDesk,task=19000000072,session=10000000060,seq

## Possible\_Issues\_in\_an\_ICD\_call\_flow

num=0,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=null

**If Consult Call is not answered, ConsultCallObserver TALKING is not seen for the call, GOTO: "Consult Call is not answered at agent extension" section under [http://docwiki-dev.cisco.com/wiki/Troubleshooting\\_Tips\\_for\\_Unified\\_CCX\\_8.0#Identifying](http://docwiki-dev.cisco.com/wiki/Troubleshooting_Tips_for_Unified_CCX_8.0#Identifying)**

### ***The consult call is answered by the agent***

61325: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2 (P1-rmjapi\_1) 5336/1 ConnConnectedEv 52925: [#3788] Cause:100 CallCtlCause:0 CiscoCause:0  
61326: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 5336/1 ConnConnectedEv 52925: [#3788] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 CallCtlConnEstablishedEv 52925: [#3789] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 AddressCallObserver.  
61327: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2 (P1-rmjapi\_1) 5336/1 CallCtlConnEstablishedEv 52925: [#3789] Cause:100 CallCtlCause:0 CiscoCause:0  
61333: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 **TALKING - CallCtlConnEstablished, [52925::1/(P1-rmjapi\_1) GCID=(1,5336)->ACTIVE]->End**  
61335: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 TALKING, it's in correct state to transfer  
61336: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 ConsultCallObserver():Received msg from original call Interrupted  
61337: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:OrigCall=CallID:58 MediaId:66342/2 (P1-rmjapi\_1) 5336/1 CallObservationEndedEv [#3790] Cause:100 CallCtlCause:0 CiscoCause:0

### ***Telephony Subsystem tries to complete transfer between the main and consult calls***

61338: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 consultCall  
61339: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 5336/1 CiscoTermConnSelectChangedEv CTI\_1904 [#3792] Cause:100 CallCtlCause:0 CiscoCause:0 AddressCallObserver.

### **If there are any JTAPI exceptions during transfer completion,**

**GOTO: [http://docwiki-dev.cisco.com/wiki/JTAPI\\_Exception\\_during\\_redirect%2C\\_accept](http://docwiki-dev.cisco.com/wiki/JTAPI_Exception_during_redirect%2C_accept)**

GOTO: [http://docwiki-dev.cisco.com/wiki/Multiple\\_transfer\\_failures#Multiple\\_transfer\\_failures](http://docwiki-dev.cisco.com/wiki/Multiple_transfer_failures#Multiple_transfer_failures)

### ***CiscoTransferStartEv is received to mark the beginning of transfer completion***

61340: Jan 15 10:45:46.442 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 66342/2 CiscoTransferStartEv [#3793] Cause:100 CallCtlCause:0 CiscoCause:129 FeatReason:2  
61418: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 5336/1 ConnDisconnectedEv 52925: [#3819] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 CallCtlConnDisconnectedEv 52925: [#3820] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 AddressCallObserver.  
61428: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 5336/1 TermConnDroppedEv CTI\_1904 [#3821] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 CallCtlTermConnDroppedEv CTI\_1904 [#3822] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 ConnDisconnectedEv 1904: [#3823] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:2, (P1-RM-JTAPI) CallCtlConnDisconnectedEv 1904: [#3824] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 CallInvalidEv [#3825] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:2, events on the AddressCallObserver.  
61439: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 5336/1 CallObservationEndedEv [#3826] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:0 AddressCallObserver.  
61454: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19

## Possible\_Issues\_in\_an\_ICD\_call\_flow

66342/2 CiscoTransferEndEv [#3834] Cause:100 CallCtlCause:0 CiscoCause:129 FeatReason:2  
61455: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
66342/2 CallObservationEndedEv [#3835] Cause:100 CallCtlCause:0 CiscoCause:0 FeatReason:  
AddressCallObserver.  
61457: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:Call.transferAnswered(52925)  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ANSWERED\_IDX,inbound=true,App  
name=HelpDesk,task=19000000072,session=null,seq  
num=-1,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=n  
61458: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:Call.transferring(52925)  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ANSWERED\_IDX,inbound=true,App  
name=HelpDesk,task=19000000072,session=null,seq  
num=-1,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=n

**GOTO:** [http://docwiki-dev.cisco.com/wiki/Transfer\\_does\\_not\\_receive\\_CiscoTransferEndEv](http://docwiki-dev.cisco.com/wiki/Transfer_does_not_receive_CiscoTransferEndEv)

***CiscoTransferEndEv is received to mark the end of transfer completion***

61459: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
event on the AddressCallObserver, posting it to InCallObserver. Port.this.transferStart = true  
61460: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
and final call 66342/2 is the same as the consult call, Transferred call in event (P1-rmjapi\_1) GC  
61461: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
event on the AddressCallObserver, posting it to InCallObserver. Port.this.transferStart = true

**GOTO:** [http://docwiki-dev.cisco.com/wiki/Could\\_not\\_meet\\_post\\_conditions\\_of\\_call.transfer](http://docwiki-dev.cisco.com/wiki/Could_not_meet_post_conditions_of_call.transfer)

***The call is transferred to the agent. The main call goes out of the Telephony provider and it is provider***

61462: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
TermConnDroppedEv, meta code:134, cause code:100  
61463: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
Terminal: CTI\_1904 is DROPPED, 66342/2, call transferring, Redirecting:false  
61464: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:Call.abandoned() - transferring  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_ANSWERED\_IDX,inbound=true,App  
name=HelpDesk,task=19000000072,session=null,seq  
num=-1,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=n  
61465: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:Call.transferred(52925) - transfe  
JTAPICallContact[id=58,implId=66342/2,state=STATE\_TRANSFERRED\_IDX,inbound=true,App  
name=HelpDesk,task=19000000072,session=null,seq  
num=-1,cn=1800,dn=1800,cgn=2108846343,ani=null,dnis=null,clid=null,atype=DIRECT,lrd=n  
61466: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
CTI Port,id=6,implId=1904,active=false,state=IDLE] from 1800, and releasing udpPort 24680  
61469: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
com.cisco.jtapi.TermObservationEndedEvImpl received

***The execution of the application task ends with the End Step***

61470: Jan 15 10:45:46.457 CST %MIVR-ENG-7-UNK:Execute step of Task 19000000072 : End

**If transfer success is false,**

**GOTO:** [http://docwiki-dev.cisco.com/wiki/Transfer\\_success\\_is\\_false](http://docwiki-dev.cisco.com/wiki/Transfer_success_is_false)

***CiscoTransferEndEv indicates success is true***

61471: Jan 15 10:45:46.457 CST %MIVR-SS\_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19  
finalCall: (P1-rmjapi\_1) GCID=(2,66342)->INVALID, consultCall: (P1-rmjapi\_1) GCID=(2,6

## Possible\_Issues\_in\_an\_ICD\_call\_flow

	transferStart: false 61472: Jan 15 10:45:46.457 CST %MIVR-SS_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 finalCall: (P1-rmjtapi_1) GCID=(2,66342)->INVALID, consultCall: (P1-rmjtapi_1) GCID=(2,66342/2) transferStart: false 61473: Jan 15 10:45:46.457 CST %MIVR-SS_TEL-7-UNK:CallID:58 MediaId:66342/2 Task:19 and final call 66342/2 is the same as the consult call, Transferred call in event (P1-rmjtapi_1) GCID=(2,66342/2)
<b>Release</b>	Release 7.0(1) onwards
<b>Associated CDETS #</b>	NA