

**Reporting: Report for Scheduled reports**

<b>Problem Summary</b>	Check the status of reports that are scheduled
<b>Error Message</b>	Not relevant
<b>Possible Cause</b>	Not relevant
<b>Recommended Action</b>	<p>Save the XML below to a file and import as report.</p> <pre> &lt;?xml version="1.0" encoding="utf-8"?&gt; &lt;SerializedReport xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"&gt; &lt;ReportName&gt;SchedulerStatus&lt;/ReportName&gt; &lt;ReportDescription /&gt; &lt;ModifiedBy&gt;2K3SERVER-1\administrator&lt;/ModifiedBy&gt; &lt;FilePath&gt;c:\temp\055f1237-e4b5-4c0c-9e0e-46ad36bbb290.xml&lt;/FilePath&gt; &lt;Category&gt;00000000-0000-0000-0000-000000000000&lt;/Category&gt; &lt;AllowsTodayRange&gt;true&lt;/AllowsTodayRange&gt; &lt;AllowsYesterdayRange&gt;true&lt;/AllowsYesterdayRange&gt; &lt;AllowsThisWeekRange&gt;false&lt;/AllowsThisWeekRange&gt; &lt;AllowsLastWeekRange&gt;true&lt;/AllowsLastWeekRange&gt; &lt;AllowsThisMonthRange&gt;true&lt;/AllowsThisMonthRange&gt; &lt;AllowsLastMonthRange&gt;true&lt;/AllowsLastMonthRange&gt; &lt;AllowsQuarterToDateRange&gt;true&lt;/AllowsQuarterToDateRange&gt; &lt;AllowsLastQuarterRange&gt;true&lt;/AllowsLastQuarterRange&gt; &lt;AllowsYearToDateRange&gt;true&lt;/AllowsYearToDateRange&gt; &lt;AllowsLastYearRange&gt;true&lt;/AllowsLastYearRange&gt; &lt;AllowsTomorrowRange&gt;false&lt;/AllowsTomorrowRange&gt; &lt;AllowsNextWeekRange&gt;false&lt;/AllowsNextWeekRange&gt; &lt;AllowsNextMonthRange&gt;false&lt;/AllowsNextMonthRange&gt; &lt;Type&gt;Personal&lt;/Type&gt; &lt;Timeframe&gt;Realtime&lt;/Timeframe&gt; &lt;bIsEditing&gt;&gt;false&lt;/bIsEditing&gt; &lt;SortClause /&gt; &lt;RefreshRate&gt;60&lt;/RefreshRate&gt; &lt;ReportID&gt;86e60b92-49b6-4d2f-bcdf-20f8cbca2811&lt;/ReportID&gt; &lt;CustomSQL /&gt; &lt;AnonymousBlock&gt;select B.SaveFileName, A.State, A.ProjectedRunDateTime, A.ActualRunDateTime from AA_RunSchedule A,AA_ScheduledReports B  where ProjectedRunDateTime&gt;:From and ProjectedRunDateTime&lt;:To and A.ScheduleID=B.ID  order by ProjectedRunDateTime&lt;/AnonymousBlock&gt; &lt;G1Summary&gt;true&lt;/G1Summary&gt; &lt;G2Summary&gt;true&lt;/G2Summary&gt; &lt;G3Summary&gt;true&lt;/G3Summary&gt; &lt;DataSummary&gt;true&lt;/DataSummary&gt; &lt;GridMode&gt;realtime&lt;/GridMode&gt; &lt;VerticalAlign&gt;top&lt;/VerticalAlign&gt; &lt;IncludeDateTime&gt;true&lt;/IncludeDateTime&gt; &lt;IncludeFilterSummary&gt;true&lt;/IncludeFilterSummary&gt; &lt;NumGroups&gt;0&lt;/NumGroups&gt; </pre>

Reporting: \_Report\_for\_Scheduled\_reports

```
<GroupField1>00000000-0000-0000-0000-000000000000</GroupField1>
<SortField1>00000000-0000-0000-0000-000000000000</SortField1>
<GroupField2>00000000-0000-0000-0000-000000000000</GroupField2>
<SortField2>00000000-0000-0000-0000-000000000000</SortField2>
<GroupField3>00000000-0000-0000-0000-000000000000</GroupField3>
<SortField3>00000000-0000-0000-0000-000000000000</SortField3>
<SortFieldData>00000000-0000-0000-0000-000000000000</SortFieldData>
<SortField1Direction>ASC</SortField1Direction>
<SortField2Direction>ASC</SortField2Direction>
<SortField3Direction>ASC</SortField3Direction>
<SortFieldDataDirection>ASC</SortFieldDataDirection>
<ChartSeriesList />
<x3DEnable>>false</x3DEnable>
<XAxisTitle />
<XAxisTickMarks>>false</XAxisTickMarks>
<XAxisGridLines>>false</XAxisGridLines>
<XAxisInterlacedStrips>>false</XAxisInterlacedStrips>
<XAxisReversed>>false</XAxisReversed>
<XAxisSideMargin>>false</XAxisSideMargin>
<XAxisLabelFormat />
<YAxisTitle />
<YAxisTickMarks>>false</YAxisTickMarks>
<YAxisGridLines>>false</YAxisGridLines>
<YAxisInterlacedStrips>>false</YAxisInterlacedStrips>
<YAxisReversed>>false</YAxisReversed>
<YAxisStartFromZero>>false</YAxisStartFromZero>
<YAxisLabelFormat />
<LegendVisible>>false</LegendVisible>
<LegendStyle>Column</LegendStyle>
<LegendDocking>Right</LegendDocking>
<LegendAlignment>Near</LegendAlignment>
<LegendInsidePlotArea>>false</LegendInsidePlotArea>
<TitleText />
<TitleDocking>Top</TitleDocking>
<TitleAlignment>TopCenter</TitleAlignment>
<PointLabelsDisplay>>false</PointLabelsDisplay>
<PointLabelsSmartLabels>>false</PointLabelsSmartLabels>
<PointLabelAngle>0</PointLabelAngle>
<XLabelAlign>center</XLabelAlign>
<XAxisExtent>80</XAxisExtent>
<YAxisExtent>80</YAxisExtent>
<XAxisVisible>>true</XAxisVisible>
<YAxisVisible>>true</YAxisVisible>
<XGroupBySeries>>false</XGroupBySeries>
<YGroupBySeries>>false</YGroupBySeries>
<XAxisMin>0</XAxisMin>
<YAxisMin>0</YAxisMin>
<XAxisMax>100</XAxisMax>
<YAxisMax>100</YAxisMax>
<TitleFontSize>9</TitleFontSize>
<XLabelFontSize>8</XLabelFontSize>
<YLabelFontSize>8</YLabelFontSize>
<XTitleFontSize>9</XTitleFontSize>
```

Reporting:\_Report\_for\_Scheduled\_reports

```
<YTitleFontSize>9</YTitleFontSize>
<TitleRotation>0</TitleRotation>
<XRotation>0</XRotation>
<YRotation>0</YRotation>
<TitleLeft>50</TitleLeft>
<TitleTop>5</TitleTop>
<ChartAreaLeft>0</ChartAreaLeft>
<ChartAreaTop>0</ChartAreaTop>
<ChartAreaHeight>100</ChartAreaHeight>
<ChartAreaWidth>100</ChartAreaWidth>
<LegendLeft>80</LegendLeft>
<LegendTop>10</LegendTop>
<LegendHeight>80</LegendHeight>
<LegendWidth>20</LegendWidth>
<YAxisLabelLeft>5</YAxisLabelLeft>
<YAxisLabelTop>40</YAxisLabelTop>
<XAxisLabelLeft>50</XAxisLabelLeft>
<XAxisLabelTop>95</XAxisLabelTop>
<HasIntervalField>>false</HasIntervalField>
<CurrentInterval>30</CurrentInterval>
<UsePageNumbers>>true</UsePageNumbers>
<TimeFrameType>D</TimeFrameType>
<BackgroundImage />
<ShowGaugeLabels>>true</ShowGaugeLabels>
<ChartWidth>800</ChartWidth>
<ChartHeight>600</ChartHeight>
<ChartTheme />
<FontSize>8</FontSize>
<XsltFileName />
<ShowFilterDialog>>true</ShowFilterDialog>
<DefaultDashboardDisplayMode>GRID</DefaultDashboardDisplayMode>
<CategoryID>00000000-0000-0000-0000-000000000000</CategoryID>
<DatasourceID>de2cd6f3-a603-49ca-99c4-4ffbc1362504</DatasourceID>
<DataSourceType>AnonymousBlock</DataSourceType>
<URL />
<XsltID>00000000-0000-0000-0000-000000000000</XsltID>
<AnsiWarnings>>false</AnsiWarnings>
<AnsiNulls>>true</AnsiNulls>
<ArithAbort>>false</ArithAbort>
<ArithIgnore>>true</ArithIgnore>
<KeyCriteriaFieldID>00000000-0000-0000-0000-000000000000</KeyCriteriaFieldID>
<RestrictTimeFrame>>false</RestrictTimeFrame>
<CommandTimeout>999</CommandTimeout>
<RollingValue>0</RollingValue>
<ParentReportID />
<DisplayFormat>Grid</DisplayFormat>
<ChartType />
<YLabelFormat />
<HistoricalFilterType>NoFilter</HistoricalFilterType>
<HistoricalStartDate>0001-01-01T00:00:00</HistoricalStartDate>
<HistoricalEndDate>0001-01-01T00:00:00</HistoricalEndDate>
<HistoricalStartTime>0001-01-01T00:00:00</HistoricalStartTime>
<HistoricalEndTime>0001-01-01T00:00:00</HistoricalEndTime>
```

Reporting:\_Report\_for\_Scheduled\_reports

```

<Parameters>
<ReportParameter>
<QuoteValues>None</QuoteValues>
<ID>6c2c6a1f-135b-47a9-8d26-2d3412ca66e7</ID>
<RestrictedValueList />
<FriendlyName>Scheduled From </FriendlyName>
<NullForBlank>true</NullForBlank>
<ValueSeparator>,</ValueSeparator>
<PrefixValueWith />
<ParameterIndex>0</ParameterIndex>
<ValueQuery />
<SelectedValueID>00000000-0000-0000-0000-000000000000</SelectedValueID>
<SelectedCollectionID>00000000-0000-0000-0000-000000000000</SelectedCollectionID>
<FreeformValue />
<AllowFreeformEntry>true</AllowFreeformEntry>
<Bluevuename>New Parameter</Bluevuename>
<TestValue>'2010-04-23 00:00:18.853'</TestValue>
<HardCodedValue />
<FilteredFieldID>00000000-0000-0000-0000-000000000000</FilteredFieldID>
<DataType>varchar</DataType>
<ReportID>86e60b92-49b6-4d2f-bcdf-20f8cbca2811</ReportID>
<Name>@From</Name>
<Description>Reports Scheduled To Run From. Enter Date in format
2010-04-03</Description>
<ParameterType>AnonymousBlock</ParameterType>
<Required>true</Required>
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
</ReportParameter>
<ReportParameter>
<QuoteValues>None</QuoteValues>
<ID>b34cec55-7c21-42fc-abbf-9305dd515a80</ID>
<RestrictedValueList />
<FriendlyName>Scheduled Until </FriendlyName>
<NullForBlank>true</NullForBlank>
<ValueSeparator>,</ValueSeparator>
<PrefixValueWith />
<ParameterIndex>0</ParameterIndex>
<ValueQuery />
<SelectedValueID>00000000-0000-0000-0000-000000000000</SelectedValueID>
<SelectedCollectionID>00000000-0000-0000-0000-000000000000</SelectedCollectionID>
<FreeformValue />
<AllowFreeformEntry>true</AllowFreeformEntry>
<Bluevuename>New Parameter</Bluevuename>
<TestValue>'2010-04-23 00:00:18.853'</TestValue>
<HardCodedValue />
<FilteredFieldID>00000000-0000-0000-0000-000000000000</FilteredFieldID>
<DataType>varchar</DataType>
<ReportID>86e60b92-49b6-4d2f-bcdf-20f8cbca2811</ReportID>
<Name>@To</Name>
<Description>Reports scheduled to run until. Enter Date in format
2010-04-03</Description>
<ParameterType>AnonymousBlock</ParameterType>
<Required>true</Required>

```

## Reporting: \_Report\_for\_Scheduled\_reports

```
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
</ReportParameter>
</Parameters>
<Fields>
<Field>
<Group1FooterFormula />
<Group2FooterFormula />
<Group3FooterFormula />
<FilterChanged>>false</FilterChanged>
<FilterPreQuery>>true</FilterPreQuery>
<ExportAsHHMMSS>>false</ExportAsHHMMSS>
<ReportID>86e60b92-49b6-4d2f-bcdf-20f8cbca2811</ReportID>
<AllowUsersToShow>>true</AllowUsersToShow>
<NormalizeTimeZone>>false</NormalizeTimeZone>
<TimeFrameType>Y</TimeFrameType>
<ID>828c8a4e-cc91-414f-b606-4b38b1307593</ID>
<DisplayWidth>125</DisplayWidth>
<ValueCacheLifetimeInMinutes>3</ValueCacheLifetimeInMinutes>
<ValueSQLQuery />
<IsFakeFilterField>>false</IsFakeFilterField>
<IsFormula>>false</IsFormula>
<FooterFormula />
<DisplayFormatStored>FormattedData</DisplayFormatStored>
<XsltID>5db791d1-720d-4115-a9d9-2cad9d1b7721</XsltID>
<FooterStyle>None</FooterStyle>
<DrilldownOptions />
<Thresholds />
<Description />
<Key>SaveFileName</Key>
<FormatString />
<TableID>00000000-0000-0000-0000-000000000000</TableID>
<IsAggregate>>false</IsAggregate>
<ActiveFilterIndex>0</ActiveFilterIndex>
<BluevueName>Report</BluevueName>
<Formula />
<HighValue>0</HighValue>
<LowValue>0</LowValue>
<HighRangeValue>0</HighRangeValue>
<LowRangeValue>0</LowRangeValue>
<Randomize>>false</Randomize>
<Filters />
<FieldID>828c8a4e-cc91-414f-b606-4b38b1307593</FieldID>
<FieldIndex>0</FieldIndex>
<KeyCriteriaSearchable>>false</KeyCriteriaSearchable>
<ColumnName>SaveFileName</ColumnName>
<DisplayName>Report</DisplayName>
<KeyCriteria>>true</KeyCriteria>
<KeyCriteriaName>SaveFileName</KeyCriteriaName>
<Displayed>>true</Displayed>
<DecimalPlaces>2</DecimalPlaces>
<ShowAvg>>false</ShowAvg>
<ShowSum>>false</ShowSum>
<Filter>
```

Reporting:\_Report\_for\_Scheduled\_reports

```
<DayFilter>ALL</DayFilter>
<FromTime>2010-04-26T00:00:00</FromTime>
<ToTime>2010-04-26T23:59:59</ToTime>
<RestrictTime>>false</RestrictTime>
<DatabaseID>18c2086b-f149-4614-a725-362322f289e7</DatabaseID>
<IsStockHistoricalFilter>>false</IsStockHistoricalFilter>
<IsCustomReportBuilderFilter>>false</IsCustomReportBuilderFilter>
<Caption>New Filter</Caption>
<FilterField />
<FieldType>BigInt</FieldType>
<FilterValues />
<FilterType1>NoFilter</FilterType1>
<RollingValue>1</RollingValue>
<IsHistoricalFilter>>false</IsHistoricalFilter>
<FieldID>828c8a4e-cc91-414f-b606-4b38b1307593</FieldID>
<FilteringValues>
<DataID>828c8a4e-cc91-414f-b606-4b38b1307593</DataID>
<Updating>0</Updating>
<RefreshRate>86400</RefreshRate>
<LastRefreshed>1970-01-01T01:00:00</LastRefreshed>
<ValueListQuery />
<CollectionQuery />
<IsDirty>>true</IsDirty>
<ID>828c8a4e-cc91-414f-b606-4b38b1307593</ID>
<DatasourceID />
<ValueListDataType>Numeric</ValueListDataType>
<Values>
<Values>
<IsDirty>>true</IsDirty>
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<Description />
<ValueListValueID>a1b194f0-79af-4055-bff8-4eff61828a37</ValueListValueID>
<ValueListValue />
<DataType>String</DataType>
<Ident>0</Ident>
</Values>
</Values>
</FilteringValues>
<ValueFieldID>00000000-0000-0000-0000-000000000000</ValueFieldID>
<ValueCollectionID>00000000-0000-0000-0000-000000000000</ValueCollectionID>
</Filter>
<DataType>String</DataType>
<SimpleDataType>String</SimpleDataType>
<ColumnOrder>-1</ColumnOrder>
<Alias />
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<ParentFieldID>00000000-0000-0000-0000-000000000000</ParentFieldID>
<DescriptorFieldID>00000000-0000-0000-0000-000000000000</DescriptorFieldID>
<ColumnSize>0</ColumnSize>
<NumericPrecision>255</NumericPrecision>
<NumericScale>255</NumericScale>
<AllowDBNull>>true</AllowDBNull>
<IsUnique>>false</IsUnique>
```

## Reporting: \_Report\_for\_Scheduled\_reports

```
<IsFakeHistoricalField>>false</IsFakeHistoricalField>
<IsKeyColumn>>false</IsKeyColumn>
<IsAutoIncrement>>false</IsAutoIncrement>
<IsReadOnly>>false</IsReadOnly>
<IsLong>>false</IsLong>
<BaseSchemaName />
<BaseCatalogName />
<BaseTableName />
<BaseColumnname>SaveFileName</BaseColumnname>
<RequireAtLeastOneValueToBeSelected>>false</RequireAtLeastOneValueToBeSelected>
<ShowGauge>>false</ShowGauge>
<UseFooterForGauge>>false</UseFooterForGauge>
<DataID>828c8a4e-cc91-414f-b606-4b38b1307593</DataID>
<ShelfLifeInSeconds>180</ShelfLifeInSeconds>
<AutoMergeCells>>false</AutoMergeCells>
</Field>
<Field>
<Group1FooterFormula />
<Group2FooterFormula />
<Group3FooterFormula />
<FilterChanged>>false</FilterChanged>
<FilterPreQuery>>true</FilterPreQuery>
<ExportAsHHMMSS>>false</ExportAsHHMMSS>
<ReportID>86e60b92-49b6-4d2f-bcdf-20f8cbca2811</ReportID>
<AllowUsersToShow>>true</AllowUsersToShow>
<NormalizeTimeZone>>false</NormalizeTimeZone>
<TimeFrameType>Y</TimeFrameType>
<ID>419f5da5-28b7-43f6-b37a-b095d6a59fc0</ID>
<DisplayWidth>125</DisplayWidth>
<ValueCacheLifetimeInMinutes>3</ValueCacheLifetimeInMinutes>
<ValueSQLQuery />
<IsFakeFilterField>>false</IsFakeFilterField>
<IsFormula>>false</IsFormula>
<DisplayFormatStored>FormattedData</DisplayFormatStored>
<XsltID>00000000-0000-0000-0000-000000000000</XsltID>
<FooterStyle>None</FooterStyle>
<DrilldownOptions />
<Thresholds>
<Threshold>
<ThresholdValue xsi:type="xsd:string">0</ThresholdValue>
<ThresholdValue2 xsi:type="xsd:string" />
<ThresholdType>EqualTo</ThresholdType>
<FormattingType1>Font</FormattingType1>
<GlobalVariableID />
<ID>585dad64-4fe6-4421-af5f-640afaea0eeb</ID>
<Text>To Run Today</Text>
<ImageURL />
<ForeColor>NamedColor:Black</ForeColor>
<BackColor>ARGBColor:255:204:255:204</BackColor>
<IsBold>>true</IsBold>
<IsBlinking>>false</IsBlinking>
</Threshold>
<Threshold>
```

## Reporting: \_Report\_for\_Scheduled\_reports

```
<ThresholdValue xsi:type="xsd:string">1</ThresholdValue>
<ThresholdValue2 xsi:type="xsd:string" />
<ThresholdType>EqualTo</ThresholdType>
<FormattingType1>Font</FormattingType1>
<GlobalVariableID />
<ID>0906d83e-8aae-43a4-aca9-52fad78a7be5</ID>
<Text>In Scheduler Queue </Text>
<ImageURL />
<ForeColor>NamedColor:Black</ForeColor>
<BackColor>ARGBColor:255:0:255:0</BackColor>
<IsBold>>false</IsBold>
<IsBlinking>>false</IsBlinking>
</Threshold>
<Threshold>
<ThresholdValue xsi:type="xsd:string">2</ThresholdValue>
<ThresholdValue2 xsi:type="xsd:string" />
<ThresholdType>EqualTo</ThresholdType>
<FormattingType1>Font</FormattingType1>
<GlobalVariableID />
<ID>f935bf48-b2d3-4aaa-8eaa-8b7811cb61ec</ID>
<Text>Running...</Text>
<ImageURL />
<ForeColor>ARGBColor:255:0:0:0</ForeColor>
<BackColor>ARGBColor:255:255:255:102</BackColor>
<IsBold>>false</IsBold>
<IsBlinking>>false</IsBlinking>
</Threshold>
<Threshold>
<ThresholdValue xsi:type="xsd:string">3</ThresholdValue>
<ThresholdValue2 xsi:type="xsd:string" />
<ThresholdType>EqualTo</ThresholdType>
<FormattingType1>Font</FormattingType1>
<GlobalVariableID />
<ID>16f30f3f-dfd4-4992-8c9c-0cbfa64e6f58</ID>
<Text>Run Successfully</Text>
<ImageURL />
<ForeColor>NamedColor:Black</ForeColor>
<BackColor>ARGBColor:255:170:170:170</BackColor>
<IsBold>>true</IsBold>
<IsBlinking>>false</IsBlinking>
</Threshold>
<Threshold>
<ThresholdValue xsi:type="xsd:string">4</ThresholdValue>
<ThresholdValue2 xsi:type="xsd:string" />
<ThresholdType>EqualTo</ThresholdType>
<FormattingType1>Font</FormattingType1>
<GlobalVariableID />
<ID>996ff789-bcde-442f-8499-8e5768b9df15</ID>
<Text>Failed During Run</Text>
<ImageURL />
<ForeColor>NamedColor:Black</ForeColor>
<BackColor>ARGBColor:255:255:51:51</BackColor>
<IsBold>>true</IsBold>
```



Reporting:\_Report\_for\_Scheduled\_reports

```

<IsBlinking>>false</IsBlinking>
</Threshold>
</Thresholds>
<Key>State</Key>
<FormatString />
<TableID>00000000-0000-0000-0000-000000000000</TableID>
<IsAggregate>>false</IsAggregate>
<ActiveFilterIndex>0</ActiveFilterIndex>
<BluevueName>State</BluevueName>
<HighValue>0</HighValue>
<LowValue>0</LowValue>
<HighRangeValue>0</HighRangeValue>
<LowRangeValue>0</LowRangeValue>
<Randomize>>false</Randomize>
<Filters />
<FieldID>419f5da5-28b7-43f6-b37a-b095d6a59fc0</FieldID>
<FieldIndex>1</FieldIndex>
<KeyCriteriaSearchable>>false</KeyCriteriaSearchable>
<ColumnName>State</ColumnName>
<DisplayName>State</DisplayName>
<KeyCriteria>>true</KeyCriteria>
<KeyCriteriaName>State</KeyCriteriaName>
<Displayed>>true</Displayed>
<DecimalPlaces>2</DecimalPlaces>
<ShowAvg>>false</ShowAvg>
<ShowSum>>false</ShowSum>
<Filter>
<DayFilter>ALL</DayFilter>
<FromTime>2010-04-26T00:00:00</FromTime>
<ToTime>2010-04-26T23:59:59</ToTime>
<RestrictTime>>false</RestrictTime>
<DatabaseID>76c0b05c-d62d-4010-9b1a-4d9efc83aeeb</DatabaseID>
<IsStockHistoricalFilter>>false</IsStockHistoricalFilter>
<IsCustomReportBuilderFilter>>false</IsCustomReportBuilderFilter>
<Caption>New Filter</Caption>
<FilterField />
<FieldType>BigInt</FieldType>
<FilterValues />
<FilterType1>NoFilter</FilterType1>
<RollingValue>1</RollingValue>
<IsHistoricalFilter>>false</IsHistoricalFilter>
<FieldID>419f5da5-28b7-43f6-b37a-b095d6a59fc0</FieldID>
<FilteringValues>
<DataID>419f5da5-28b7-43f6-b37a-b095d6a59fc0</DataID>
<Updating>0</Updating>
<RefreshRate>86400</RefreshRate>
<LastRefreshed>1970-01-01T01:00:00</LastRefreshed>
<ValueListQuery />
<CollectionQuery />
<IsDirty>>true</IsDirty>
<ID>419f5da5-28b7-43f6-b37a-b095d6a59fc0</ID>
<DatasourceID />
<ValueListDataType>Numeric</ValueListDataType>

```

```

<Values>
<Values>
<IsDirty>>true</IsDirty>
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<Description />
<ValueListValueID>85c04aec-c00d-4fdf-9a73-dcbe7968bd15</ValueListValueID>
<ValueListValue />
<DataType>String</DataType>
<Ident>0</Ident>
</Values>
</Values>
</FilteringValues>
<ValueFieldID>00000000-0000-0000-0000-000000000000</ValueFieldID>
<ValueCollectionID>00000000-0000-0000-0000-000000000000</ValueCollectionID>
</Filter>
<DataType>Int32</DataType>
<SimpleDataType>Numeric</SimpleDataType>
<ColumnOrder>-1</ColumnOrder>
<Alias />
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<ParentFieldID>00000000-0000-0000-0000-000000000000</ParentFieldID>
<DescriptorFieldID>00000000-0000-0000-0000-000000000000</DescriptorFieldID>
<ColumnSize>0</ColumnSize>
<NumericPrecision>10</NumericPrecision>
<NumericScale>255</NumericScale>
<AllowDBNull>>true</AllowDBNull>
<IsUnique>>false</IsUnique>
<IsFakeHistoricalField>>false</IsFakeHistoricalField>
<IsKeyColumn>>false</IsKeyColumn>
<IsAutoIncrement>>false</IsAutoIncrement>
<IsReadOnly>>false</IsReadOnly>
<IsLong>>false</IsLong>
<BaseSchemaName />
<BaseCatalogName />
<BaseTableName />
<BaseColumnName>State</BaseColumnName>
<RequireAtLeastOneValueToBeSelected>>false</RequireAtLeastOneValueToBeSelected>
<ShowGauge>>false</ShowGauge>
<UseFooterForGauge>>false</UseFooterForGauge>
<DataID>419f5da5-28b7-43f6-b37a-b095d6a59fc0</DataID>
<ShelfLifeInSeconds>180</ShelfLifeInSeconds>
<AutoMergeCells>>false</AutoMergeCells>
</Field>
<Field>
<Group1FooterFormula />
<Group2FooterFormula />
<Group3FooterFormula />
<FilterChanged>>false</FilterChanged>
<FilterPreQuery>>true</FilterPreQuery>
<ExportAsHHMMSS>>false</ExportAsHHMMSS>
<ReportID>86e60b92-49b6-4d2f-bcdf-20f8cbca2811</ReportID>
<AllowUsersToShow>>true</AllowUsersToShow>
<NormalizeTimeZone>>false</NormalizeTimeZone>

```

Reporting:\_Report\_for\_Scheduled\_reports

```
<TimeFrameType>Y</TimeFrameType>
<ID>aa3f113c-d835-4469-aa9b-696ded7469f6</ID>
<DisplayWidth>125</DisplayWidth>
<ValueCacheLifetimeInMinutes>3</ValueCacheLifetimeInMinutes>
<ValueSQLQuery />
<IsFakeFilterField>>false</IsFakeFilterField>
<IsFormula>>false</IsFormula>
<DisplayFormatStored>FormattedData</DisplayFormatStored>
<XsltID>00000000-0000-0000-0000-000000000000</XsltID>
<FooterStyle>None</FooterStyle>
<DrilldownOptions />
<Thresholds />
<Key>ProjectedRunDateTime</Key>
<FormatString />
<TableID>00000000-0000-0000-0000-000000000000</TableID>
<IsAggregate>>false</IsAggregate>
<ActiveFilterIndex>0</ActiveFilterIndex>
<BluevueName>ProjectedRunDateTime</BluevueName>
<HighValue>0</HighValue>
<LowValue>0</LowValue>
<HighRangeValue>0</HighRangeValue>
<LowRangeValue>0</LowRangeValue>
<Randomize>>false</Randomize>
<Filters />
<FieldID>aa3f113c-d835-4469-aa9b-696ded7469f6</FieldID>
<FieldIndex>2</FieldIndex>
<KeyCriteriaSearchable>>false</KeyCriteriaSearchable>
<ColumnName>ProjectedRunDateTime</ColumnName>
<DisplayName>ProjectedRunDateTime</DisplayName>
<KeyCriteria>>true</KeyCriteria>
<KeyCriteriaName>ProjectedRunDateTime</KeyCriteriaName>
<Displayed>>true</Displayed>
<DecimalPlaces>2</DecimalPlaces>
<ShowAvg>>false</ShowAvg>
<ShowSum>>false</ShowSum>
<Filter>
<DayFilter>ALL</DayFilter>
<FromTime>2010-04-26T00:00:00</FromTime>
<ToTime>2010-04-26T23:59:59</ToTime>
<RestrictTime>>false</RestrictTime>
<DatabaseID>17886618-30a0-4e74-96b2-e2d876a0ed45</DatabaseID>
<IsStockHistoricalFilter>>false</IsStockHistoricalFilter>
<IsCustomReportBuilderFilter>>false</IsCustomReportBuilderFilter>
<Caption>New Filter</Caption>
<FilterField />
<FieldType>BigInt</FieldType>
<FilterValues />
<FilterType1>NoFilter</FilterType1>
<RollingValue>1</RollingValue>
<IsHistoricalFilter>>false</IsHistoricalFilter>
<FieldID>aa3f113c-d835-4469-aa9b-696ded7469f6</FieldID>
<FilteringValues>
<DataID>aa3f113c-d835-4469-aa9b-696ded7469f6</DataID>
```

Reporting:\_Report\_for\_Scheduled\_reports

```

<Updating>0</Updating>
<RefreshRate>86400</RefreshRate>
<LastRefreshed>1970-01-01T01:00:00</LastRefreshed>
<ValueListQuery />
<CollectionQuery />
<IsDirty>true</IsDirty>
<ID>aa3f113c-d835-4469-aa9b-696ded7469f6</ID>
<DatasourceID />
<ValueListDataType>Numeric</ValueListDataType>
<Values>
<Values>
<IsDirty>true</IsDirty>
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<Description />
<ValueListValueID>aed290ea-cd20-4a7d-af8c-24de33817efa</ValueListValueID>
<ValueListValue />
<DataType>String</DataType>
<Ident>0</Ident>
</Values>
</Values>
</FilteringValues>
<ValueFieldID>00000000-0000-0000-0000-000000000000</ValueFieldID>
<ValueCollectionID>00000000-0000-0000-0000-000000000000</ValueCollectionID>
</Filter>
<DataType>DateTime</DataType>
<SimpleDataType>Date</SimpleDataType>
<ColumnOrder>-1</ColumnOrder>
<Alias />
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<ParentFieldID>00000000-0000-0000-0000-000000000000</ParentFieldID>
<DescriptorFieldID>00000000-0000-0000-0000-000000000000</DescriptorFieldID>
<ColumnSize>0</ColumnSize>
<NumericPrecision>23</NumericPrecision>
<NumericScale>3</NumericScale>
<AllowDBNull>true</AllowDBNull>
<IsUnique>false</IsUnique>
<IsFakeHistoricalField>false</IsFakeHistoricalField>
<IsKeyColumn>false</IsKeyColumn>
<IsAutoIncrement>false</IsAutoIncrement>
<IsReadOnly>false</IsReadOnly>
<IsLong>false</IsLong>
<BaseSchemaName />
<BaseCatalogName />
<BaseTableName />
<BaseColumnname>ProjectedRunDateTime</BaseColumnname>
<RequireAtLeastOneValueToBeSelected>false</RequireAtLeastOneValueToBeSelected>
<ShowGauge>false</ShowGauge>
<UseFooterForGauge>false</UseFooterForGauge>
<DataID>aa3f113c-d835-4469-aa9b-696ded7469f6</DataID>
<ShelfLifeInSeconds>180</ShelfLifeInSeconds>
<AutoMergeCells>false</AutoMergeCells>
</Field>
<Field>

```

Reporting:\_Report\_for\_Scheduled\_reports

```
<Group1FooterFormula />
<Group2FooterFormula />
<Group3FooterFormula />
<FilterChanged>>false</FilterChanged>
<FilterPreQuery>>true</FilterPreQuery>
<ExportAsHHMMSS>>false</ExportAsHHMMSS>
<ReportID>86e60b92-49b6-4d2f-bcdf-20f8cbca2811</ReportID>
<AllowUsersToShow>>true</AllowUsersToShow>
<NormalizeTimeZone>>false</NormalizeTimeZone>
<TimeFrameType>Y</TimeFrameType>
<ID>5927a923-0ea4-4d43-a4c9-2d84c460b6cd</ID>
<DisplayWidth>125</DisplayWidth>
<ValueCacheLifetimeInMinutes>3</ValueCacheLifetimeInMinutes>
<ValueSQLQuery />
<IsFakeFilterField>>false</IsFakeFilterField>
<IsFormula>>false</IsFormula>
<DisplayFormatStored>FormattedData</DisplayFormatStored>
<XsltID>00000000-0000-0000-0000-000000000000</XsltID>
<FooterStyle>None</FooterStyle>
<DrilldownOptions />
<Thresholds />
<Key>ActualRunDateTime</Key>
<FormatString />
<TableID>00000000-0000-0000-0000-000000000000</TableID>
<IsAggregate>>false</IsAggregate>
<ActiveFilterIndex>0</ActiveFilterIndex>
<BluevueName>ActualRunDateTime</BluevueName>
<HighValue>0</HighValue>
<LowValue>0</LowValue>
<HighRangeValue>0</HighRangeValue>
<LowRangeValue>0</LowRangeValue>
<Randomize>>false</Randomize>
<Filters />
<FieldID>5927a923-0ea4-4d43-a4c9-2d84c460b6cd</FieldID>
<FieldIndex>3</FieldIndex>
<KeyCriteriaSearchable>>false</KeyCriteriaSearchable>
<ColumnName>ActualRunDateTime</ColumnName>
<DisplayName>ActualRunDateTime</DisplayName>
<KeyCriteria>>true</KeyCriteria>
<KeyCriteriaName>ActualRunDateTime</KeyCriteriaName>
<Displayed>>true</Displayed>
<DecimalPlaces>2</DecimalPlaces>
<ShowAvg>>false</ShowAvg>
<ShowSum>>false</ShowSum>
<Filter>
<DayFilter>ALL</DayFilter>
<FromTime>2010-04-26T00:00:00</FromTime>
<ToTime>2010-04-26T23:59:59</ToTime>
<RestrictTime>>false</RestrictTime>
<DatabaseID>8b2208e6-c071-4ec6-8158-cf0fa561684d</DatabaseID>
<IsStockHistoricalFilter>>false</IsStockHistoricalFilter>
<IsCustomReportBuilderFilter>>false</IsCustomReportBuilderFilter>
<Caption>New Filter</Caption>
```

Reporting:\_Report\_for\_Scheduled\_reports

```

<FilterField />
<FieldType>BigInt</FieldType>
<FilterValues />
<FilterType1>NoFilter</FilterType1>
<RollingValue>1</RollingValue>
<IsHistoricalFilter>>false</IsHistoricalFilter>
<FieldID>5927a923-0ea4-4d43-a4c9-2d84c460b6cd</FieldID>
<FilteringValues>
<DataID>5927a923-0ea4-4d43-a4c9-2d84c460b6cd</DataID>
<Updating>0</Updating>
<RefreshRate>86400</RefreshRate>
<LastRefreshed>1970-01-01T01:00:00</LastRefreshed>
<ValueListQuery />
<CollectionQuery />
<IsDirty>>true</IsDirty>
<ID>5927a923-0ea4-4d43-a4c9-2d84c460b6cd</ID>
<DatasourceID />
<ValueListDataType>Numeric</ValueListDataType>
<Values>
<Values>
<IsDirty>>true</IsDirty>
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<Description />
<ValueListValueID>35a29450-2e3a-46b8-b438-166bd21a93da</ValueListValueID>
<ValueListValue />
<DataType>String</DataType>
<Ident>0</Ident>
</Values>
</Values>
</FilteringValues>
<ValueFieldID>00000000-0000-0000-0000-000000000000</ValueFieldID>
<ValueCollectionID>00000000-0000-0000-0000-000000000000</ValueCollectionID>
</Filter>
<DataType>DateTime</DataType>
<SimpleDataType>Date</SimpleDataType>
<ColumnOrder>-1</ColumnOrder>
<Alias />
<ValueListID>00000000-0000-0000-0000-000000000000</ValueListID>
<ParentFieldID>00000000-0000-0000-0000-000000000000</ParentFieldID>
<DescriptorFieldID>00000000-0000-0000-0000-000000000000</DescriptorFieldID>
<ColumnSize>0</ColumnSize>
<NumericPrecision>23</NumericPrecision>
<NumericScale>3</NumericScale>
<AllowDBNull>>true</AllowDBNull>
<IsUnique>>false</IsUnique>
<IsFakeHistoricalField>>false</IsFakeHistoricalField>
<IsKeyColumn>>false</IsKeyColumn>
<IsAutoIncrement>>false</IsAutoIncrement>
<IsReadOnly>>false</IsReadOnly>
<IsLong>>false</IsLong>
<BaseSchemaName />
<BaseCatalogName />
<BaseTableName />

```

Reporting: \_Report\_for\_Scheduled\_reports

	<pre> &lt;BaseColumnname&gt;ActualRunDateTime&lt;/BaseColumnname&gt; &lt;RequireAtLeastOneValueToBeSelected&gt;&gt;false&lt;/RequireAtLeastOneValueToBeSelected&gt; &lt;ShowGauge&gt;&gt;false&lt;/ShowGauge&gt; &lt;UseFooterForGauge&gt;&gt;false&lt;/UseFooterForGauge&gt; &lt;DataID&gt;5927a923-0ea4-4d43-a4c9-2d84c460b6cd&lt;/DataID&gt; &lt;ShelfLifeInSeconds&gt;180&lt;/ShelfLifeInSeconds&gt; &lt;AutoMergeCells&gt;&gt;false&lt;/AutoMergeCells&gt; &lt;/Field&gt; &lt;/Fields&gt; &lt;HistoricalKey /&gt; &lt;ReportTypeUserSystem&gt;PERSONAL&lt;/ReportTypeUserSystem&gt; &lt;ReportAccessLevel&gt;PRIVATE&lt;/ReportAccessLevel&gt; &lt;PageSize&gt;200&lt;/PageSize&gt; &lt;HelpLink /&gt; &lt;HelpLinkTitle /&gt; &lt;/SerializedReport&gt; </pre>
<b>Release</b>	Release 7.5(x)
<b>Associated CDETS #</b>	Not relevant