SNMP Notification: authenticationFailure

Problem Summary	The SNMP log shows frequent connect and disconnect events from the Reporting Server.
Error Message	Received SNMPv2c Trap: Community: public From: <ip address> sysUpTime.0 = 00:09:54.02 snmpTrapOID.0 = authenticationFailure
Possible Cause	Missing SNMP Community Strings.
Recommended Action	You need to manually import the previously configured community strings from the windows SNMP Service on that machine. Complete the following steps. Importing Previously Configured SNMP Community Strings (windows) 1. To see a list of the previously configured Windows SNMP V1 community strings:a. Open Windows Services viewer. b. Right-click SNMP Service and select Properties. c. Select the Security tab. 1. This tab lists the accepted V1 community strings and the access granted for each string. It also lists the hosts from which SNMP packets are accepted. **Note:** The accepted hosts apply to all community strings, whereas the Operations Console gives you more granularity, allowing you to specify accepted hosts on a community string basis. 2. Configure these community string from the Operations Console:a. Open the Operations Console and select **SNMP | V1/V2C | Community String**. b. For each community string discovered above that has not already been configured in the Operations Console, add it via **Add New**. 1. c. Enter the community string exactly as it was listed in the step above. d. Choose **V1** as the version. e. For windows community strings with permission other than Read Only, select **Read Write** in the Operations Console. f. Be sure to select the device that the community string was reported.
Release	Release 7.0(2)
Associated CDETS #	None.