

JTAPI Log

Problem Summary	None.
Error Message	None.
Possible Cause	None.
Recommended Action	<p>The following trace statements are logged to the JTAPI Gateway log once the silent monitor call has been established:</p> <pre> 09:47:55 pglA-jgw1 Trace: CiscoTermConnMonitoringStartEv Monitored CID: 16786464 Addr: 30002 09:47:55 pglA-jgw1 Trace: ----- CallChangedEvent called with 1 events. 09:47:55 pglA-jgw1 Trace: NEW META EVENT Cause: NORMAL MetaCode: META_CALL_PROGRESS 09:47:55 pglA-jgw1 Trace: CiscoTermConnMonitorInitiatorInfoEv Monitored CID: 16786464 Addr: 30002 09:47:55 pglA-jgw1 Trace: handleCiscoTermConnMonitorInitiatorInfoEvent: address: 30002 09:47:55 pglA-jgw1 Trace: handleCiscoTermConnMonitorInitiatorInfoEvent: address: 30002 09:47:55 pglA-jgw1 Trace: handleCiscoTermConnMonitorInitiatorInfoEvent Found target: 30002 09:47:55 pglA-jgw1 Trace: MyConnection() address:30002 type:MONITORING_TARGET 09:47:55 pglA-jgw1 Trace: Calling findInstrumentByAddressString() since the address: 30002 09:47:55 pglA-jgw1 Trace: findInstrumentByAddressString(): find the instrument for address: 30002 09:47:55 pglA-jgw1 Trace: handleConnCreated::Created new MyConn: GenID: 11 ConnIDVal: 21683064 ? 09:47:55 pglA-jgw1 Trace: CallCtlConnOfferedEv CID: 16786465 Addr: 30002 Calling: 30002 ? 09:47:55 pglA-jgw1 Trace: ConnAlertingEv CID: 16786465 Addr: 30002 09:47:55 pglA-jgw1 Trace: CallCtlConnAlertingEv CID: 16786465 Addr: 30002 Calling: 30002 ? 09:47:55 pglA-jgw1 Trace: sourceMyConnection: MyConn: GenID: 10 ConnIDVal: 21683064 09:47:55 pglA-jgw1 Trace: ConnConnectedEv CID: 16786465 Addr: 30002 09:47:55 pglA-jgw1 Trace: CallCtlConnEstablishedEv CID: 16786465 Addr: 30002 Calling: 30002 09:47:55 pglA-jgw1 Trace: MyConn: GenID: 11 ConnIDVal: 0 ConnDev: 30002/0 DevExt: 30002 ? 09:47:55 pglA-jgw1 Trace: Call to call[16786465].startMonitor([SEP0015FAB8F3EB,30002]) 09:47:55 pglA-jgw1 Trace: MsgSuperviseCallConf: InvID: 107825113 </pre>
Release	Release 7.5(x)
Associated CDETS #	None.