



**file for this version**

				<b><u>UCS Tested Reference Configurations</u></b>		<b><u>UCS or 3rd-party Specs-based on Intel Xeon configuration</u></b>		<b><u>UCS Tested Reference Specs-based on Intel Xeon configuration</u></b>		
<b><u>vCPU</u></b>	<b><u>vRAM</u></b>	<b><u>vDisk</u></b>	<b><u>vNIC</u></b>	S is same as BE 6000 MD	S	S+	M	L	XL	2XL
				S+ is same as BE 6000 HD						
				M includes BE 7000						
					<b><u>Full UC Perf. CPU</u></b>	<b><u>Restricted UC Perf. CPU</u></b>	<b><u>S</u></b>	<b><u>M</u></b>	<b><u>Full UC Perf. CPU</u></b>	<b><u>Restricted UC Perf. CPU</u></b>

- **Co-residency support** = Full
- **Supported Versions of VMware vSphere ESXi** = 4.0 U4, 4.1 U2, 5.0 U1, 5.1, 5.5
- **Click for "IOPS"**

Medium VM Same as Unified CM 7.5K users

Large VM Same as Unified CM 10K users

**Version 9.1(x)**

Click here for a Legend

				<b><u>VM Configuration Requirements</u></b>		<b><u>Supported Hardware (Latest)</u></b>		<b><u>Supported Hardware (Older)</u></b>			
				<b><u>click to download OVA file for this version</u></b>							
<b><u>Component &amp; Capacity Point</u></b>	<b><u>vCPU</u></b>	<b><u>vRAM</u></b>	<b><u>vDisk</u></b>	<b><u>vNIC</u></b>	<b><u>UCS Tested Reference Configurations</u></b>	<b><u>UCS or 3rd-party Specs-based on Intel Xeon configuration</u></b>	<b><u>UCS Tested Reference Specs-based on Intel Xeon configuration</u></b>	<b><u>UCS or 3rd-party Specs-based on Intel Xeon configuration</u></b>	<b><u>UCS Tested Reference Specs-based on Intel Xeon configuration</u></b>		
					S is same as BE 6000 MD	S	S+	M	L	XL	2XL
					S+ is same as BE 6000 HD						
					M includes BE 7000						
						<b><u>Full UC Perf. CPU</u></b>	<b><u>Restricted UC Perf. CPU</u></b>	<b><u>S</u></b>	<b><u>M</u></b>	<b><u>Full UC Perf. CPU</u></b>	<b><u>Restricted UC Perf. CPU</u></b>

**Co-residency support** = Full

- **Supported Versions of VMware vSphere ESXi** = 4.0 U3, 4.1 U1, 5.0, 5.1, 5.5
- **Click for "IOPS"**

Medium VM Same as Unified CM 7.5K users

Large VM Same as Unified CM 10K users

## Version 9.0(1)

[Click here for a Legend](#)

<u>Component &amp; Capacity Point</u>	<u>VM Configuration Requirements</u> <u>click to download OVA file for this version</u>				<u>Supported Hardware (Latest)</u>					<u>Supported Hardware (Older)</u>					
	<u>vCPU</u>	<u>vRAM</u>	<u>vDisk</u>	<u>vNIC</u>	<u>UCS Tested Reference Configurations</u> S is same as BE 6000 MD S+ is same as BE 6000 HD M includes BE 7000					<u>UCS or 3rd-party</u> <u>Specs-based on Intel Xeon</u>	<u>UCS Tested</u> <u>Reference</u>	<u>UCS or 3rd-party</u> <u>Specs-based on Intel Xeon</u>	<u>UCS or 3rd-party</u> <u>Specs-based on Intel Xeon</u>		
					<u>S</u>	<u>M</u>	<u>L</u>	<u>XL</u>	<u>2XL</u>	<u>Full UC Perf. CPU</u>	<u>Restricted UC Perf. CPU</u>	<u>S</u>	<u>M</u>	<u>Full UC Perf. CPU</u>	<u>Restricted UC Perf. CPU</u>

Co-residency support = Full

- Supported Versions of VMware vSphere ESXi = 4.0 U3, 4.1 U1, 5.0, 5.1, 5.5
- Click for "IOPS"

Medium VM

Same as Unified CM 7.5K users

Same as Unified CM 10K users

Large VM

## Version 8.6(x)

[Click here for a Legend](#)

<u>Component &amp; Capacity Point</u>	<u>VM Configuration Requirements</u> <u>click to download OVA file for this version</u>				<u>Supported Hardware (Latest)</u>					<u>Supported Hardware (Older)</u>					
	<u>vCPU</u>	<u>vRAM</u>	<u>vDisk</u>	<u>vNIC</u>	<u>UCS Tested Reference Configurations</u> S is same as BE 6000 MD S+ is same as BE					<u>UCS or 3rd-party</u> <u>Specs-based on Intel Xeon</u>	<u>UCS Tested</u> <u>Reference</u>	<u>UCS or 3rd-party</u> <u>Specs-based on Intel Xeon</u>	<u>UCS or 3rd-party</u> <u>Specs-based on Intel Xeon</u>		
										<u>Full UC Perf. CPU</u>	<u>Restricted UC Perf. CPU</u>	<u>S</u>	<u>M</u>	<u>Full UC Perf. CPU</u>	<u>Restricted UC Perf. CPU</u>

<b>6000 HD</b>										
<b>M includes BE</b>										
<b>7000</b>										
<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2XL</b>	<b>Full UC Perf. CPU</b>	<b>Restricted UC Perf. CPU</b>	<b>S</b>	<b>M</b>	<b>Full UC Perf. CPU</b>	<b>Restricted UC Perf. CPU</b>

**Co-residency support** = Full

- **Supported Versions of VMware vSphere ESXi** = 4.0 U1, 4.1, 5.0, 5.1
- **Click for "IOPS"**


Medium VM Same as Unified CM 7.5K users

Same as Unified CM 10K users

Large VM

## Version 8.5(x)

Click here for a Legend

 **Note:** clean these up these are not accurate. Fix download link and VM specs (and add notes on what each vDisk is for in the notes).

<b>Component &amp; Capacity Point</b>	<b>VM Configuration Requirements</b> <u>click to download OVA file for this version</u>				<b>Supported Hardware (Latest)</b>		<b>Supported Hardware (Older)</b>								
	<b>vCPU</b>	<b>vRAM</b>	<b>vDisk</b>	<b>vNIC</b>	<b>UCS Tested Reference Configurations</b>	<b>UCS or 3rd-party Specs-based on Intel Xeon</b>	<b>UCS Tested Reference Configurations</b>	<b>UCS or 3rd-party Specs-based on Intel Xeon</b>							
					S is same as BE 6000 MD										
					S+ is same as BE 6000 HD										
					M includes BE 7000										
					<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2XL</b>	<b>Full UC Perf. CPU</b>	<b>Restricted UC Perf. CPU</b>	<b>S</b>	<b>M</b>	<b>Full UC Perf. CPU</b>	<b>Restricted UC Perf. CPU</b>

**Co-residency support** = UC with UC only

- **Supported Versions of VMware vSphere ESXi** = 4.0, 4.1, 5.0, 5.1
- **Click for "IOPS"**

Medium VM Same as Unified CM 7.5K users

## **IOPS and Storage System Performance Requirements**

Same as Cisco Unified Communications Manager.