

Main page: [Cisco Unified Presence, Release 7.x](#)

Previous Topic

- [Cisco Unified Serviceability Administration for Cisco Unified Presence](#)

Cisco Unified Presence Serviceability allows you to configure the system contact and system location objects for the MIB-II system group. For example, you could enter Administrator, 555-121-6633, for the system contact and San Jose, Bldg 23, Second floor, for the system location.

You can configure a system contact and system location for the MIB-II system group.

Tip: This procedure supports SNMP v1, v2c, and v3 configuration.

Procedure

1. Select **Snmp > SystemGroup > MIB2 System Group**.
2. Configure the MIB2 System Group settings, as described in the table below.

Field	Description
Server	From the list box, select the server for which you want to configure contacts; then, click Go .
System Contact	In the field, enter a person to notify when problems occur.
System Location	In the field, enter the location of the person that is identified as the system contact.
Apply To All Nodes	Check to apply the system configuration to all of the nodes in the cluster.

3. Click **Save**. A message indicates that changes will not take effect until you restart the SNMP master agent.
4. Perform one of the following actions:
 - Click **OK** to restart the SNMP master agent service.
 - Click **Cancel** to continue the configuration without restarting the SNMP master agent.
5. Perform one of the following actions:
 - Click **Clear All** to clear the System Contact and System Location fields.
 - Click **Clear All** and **Save** to delete the system configuration.

Related Topics

- [SNMP Configuration Checklist](#)
- [Getting More Information](#)