

**Links to Other API pages:** [Cisco Unity Connection APIs](#)

|   |
|---|
| <b>CUPI Guide Contents</b>                      |
| <a href="#">API Overview</a>                    |
| <a href="#">Index of All CUPI Documentation</a> |

## Contents

- [1 About Administrative Replaceable Images](#)
- [2 Listing of the Administrative Replaceable Images](#)
- [3 Viewing of the Administrative Replaceable Images](#)
- [4 Modifying an existing Administrative Replaceable Image](#)
- [5 Viewing an existing Administrative Replace Image corresponding to a Display Name](#)
- [6 Restoring the Default Images for Administrative Replaceable Images](#)

## About Administrative Replaceable Images

The administrator has rights to replace the default images for the following status items:

- Deleted\_message
- MWI\_OFF
- MWI\_ON
- Read\_message
- Read\_urgent\_message
- Unread\_message
- Unread\_urgent\_message

These images can anytime reset to default through the **Restore Default** option given on the **Search Replaceable Images** page. The addition or deletion of any image is not allowed in the given default list.

## Listing of the Administrative Replaceable Images

The following is an example of the GET request that lists all the replaceable images:

```
GET https://<connection-server>/vmrest/replaceableimages
```

The following is an example of the response from the above \*GET\* request and the actual response will depend upon the information given by you.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ReplaceableImages>
  <ReplaceableImage>
    <URI>/vmrest/replaceableimages/9ab493f8-5e8e-4f0c-82a8-a43308d460d8</URI>
    <DisplayName>deleted_message</DisplayName>
    <ImageName>deleted_message.png</ImageName>
    <ImageSize>128*128</ImageSize>
    <ObjectId>9ab493f8-5e8e-4f0c-82a8-a43308d460d8</ObjectId>
    <ImagePreviewURI>/vmrest/replaceableimages/deleted_message/image</ImagePreviewURI>
```

```

    </ReplaceableImage>
  <ReplaceableImage>
    <URI>/vmrest/replaceableimages/c6d3173e-ce2b-406a-9d34-3b1c13093f0b</URI>
    <DisplayName>mwi_off</DisplayName>
    <ImageName>test1.GIF</ImageName>
    <ImageSize>387*232</ImageSize>
    <ObjectId>c6d3173e-ce2b-406a-9d34-3b1c13093f0b</ObjectId>
    <ImagePreviewURI>/vmrest/replaceableimages/mwi_off/image</ImagePreviewURI>
  </ReplaceableImage>
</ReplaceableImages>

```

## Viewing of the Administrative Replaceable Images

The following is an example of the GET request that lists the details of specific administrative replaceable images represented by the provided value of object id:

```
GET https://<connection-server>/vmrest/replaceableimages/<objectid>
```

The following is the response from the above \*GET\* request.

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<ReplaceableImage>
  <URI>/vmrest/replaceableimages/9ab493f8-5e8e-4f0c-82a8-a43308d460d8</URI>
  <DisplayName>deleted_message</DisplayName>
  <ImageName>deleted_message.png</ImageName>
  <ImageSize>128*128</ImageSize>
  <ObjectId>9ab493f8-5e8e-4f0c-82a8-a43308d460d8</ObjectId>
  <ImagePreviewURI>/vmrest/replaceableimages/deleted_message/image</ImagePreviewURI>
</ReplaceableImage>

```

## Modifying an existing Administrative Replaceable Image

The following is an example of the PUT request that modifies an existing administrative replaceable image as represented by object id. An image file attachment is required as a multipart PUT request.

```

PUT https://<connection-server>/vmrest/replaceableimages/<objectid>
REQUEST: An image file attachment is required as a multipart PUT request.
RESPONSE Code: 204
RESPONSE Text: [[Image:Icon privacy.png]]

```

## Viewing an existing Administrative Replace Image corresponding to a Display Name

The following is an example of the GET request that allows you to view an existing replaceable image corresponding to its display name:

```
GET https://<connection-server>/vmrest/replaceableimages/<displayname>/image
```

## Restoring the Default Images for Administrative Replaceable Images

The following is an example of the PUT request that restores the system default images for administrative replaceable images:

```
PUT https://<connection-server>/vmrest/replaceable_images/<displayname>/restore
```

The output for this request returns the successful response code.

```
REQUEST: <No input is required>
```

```
RESPONSE Code: 204
```