

**Links to Other API pages:** [Cisco Unity Connection APIs](#)

<b>CUPI Guide Contents</b>
<a href="#">API Overview</a>
<a href="#">Index of All CUPI Documentation</a>

## Contents

- [1 About Custom Graphics](#)
- [2 Listing of the Custom Graphics](#)
- [3 Viewing of the Custom Graphics](#)
- [4 Creating the Custom Graphics](#)
- [5 Updating the Custom Graphics](#)
- [6 Deleting the Custom Graphics](#)

## About Custom Graphics

Administrator can use the CUPI APIs to list, view, create, update, and delete the custom graphics. The custom graphics are used for adding logos and images within an HTML template. The images can also be used to define image based template structure. You can try, for example, you can use the default custom graphic as 'Default\_Dynamic\_Icons'. To insert a graphic directly in the notification template as specified by administrator under the Templates > Notification Templates > Custom Graphics page, you can use the `</img>` tag.

## Listing of the Custom Graphics

The following is an example of the GET request that lists all the custom graphics:

```
GET https://<connection-server>/vmrest/customgraphics
```

The following is an example of the response from the above \*GET\* request and the actual response will depend upon the information has been provided by you.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<CustomGraphics total="2">
  <CustomGraphic>
    <URI>/vmrest/customgraphics/4a9872d8-df00-4e17-b382-1a01c58a99b6</URI>
    <DisplayName>Logo</DisplayName>
    <ImageName>logo.jpg</ImageName>
    <ImageSize>2048*1536</ImageSize>
    <ObjectId>4a9872d8-df00-4e17-b382-1a01c58a99b6</ObjectId>
    <ImagePreviewURI>/vmrest/customgraphics/logo/image</ImagePreviewURI>
  </CustomGraphic>
  <CustomGraphic>
    <URI>/vmrest/customgraphics/c7ee3657-f796-464c-8e64-3706318439d1</URI>
    <DisplayName>Logo2</DisplayName>
    <ImageName>logo2.jpg</ImageName>
    <ImageSize>2048*1536</ImageSize>
    <ObjectId>c7ee3657-f796-464c-8e64-3706318439d1</ObjectId>
  </CustomGraphic>
</CustomGraphics>
```

```

    <ImagePreviewURI>/vmrest/customgraphics/Logo2/image</ImagePreviewURI>
  </CustomGraphic>
</CustomGraphics>

```

## Viewing of the Custom Graphics

The following is an example of the GET request that displays a specific custom graphic represented by the provided value of object id:

```
GET https://<connection-server>/vmrest/customgraphics/<objectid>
```

The following is an example of the response from the above \*GET\* request and the actual response will depend upon the information provided by you.

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<CustomGraphic>
  <URI>/vmrest/customgraphics/4a9872d8-df00-4e17-b382-1a01c58a99b6</URI>
  <DisplayName>Logo</DisplayName>
  <ImageName>logo.jpg</ImageName>
  <ImageSize>2048*1536</ImageSize>
  <ObjectId>4a9872d8-df00-4e17-b382-1a01c58a99b6</ObjectId>
  <ImagePreviewURI>/vmrest/customgraphics/Logo/image</ImagePreviewURI>
</CustomGraphic>

```

## Creating the Custom Graphics

The following is an example of the POST request that creates a custom graphic, where multipart POST request is required for XML and image:

```
POST https://<connection-server>/vmrest/customgraphics
```

First part: XML attachment

```

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<CustomGraphic>
  <DisplayName>Logo</DisplayName>
</CustomGraphic>

```

Second part: Image File as an attachment

```
RESPONSE Code: 201
```

```
RESPONSE Text: /vmrest/customgraphics/a1876b36-1095-488b-b810-20554ff51c42
```

Note: The file must not be more than 1 MB in size.

## Updating the Custom Graphics

The following is an example of the PUT request that allows you to update the custom graphic by mentioning its object ID.

An image file attachment is required as a multipart PUT request.

```

PUT https://<connection-server>/vmrest/customgraphics/<objectid>
RESPONSE Code: 204
RESPONSE Text: [[File:Icon_privacy.png]]

```

Note: The file must not be more than 1 MB in size.

## **Deleting the Custom Graphics**

The following is an example of the DELETE request that deletes a specific graphic for the selected object ID:

```
DELETE https://<connection-server>/vmrest/customgraphics/<objectid>
```

The output for this request returns the successful response code.