

Database Server Configuration

- ◇ Verify mode of authentication set in SQL Enterprise Manager (needs to be mixed-mode)
- ◇ Verify network packet size
- ◇ Verify TCP/IP port (Default port = 1433)

Database Server issues

- ◇ High Memory and CPU utilization
- ◇ Verify if rebuilding of indexes, archiving jobs, and reports summary jobs are running simultaneously.

Database Performance issue

- ◇ Run custom performance trace/trace templates that may have been created by a Database Administrator (DBA) to collect performance times associated with queries on DB.
- ◇ Run a trace using SQL Query Profiler, and identify queries that may be taking more than 5 seconds to execute completely.
- ◇ Change application log trace level to determine database queries (see Unified EIM / Unified WIM user guides)
- ◇ Analyze <Unified EIM / Unified WIM Install Dir>/logs/eGainQueryTimeLog.txt for queries that may be taking more than 10 seconds to execute completely.

DB Restoration issues

- ◇ Verify user privileges (user must have DB System Administration role assigned)
- ◇ Verify default database for the database users (Active and Master databases).
- ◇ Verify location of full text index (FTI) catalogs in file system. Typically, the FTI catalogs reside in the <MS SQL Server>/MSSQL/Data directory.

Database Configuration Best Practices

- ◇ Rebuild indexes once per week.
- ◇ Verify that ?Auto-update statistics? setting is enabled.
- ◇ Verify that ?Auto-create statistics? setting is enabled.
- ◇ Configure and analyze performance monitors.
- ◇ Configure appropriate DB size for Unified EIM / Unified WIM Master DB, Active DB and Archive DB based on anticipated DB growth (Recommended size for Active DB is 4 GB, Master DB is 1 GB, and Archive DB is 1 GB. Set the property for database to grow incrementally if required. Please refer Deployment Sizing Guide for Unified EIM / Unified WIM for computing database size based on system parameters).
- ◇ Consolidate regular database maintenance plans.

Note: The above best practices apply to both Active (stores data associated with the default application partition) and Master (stores data associated with back-end processes and shared resources) databases.