

Default Value and Value Range Differences

The following table lists the differences in default values and value ranges between ASA and FWSM.

FWSM	ASA
Minimum failover poll time is 500 milliseconds. CLI: failover polltime msec	Minimum failover poll time in milliseconds is 200. CLI: failover polltime msec
Minimum poll interval for interfaces is 3 seconds. CLI: failover polltime interface	Minimum poll interval for interfaces is 1 second. ASA also supports milliseconds and the minimum millisecond interval is 500. CLI: failover polltime interval failover polltime interval msec
Minimum failover unit poll time is 500 milliseconds. CLI: failover polltime unit msec	Minimum failover unit poll time is 200 milliseconds. CLI: failover polltime unit msec
Resource limits: Conns = 999,900 Cons/Sec = 102,400 Fixups/Sec = 10,000 Hosts = 256K Syslogs/sec = 30,000 Xlates = 256K	ASA does not have resource limits for the resources mentioned in the FWSM column.
SIP Disconnect Timeout: minimum = 1 minute maximum = 10 minutes CLI: timeout sip-disconnect	SIP Disconnect Timeout: minimum = 1 minute maximum = 1193 minutes CLI: timeout sip-disconnect
SIP Invite Timeout: maximum = 30 minutes CLI: timeout sip-invite	SIP Invite Timeout: maximum = 1193 minutes CLI: timeout sip-invite
XLATE Timeout: minimum = 30 seconds CLI: timeout xlate	Xlate Timeout: minimum = 1 minute CLI: timeout xlate